

### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

December 16, 2016

Ana Rodriguez-Koster Agent for, c/o ProRestore Products Lewis & Harrison, LLC 122 C Street, NW Suite 505 Washington, D.C. 20001

Subject: Notification per PRN 98-10 – To add marketing language to the product labeling Product Name: Microban Professional Strength Multi-Purpose Antibacterial Cleaner EPA Registration Number: 70385-8 Application Date: November 30, 2016 Decision Number: 524260

Dear Ms. Koster:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Antimicrobials Division (AD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped "Notification" and will be placed in our records.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Page 2 of 2 EPA Reg. No. 70385-8 Decision No. 524260

If you have any questions, you may contact Karen M. Leavy at (703)-308-6237 or via email at Leavy.Karen@epa.gov.

Sincerely,

Laven M. Leary for,

Eric Miederhoff Product Manager 31 Regulatory Management Branch I Antimicrobials Division (7510P) Office of Pesticide Programs

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**Caution.** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

### **FIRST AID**

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.

Call a poison control center or doctor for treatment advice. Have the container or label with you when calling a poison control center or doctor, or going for treatment.

(Note to reviewer: If container size is 5 gallons or larger, the following Environmental Hazards statements will be used:)

### ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

### NOTIFICATION

70385-8

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

12/16/2016

### MICROBAN PROFESSIONAL STRENGTH MULTI-PURPOSE ANTIBACTERIAL CLEANER

One-Step Disinfectant Cleaner – Fungicide –

Mildewstat - Virucide\*- Deodorizer For Homes, Hospitals, Institutional and Industrial Use Effective in the presence of 5% serum contamination Fresh / Clean / Mild / Lemon / Pine / Mint / Floral / Citrus (scent ) (fragrance) (scented) (odor)

- Formulated for Effective Farm Premise Sanitation
- Formulated for Effective Poultry Premise Sanitation
- Formulated for Effective Swine Premise Sanitation
- Formulated for Effective Mushroom Farm Sanitation
- Formulated for Veterinary Practice / Animal Care / Animal Laboratory Disinfection

For use in federally inspected meat and poultry plants

Staphylocidal • Pseudomonacidal • Bactericidal
Salmonellacidal • Fungicidal • Virucidal\*

Active Ingredients:

Octyl decyl dimethyl ammonium chloride	0.025%
Dioctyl dimethyl ammonium chloride	0.010%
Didecyl dimethyl ammonium chloride	0.015%
Alkyl (C <sub>14</sub> , 50%; C <sub>12</sub> , 40%; C <sub>16</sub> , 10%)	
dimethyl benzyl ammonium chloride	0.034%
Other Ingredients	<u>99.916%</u>
Total	100.000%

### **KEEP OUT OF REACH OF CHILDREN**

## CAUTION

See (left)(side)(right)(back) panel for Precautionary Statements and First Aid

(Directions for Additional Uses Are Contained on the Extended Product Label. Extended Label is Securely Attached to the Lid of this Container. If the Extended Label is Missing or Damaged, Contact Either Distributor or Manufacturer for a Replacement Copy.)

EPA Reg. No. 70385-8 EPA Establishment No. <u>(insert EPA Est. No. here)</u> Net Contents <u>(insert container size here)</u>

[(Manufactured) (Mfd.) for:] [Sold By:] [Manufactured by:] ProRestore Products 1016 Greentree Road #115 Pittsburgh, PA 15220 (412) 264-8340 1-800-332-6037 Batch Code\_\_\_\_\_

The mark MICROBAN is used pursuant to a license agreement

MICROBAN PROFESSIONAL STRENGTH MULTI-PURPOSE ANTIBACTERIAL CLEANER EPA No. 70385-8 Revised 11/30/2016 – Label Notification (Note to reviewer: Language in ( ) is optional or interchangeable)

## (Note to reviewer: The following is considered optional marketing language.)

- Disinfects (Disinfectant)
- Cleans (Cleaner)
- Deodorizes (Deodorant)
- This product contains no (phosphates or) phosphorous (compounds).
- Ready-to-Use
- Citrus Scent
- Fresh Mild Scent
- Removes soap scum
- (Convenient) Ready To Use formula.
- (Economical) (Spray & Wipe) formula.
- Cuts (through) (tough) grease and grime.
- Kills odor-causing bacteria.
- Inhibits (the growth of) (mold) (and) (mildew)
- Kitchen, Bathroom, Household Disinfectant Cleaner.
- Leaves (your house with) a (clean) (fresh) scent.
- Trigger spray(er)
- Pump spray(er)
- Formulated for remediation environments

### MICROBAN PROFESSIONAL STRENGTH MULTI-PURPOSE ANTIBACTERIAL CLEANER

- delivers non-acid disinfectant and cleaning performance.
- is effective yet economical.
- kills household germs; effective against Pseudomonas aeruginosa (Pseudomonas), Staphylococcus aureus (Staph) and Streptococcus faecalis (Strep), Influenza A / Brazil (influenza) and Trichophyton mentagrophytes (Athlete's foot fungus) (A Cause of Ringworm).
- cleans, disinfects and deodorizes in one labor saving step.
- can be used with a mop and bucket, trigger sprayers, sponge or by soaking.
- (improves labor results by) effectively controls (controlling) malodors.
- deodorizes by killing microorganisms that cause offensive odors.
- will disinfect, clean and deodorize surfaces in rest rooms and toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause malodors.
- is formulated for use in daily maintenance programs with a balance of detergents, biocides and malodor counteractants that deliver effective cleaning, disinfecting and malodor control.
- is a complete, chemically balanced disinfectant.
- will not leave grit or soap scum.
- is a versatile disinfectant for hard, nonporous nonfood contact surfaces in Veterinarian, Animal care and Farm Premise applications.
- is a (versatile) cleaner and broad spectrum disinfectant formulated for use only on noncritical instruments in Ultrasonic Baths (Ultrasonic cleaning units).
- is a (one-step) (Hospital Use) disinfectant cleaner that is effective against a broad spectrum of bacteria, is virucidal\* (including HIV-1, the AIDS Virus and Hepatitis B Virus and Hepatitis C virus), fungicidal, and inhibits the growth of mold and mildew, and their odors, when used as directed.
- meets AOAC efficacy standards for hospital disinfectants.

Cross-contamination is of major housekeeping concern. MICROBAN PROFESSIONAL STRENGTH MULTI-PURPOSE ANTIBACTERIAL CLEANER has been formulated to aid in the reduction of crosscontamination in not only in hospitals, but in schools, institutions and industry.

# Use MICROBAN PROFESSIONAL STRENGTH MULTI-PURPOSE ANTIBACTERIAL CLEANER

- in federally inspected Meat & Poultry Plants as a disinfectant or non-food contact sanitizer on all surfaces in inedible product processing areas, nonprocessing areas and / or exterior areas. This product was authorized by USDA as category D1 under the prior authorization program and its formula has not been changed.
- as a disinfectant on hard, nonporous surfaces.
- in kitchens, bathrooms and other household areas.
- to clean and disinfect finished floors, sinks and tubs.
- with a mop and bucket, trigger sprayer, sponge or by soaking.
- for non-scratch cleaning of showers and tubs, shower doors and curtains, fixtures and toilet bowls.
- to clean and disinfect nonporous salon / barber tools and instruments: combs, brushes, scissors, blades and manicure instruments.
- for disinfecting of ultrasound transducers, probes, mammography compressor plates and other hard nonporous surfaces.
- to clean and disinfect finished floors. Can be applied with damp mop or autoscrubber. Cleans and disinfects without dulling gloss.
- on coils and drain pans of air conditioning and refrigeration equipment and heat pumps. Follow the directions for disinfection.
- for Poultry Premise Sanitation (Hatcheries) of hard nonporous surfaces in: Egg Receiving Area, Egg Holding Area; Setter Room, Tray Dumping Area, Trays, Buggies, Racks, Egg Flats, Chick Holding Room, Hatchery Room, Chick Processing Area, Chick Loading Area, Poultry Buildings, Ceilings, Sidewalls and Floors, Drinkers and other Poultry House related equipment, and all other hard nonporous surfaces in the Hatchery environment.
- for Swine Premise Sanitation of hard nonporous surfaces: Waterers and Feeders, Hauling Equipment, Dressing Plants, Loading Equipment, Farrowing Barns and areas, Nursery blocks, Creep area, Chutes.
- for Farm Premise Sanitation of hard nonporous surfaces: floors, walls, feed racks, mangers, troughs, automatic feeders, fountains and waterers, forks, shovels, scrapers and other nonporous surfaces in barns, pens, stalls, chutes and other facilities and fixtures occupied or traversed by animals.

MICROBAN PROFESSIONAL STRENGTH MULTI-PURPOSE ANTIBACTERIAL CLEANER is a phosphate free, germicidal detergent effective in the presence of a moderate amount of organic soil on hard nonporous surfaces found at mushroom farms. MICROBAN PROFESSIONAL STRENGTH MULTI-PURPOSE ANTIBACTERIAL CLEANER has been designed for use between mushroom crops. Areas of intended use include breezeways and track alleys before spawning, inside and outside walls of mushroom houses, lofts, floors, storage sheds and casing rings. Use of MICROBAN PROFESSIONAL STRENGTH MULTI-PURPOSE ANTIBACTERIAL CLEANER should be limited to areas where compost and mushrooms are not present.

### MICROBAN PROFESSIONAL STRENGTH MULTI-PURPOSE ANTIBACTERIAL CLEANER is effective against:

Avian Infectious Bronchitis Virus Avian Influenza Virus Canine Distemper Virus Newcastle's Disease Virus Pseudorabies Virus

**MICROBAN PROFESSIONAL STRENGTH MULTI-PURPOSE ANTIBACTERIAL CLEANER** is a mildewstat and will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard nonporous surfaces.

Respiratory illnesses attributable to Pandemic 2009 H1N1 are caused by influenza A virus. **Microban QGC** is a broad-spectrum hard surface disinfectant that has been shown to be effective against Influenza A virus and is expected to inactivate all influenza A viruses including Pandemic 2009 H1N1 (formerly called swine flu).

**Microban QGC** has demonstrated effectiveness against influenza A virus and is expected to inactivate all influenza A viruses including Pandemic 2009 H1N1 influenza A virus.

This product has demonstrated effectiveness against influenza A virus and is expected to inactivate all influenza A viruses including Pandemic 2009 H1N1 (formerly called swine flu).

Kills Pandemic 2009 H1N1 influenza A virus (formerly called swine flu).

Kills Pandemic 2009 H1N1 influenza A virus.

MICROBAN PROFESSIONAL STRENGTH MULTI-PURPOSE ANTIBACTERIAL CLEANER EPA No. 70385-8 Revised 11/30/2016 – Label Notification

#### (Note to reviewer: The following is considered optional marketing language.)

### (AREAS OF USE:) Use MICROBAN PROFESSIONAL STRENGTH MULTI-PURPOSE ANTIBACTERIAL CLEANER in:

Bathrooms Homes (households) Kitchens

Dental offices Hospitals Medical Offices Nursing homes

Day care centers Nurseries

#### Bars

- Cafeterias Convenience stores Egg Processing plants Food processing plants Food storage areas Institutional kitchens Restaurants USDA inspected food processing facilities
- Athletic facilities Barber shops Business and office buildings Colleges Correctional facilities Dressing rooms Exercise facilities Factories Hotels Institutional facilities Institutions Locker rooms Motels Prisons Public facilities Public rest rooms Schools Shower and bath areas Salons

Camp grounds Play ground equipment Animal laboratories Dairy farms Hog farms Farms Kennels Poultry farms Pet animal quarters Pet shops **Reptile Tanks** Turkey farms Zoos Airplanes Airports Boats Buses Campers Cars **Emergency vehicles** Mobile homes Ships Taxis Trailers Trains Transportation terminals

### (TYPES OF SURFACES:)

Use MICROBAN PROFESSIONAL STRENGTH **MULTI-PURPOSE** ANTIBACTERIAL CLEANER on washable hard. nonporous surfaces of: Appliances Bathroom bowls Bathroom basins Bathroom fixtures **Bathtubs** Cabinets Cages Chairs Coils and drain pans of air conditioning and refrigeration equipment and heat pumps Conductive flooring Counters (countertops) Countertop laminates Desks Doorknobs Floors Garbage cans Highchairs Kennel runs Exterior surfaces of Microwave ovens Outdoor (patio) furniture except Cushions and wood frames

Exterior surfaces of Refrigerators Refrigerated storage and display equipment Showers Shower stalls Sinks (bathroom, kitchen) Stoves (stovetops) Tables (non-wooden picnic tables) Telephones Toilets Toilet bowls Toilet bowl surfaces Tubs Tiles, glazed Ultrasonic baths Urinals Walls Whirlpool bathtubs

Other hard nonporous surfaces made of: Formica<sup>®</sup> Glazed ceramic Glazed enameled surfaces Glazed porcelain Metal Plastic (such as polystyrene or polypropylene) Sealed stone Stainless steel Upholstery, vinyl and plastic Woodwork, finished

MICROBAN PROFESSIONAL STRENGTH MULTI-PURPOSE ANTIBACTERIAL CLEANER EPA No. 70385-8 Revised 11/30/2016 – Label Notification (Note to reviewer: Language in ( ) is optional or interchangeable)

### (Note to reviewer: The following is considered optional marketing language.)

**MICROBAN PROFESSIONAL STRENGTH MULTI-PURPOSE ANTIBACTERIAL CLEANER** is a (one-step) (Hospital use) disinfectant, Bactericidal according to the current AOAC Use-Dilution Test Method, Fungicidal according to the AOAC Fungicidal Test and Virucidal\* according to the virucidal qualification modified in the presence of 5% organic serum against:

(Bacteria:)

Pseudomonas aeruginosa (Pseudomonas) Staphylococcus aureus (Staph) Salmonella choleraesuis (Salmonella)

Acinetobacter baumannii (Acinetobacter) Brevibacterium ammoniagenes (Brevibacterium) Campylobacter jejuni (Campylobacter) Enterobacter aerogenes Enterococcus faecalis (Enterococcus) Enterococcus faecalis - Vancomycin resistant (VRE) Escherichia coli (E. coli) ESBL Escherichia coli – (Extended spectrum beta-lactamase producing E. coli) Klebsiella pneumoniae (Klebsiella) Pseudomonas cepacia (Pseudomonas) Salmonella schottmuelleri (Salmonella) Salmonella typhi (Salmonella) Serratia marcescens Shigella dysenteriae (Shigella) Staphylococcus aureus Methicillin-Resistant (MRSA) Staphylococcus aureus Multi-Drug Resistant Staphylococcus aureus - Vancomycin Intermediate Resistant -(VISA) Streptococcus pyogenes (Strep) Vibrio cholerae

(Viruses:) \*Hepatitis B Virus (HBV) \*Hepatitis C Virus (HCV) \*Herpes Simplex Virus Types 1 \*Herpes Simplex Virus Type 2 (Herpes) \*HIV-1 (the AIDS Virus) \*Influenza Type A / Brazil (Influenza) \*Respiratory Syncytial Virus (RSV) \*Vaccinia (Pox Virus)

(Animal Viruses:) Avian Influenza virus Avian Infectious Bronchitis Virus Canine Distemper Virus Newcastle's Disease Virus Pseudorabies Virus

(Fungi:) Trichophyton mentagrophytes (the Athlete's Foot Fungus) (A Cause of Ringworm)

Aspergillus niger

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Before use in federally inspected meat and poultry food processing plants and dairies, food products and packaging materials must be removed from the room or carefully protected.

# DISINFECTION / VIRUCIDAL\* / FUNGICIDAL / MOLD & MILDEW CONTROL DIRECTIONS:

Apply **MICROBAN PROFESSIONAL STRENGTH MULTI-PURPOSE ANTIBACTERIAL CLEANER** undiluted to hard, nonporous surfaces, thoroughly wetting the surfaces with a cloth, mop, sponge, sprayer or by immersion. Treated surfaces must remain wet for 10 minutes. Wipe dry with a cloth, sponge or mop or allow to air dry. For heavily soiled areas, a preliminary cleaning is recommended.

For sprayer applications, use a coarse spray device. Spray 6 - 8 inches from surface; rub with brush, sponge or cloth. Avoid breathing spray.

For fungicidal activity: MICROBAN PROFESSIONAL STRENGTH MULTI-PURPOSE ANTIBACTERIAL CLEANER is an effective one-step fungicide against Trichophyton mentagrophytes when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities.

**For mold and mildew:** Repeat treatment every 7 days or more often if new growth appears.

Rinse all surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. Do not use on utensils, glassware and dishes.

(Note to reviewer: Alternate directions for products sold in spray bottles:)

DISINFECTION / \*VIRUCIDAL / FUNGICIDAL / MOLD & MILDEW CONTROL DIRECTIONS:

Spray 6 - 8 inches from surface, until surfaces are thoroughly wet. Do not breathe spray. Treated surfaces must remain wet for 10 minutes. Wipe dry with a clean cloth, sponge, or mop or allow to air dry.

For fungicidal activity: MICROBAN PROFESSIONAL STRENGTH MULTI-PURPOSE ANTIBACTERIAL CLEANER is an effective one-step fungicide against Trichophyton mentagrophytes when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities.

**For mold and mildew:** Repeat treatment every 7 days or more often if new growth appears.

Rinse all surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. Do not use on utensils, glassware and dishes.

MICROBAN PROFESSIONAL STRENGTH MULTI-PURPOSE ANTIBACTERIAL CLEANER EPA No. 70385-8 Revised 11/30/2016 – Label Notification (Note to reviewer: Language in ( ) is optional or interchangeable)

(Note for reviewer: For labels that list medical premises and metal and / or stainless steel surfaces, one of the following statements must be used:)

This product is not to be used as a terminal sterilant / high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

(or)

This product is not for use on medical device surfaces.

**TO CLEAN AND DEODORIZE:** Apply undiluted to surfaces with a cloth, mop, sponge or sprayer. Wipe or allow to air dry.

# NON-ACID TOILET BOWL AND URINAL DISINFECTANT / CLEANER DIRECTIONS:

Remove gross filth prior to disinfection.

Empty toilet or urinal and apply MICROBAN PROFESSIONAL STRENGTH MULTI-PURPOSE ANTIBACTERIAL CLEANER to exposed surfaces and under the rim with a cloth, mop, sponge, or sprayer. Brush or swab thoroughly, allow to stand for 10 minutes, and flush.

FOR USE ON FINISHED FLOORS: Apply with a damp mop or autoscrubber. Allow surface to remain wet for 10 minutes. Wipe or allow to air dry.

### SALON (BARBER) INSTRUMENTS AND TOOLS DISINFECTION (BACTERICIDE) / VIRUCIDE / FUNGICIDE DIRECTIONS:

Use MICROBAN PROFESSIONAL STRENGTH MULTI-PURPOSE ANTIBACTERIAL CLEANER undiluted to disinfect hard, nonporous instruments and tools. Completely immerse combs, brushes, rollers, manicure and other salon instruments and tools for 10 minutes. For heavily soiled instruments and tools, a preliminary cleaning is required. Rinse thoroughly and dry before use. Use fresh product daily or more often if product becomes diluted or soiled.

**Note:** Plastics may remain immersed until ready to use. Stainless steel shears and instruments must be removed after 10 minutes, rinsed, dried and kept in a clean, noncontaminated receptacle. Prolonged soaking may cause damage to metal instruments.

### ULTRASONIC BATH DISINFECTANT DIRECTIONS:

Use MICROBAN PROFESSIONAL STRENGTH MULTI-PURPOSE ANTIBACTERIAL CLEANER to disinfect hard nonporous non-critical objects compatible with Ultrasonic cleaning units. Pour MICROBAN PROFESSIONAL STRENGTH MULTI-PURPOSE ANTIBACTERIAL CLEANER directly into bath chamber. Pre-clean heavily soiled objects. Place objects into unit and operate for a minimum of 10 minutes, according to the manufacturer's directions. Remove objects and wash with sterile water (sterile water for injection) or allow to air dry. Use fresh product for each use.

DISINFECTION OF WHIRLPOOL UNITS: After using the whirlpool unit, drain, and fill with MICROBAN PROFESSIONAL STRENGTH MULTI-PURPOSE ANTIBACTERIAL CLEANER to just cover the intake valve. Start the pump to circulate the solution. Wash down the unit sides, seat of the chair lift and any related equipment with a clean swab, brush or sponge. Treated surfaces must remain wet for 10 minutes. After the unit has been thoroughly cleaned, drain the solution from the unit and rinse cleaned surfaces with fresh water. Repeat for heavily soiled units.

KILLS HIV-1 AND HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES / OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces / objects with blood or body fluids and in which the surfaces / objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS) or Hepatitis B Virus (HBV) or Hepatitis C Virus (HCV).

### SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OR HBV OR HCV ON SURFACES / OBJECTS SOILED WITH BLOOD / BODY FLUIDS.

**Personal protection:** Clean-up should always be done wearing protective gloves, gowns, masks and eye protection.

**Cleaning procedure:** Blood and other body fluids containing HIV or HBV or HCV must be thoroughly cleaned from surfaces and objects before application of MICROBAN PROFESSIONAL STRENGTH MULTI-PURPOSE ANTIBACTERIAL CLEANER.

**Contact time:** Leave surface wet for 1 minute (60 seconds) for HIV-1 and 10 minutes for HBV and HCV. Use a 10 minute contact time for disinfection against all other viruses, bacteria and fungi claimed.

**Disposal of infectious material:** Blood, body fluids, cleaning materials and clothing should be autoclaved and disposed of according to local regulations for infectious waste disposal.

### VETERINARY PRACTICE / ANIMAL CARE / ANIMAL LABORATORY / ZOOS / PET SHOP / KENNELS DISINFECTION DIRECTIONS:

For cleaning and disinfecting hard nonporous surfaces: equipment used for animal food or water, utensils, instruments, cages, kennels, stables, catteries. Remove all animals and feeds from premises, animal transportation vehicles, crates, etc. Remove all litter, droppings and manure from floors, walls and surfaces of facilities occupied or traversed by animals. Thoroughly clean all surfaces with soap or detergent and rinse with water. Empty all feeding and watering appliances. Saturate surfaces with MICROBAN PROFESSIONAL STRENGTH MULTI-PURPOSE ANTIBACTERIAL CLEANER for a period of 10 minutes. Wipe or allow to air dry. Immerse all halters, ropes, and other types of equipment used in handling and restraining animals as well as forks, shovels, and scrapers used for removing litter and manure. Rinse all surfaces that come in contact with food, including equipment used for feeding or watering, with potable water before reuse. Ventilate buildings and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried.

### SMALL ANIMAL (HOUSING) (CAGE), (KENNEL) (AND CRATE) DISINFECTION / VIRUCIDAL\* DIRECTIONS:

- 1. Remove all animals and feeds from kennel, crate, cage, carryalls.
- 2. Remove all litter and animal droppings. Thoroughly clean all surfaces with soap or detergent and rinse with water. Empty all feeding and watering appliances.
- 3. (Apply **MICROBAN** PROFESSIONAL STRENGTH MULTI-PURPOSE ANTIBACTERIAL CLEANER to surfaces with a cloth, mop, sponge or coarse sprayer until thoroughly wet.) (Spray MICROBAN PROFESSIONAL STRENGTH MULTI-PURPOSE ANTIBACTERIAL CLEANER onto surfaces until thoroughly wet.) Immerse animal handling and cleaning equipment; such as leashes, muzzles and scrapers, Treated surfaces must remain wet for 10 minutes, then wipe or allow to air dry.
- 4. Rinse all surfaces that come in contact with food including animal feeding devices, bowls or dishes with potable water prior to reuse.
- 5. Do not re-introduce or house animals until treatment has been absorbed, set or dried.

# REPTILE TANK CLEANING AND DISINFECTION DIRECTIONS:

Remove all reptiles from the enclosure (tank) prior to cleaning and disinfecting. Remove all litter or droppings from surfaces. Empty all equipment used for feeding or watering reptiles. Thoroughly clean all surfaces with soap or detergent and rinse with Apply MICROBAN PROFESSIONAL water. STRENGTH MULTI-PURPOSE ANTIBACTERIAL **CLEANER** to the surfaces of the enclosure (tank) until thoroughly wet. Allow surfaces to remain wet for 10 minutes. Wipe dry using a clean cloth or sponge or paper towel. Rinse all surfaces that come in contact with food, including equipment used for feeding or watering, with potable water before reuse. Allow the enclosure (tank) to ventilate for a minimum of 10 - 15 minutes before replacing the reptiles.

DO NOT apply MICROBAN PROFESSIONAL STRENGTH MULTI-PURPOSE ANTIBACTERIAL CLEANER directly onto the reptile. If MICROBAN PROFESSIONAL STRENGTH MULTI-PURPOSE ANTIBACTERIAL CLEANER comes into contact with the reptile's skin, then immediately wash the material off of the animal with lukewarm water. If the reptile ingests MICROBAN PROFESSIONAL STRENGTH MULTI-PURPOSE ANTIBACTERIAL CLEANER, contact your veterinarian immediately.

### FARM PREMISE USE:

Remove all animals and feed from premises, vehicles and enclosures. Remove all litter and manure from floors, walls and surfaces of barns, pens, stalls, chutes and other facilities and fixtures occupied or traversed by animals. Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate all with MICROBAN PROFESSIONAL surfaces STRENGTH MULTI-PURPOSE ANTIBACTERIAL CLEANER for a period of 10 minutes. Immerse all halters, ropes and other types of equipment used in handling and restraining animals as well as forks, shovels and scrapers used for removing litter and manure. Ventilate buildings, cars, trucks, boats and other closed spaces. Do not house livestock or employ equipment until treatment has been absorbed, set or dried. Thoroughly scrub all treated feed racks, mangers, troughs, automatic feeders, fountains and waterers with soap or detergent, and rinse with potable water before reuse.

### POULTRY AND SWINE PREMISE DISINFECTION DIRECTIONS:

Remove all animals and feeds from premises, vehicles, and enclosures such as coops and crates. Remove all litter, droppings and manure from floors, walls and surfaces of barns, pens, stalls, chutes and other facilities and fixtures occupied or traversed by animals. Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with MICROBAN PROFESSIONAL STRENGTH **MULTI-PURPOSE** ANTIBACTERIAL CLEANER for 10 minutes. Immerse all halters, ropes and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure. Ventilate buildings, cars, trucks, coops and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried. Thoroughly scrub treated feed racks, mangers, troughs, automatic feeders, fountains and waterers with soap or detergent, and rinse with potable water before reuse.

Hatcheries: Use MICROBAN PROFESSIONAL STRENGTH MULTI-PURPOSE ANTIBACTERIAL CLEANER undiluted to treat the following hard nonporous surfaces: hatchers, setters, trays, racks, carts, sexing tables, delivery trucks and other hard surfaces. Leave all treated surfaces wet for 10 minutes or more. Then allow to air dry.

Vehicles: Clean all vehicles including mats, crates, cabs and wheels with water and MICROBAN PROFESSIONAL STRENGTH MULTI-PURPOSE ANTIBACTERIAL CLEANER. Use MICROBAN PROFESSIONAL STRENGTH MULTI-PURPOSE ANTIBACTERIAL CLEANER undiluted to treat all vehicles. Leave all treated surfaces wet for 10 minutes or more. Wipe dry with a clean cloth or sponge or allow to air dry.

**Shoe Bath Disinfectant Directions:** To prevent cross contamination into animal areas, shoe baths containing one inch of product should be placed at all entrances to buildings and hatcheries. Scrape waterproof work boots and place in bath for 10 minutes prior to entering area. Change the bath daily or more often if solution appears diluted or soiled.

**Dressing Plant Disinfectant Directions:** Disinfect equipment, utensils, walls and floors in poultry and animal dressing plants. Disinfect offal rooms, exterior walls and loading platforms of dressing plants. Cover or remove all food and packaging materials. Remove all heavy soils prior to application. Saturate all surfaces with MICROBAN PROFESSIONAL STRENGTH MULTI-PURPOSE ANTIBACTERIAL CLEANER. Scrub to loosen all soils. Surfaces must remain wet for 10 minutes, and then thoroughly rinsed with potable water before operations are resumed. Allow to air dry.

### MUSHROOM FARM PREMISE USE:

**Site Preparation:** The first step in any on-going sanitation program should be the removal of gross contamination and debris. This may be accomplished by using a shovel, broom, or vacuum, depending on the area to be disinfected.

**Cleaning and Disinfection:** For general cleaning and disinfection, apply **MICROBAN PROFESSIONAL STRENGTH MULTI-PURPOSE ANTIBACTERIAL CLEANER** with a cloth, mop, sponge, sprayer or by immersion to thoroughly wet the surfaces. Treated surfaces should be allowed to remain wet for 10 minutes. Wipe or allow to air dry. For heavily soiled areas, preclean first. Use fresh product for each use or more often if product becomes visibly diluted, clouded or soiled.

**DO NOT APPLY USE-SOLUTION TO THE MUSHROOM CROP, COMPOST OR CASING.** Rinse treated surfaces with potable water before they contact the crop, compost or casing.

(Note to Reviewer the following language will be used in containers containing a foam nozzle sprayer:) Foaming germicidal cleanser disinfects as it cleans hard non-porous surfaces.

**To clean:** Spray evenly over surface, allowing sufficient time for the foam to penetrate heavy soil deposits. Wipe off. Chrome fixtures may be rinsed for high shine. **To disinfect:** Clean surfaces thoroughly as instructed above. Then apply a thin coat of foam, making sure to cover entire surface to be disinfected. Allow foam to remain for at least 10 minutes, then wipe off or allow to air dry.

### WATER DAMAGE RESTORATION SANITIZER AGAINST ODOR-CAUSING BACTERIA AND FUNGI FOR HOME, INSTITUTIONAL, INDUSTRIAL AND HOSPITAL USE:

This product is particularly suitable for use in water damage restoration situations to sanitize against odor causing bacteria on the following porous and semi-porous materials: carpets, carpet cushions, subfloors, drywall, trim and frame lumber, tackless strip and paneling. Saturate the affected materials with enough product to remain wet for at least 10 minutes.

Sewer Backup and River Flooding: During mitigation procedures, remove gross filth or heavy soil along with nonsalvageable materials. Saturate all affected areas with a coarse spray device before and after cleaning and extraction.

Carpets, Carpet Cushions and Other Porous Materials such as Subfloors, Drywall, Trim and Frame Lumber, Tackless Strip and Paneling: For water damage from a clean source, extract excess water. Test hidden area for colorfastness. Remove gross filth or heavy soil. Saturate all affected areas with a coarse spray device. Roll, brush or agitate into the materials and allow materials to remain wet for 10 minutes. Follow with a thorough extraction. Dry rapidly and thoroughly.

Special instructions For Cleaning / Sanitizing Carpet Against Odor Causing Bacteria: Use this product in industrial and institutional areas such as homes, motels, hotels, nursing homes, schools, and hospitals. Use on wet-cleanable synthetic fibers. Do not use on wool. Vacuum carpet thoroughly prior to cleaning / sanitizing. Test fabric for colorfastness. Do not mix this product with other cleaning products. Follow the cleaning procedures specified by the manufacturer of the cleaning equipment. After using the product, set the carpet pile and protect the carpet from furniture legs and bases while drying. Do not over-wet. If applied to stain resistant nylon carpet, apply a fabric protector according to the manufacturer's directions. (<u>Note to Reviewer</u>: For non-refillable containers that only list household/residential uses:)

### STORAGE AND DISPOSAL

Store in original container in areas inaccessible to children. Do not store on side. Avoid creasing or impacting of side walls. Non-refillable container. Do not re-use or refill this container. Wrap (container) and put in trash or offer for recycling, if available

(<u>Note to Reviewer</u>: For non-refillable containers other than household/residential.)

### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

### Pesticide Storage

Do not store on side. Avoid creasing or impacting of side walls.

### **Pesticide Disposal**

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

### **Container Disposal**

Nonrefillable container. Do not reuse or refill this container. Triple rinse (or equivalent). Then offer for recycling, if available or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.