506.2

18/2005

5783056



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

NOV 1 8 2005

Dr. Ann Tillman Technical Director United Phosphorus, Inc. 423 Riverview Plaza Trenton, NJ 08611

Dear Dr. Tillman:

Subject: Supplemental Soybean Label Acephate 90 Insecticide EPA Reg. No. 70506-2 Your Application of August 18, 2005

The labeling amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, As Amended (FIFRA), is acceptable, provided that you submit two copies of your final printed supplemental label incorporating the following corrections before you release the product for shipment.

1. Correct the maximum amount of active ingredient applied per acre from 4.4 lbs. to 1.5 lbs. as is specified for the soybean use in the acephate IRED Use Pattern Table, Appendix A.

2. Add the minimum spray intervals cited below as are specified in the IRED, section IV.D., Labeling Summary Table 17.

3 days for rates up to 0.5 lb. a.i./A 7 days for rates greater than 0.5 lb. a.i./A

Please be aware that, in accordance with the acephate IRED, the soybean use is to appear on your water soluble container product.

If this condition is not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product bearing the amended label constitutes acceptance of this condition.

A stamped copy of the label is enclosed for your records.

, ,

Sincerely,

Daniel C. Kenny Product Manager Team 1 Insecticide-Rodenticide Branch Registration Division (7504C)



ACEPHATE 90 SP insecticide



SUPPLEMENTAL LABEL

NOV 1 8 2005 Under the Federal Insecticid Fungicide, and Rodenticide Ac as amended, for the pesticid registered under EPA Reg. No 70506-2

FOR FOLIAR APPLICATION TO CONTROL INSECTS IN SOYBEANS

EPA Reg. No. 70506-2

EPA Est. No. 33560-TN-01

. . .

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Read the entire Precautionary Statements, Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded. Always read and follow the label directions and any precautions or restrictions when applying any pesticide alone or in combination with tank mix partners. Use the most restrictive label directions when Acephate 90 SP is applied in tank mixes.

This labeling must be in the possession of the user at the time of application. The use of Acephate 30, SP insecticide according to this label is subject to the use precautions and limitations imposed by the label affixed to the container for Acephate 90 SP insecticide.

		SOYBEANS		•• *• ;
PESTS CONTROLLED	AMOUNT OF ACEPHATE 90 SP PER ACRE	APPLICATION INSTRUCTIONS	RESTRICTIONS	DAYS TO
Grasshopper Thrips	0.28 to 0.56 lb. (4.4 to 8.9 oz.)	Apply when eggs or insects first appear. Repeat as necessary to maintain insect-pest populations below economically damaging numbers.	Do not apply more than 4.4 lb./A (4.0 lb. ai/A) per season. Do not graze or cut vines for hay or	
Potato Leafhopper Stinkbugs	0.56 to 1.1 lb. (8.9 to 17.6 oz.)	Ground Application: Apply in 10 to 50 gallons per acre by conventional ground equipment to ensure thorough coverage.	forage.	
Armyworms (except Beet) Bean Leaf Beetle Cabbage Looper Green Cloverworm Mexican Bean Beetle Soybean Aphid Threecornered Alfalfa Hopper Velvetbean Caterpillar	0.83 to 1.1 lb. (13.3 to 17.6 oz.)	Aerial Application: Make aerial applications in 5 to 10 gallons per acre (minimum of 5 gal/A in CA). Use sufficient carrier volume to provide thorough, uniform coverage.		

Please contact United Phosphorus, Inc. for information on the registration status of this use in your state.

United Phosphorus Inc. 423 Riverview Plaza Trenton, NJ 08611 • www.upi-usa.com • 1-800-247-1557