20506-33		67(1	15/20	54				1//
Please read instructions on reve	rse before completing for	<i>n</i>		Form	1 Appro	Registra		060. Approval expires 05-31 OPP Identifier Number
€EPA ∉	United Environmental P	States	n Ager	icy		Amendr		274799
	Washington	, DC 20460)		x	Other		
		ication f		ticide - Se				· · · · ·
1. Company/Product Number				PA Product	Manage	ər	3. 1	Proposed Classification
United Phosphorus, Inc./7050 4. Company/Product (Name			J. 10	ompkins			_	
United Phosphorus, Inc./Dev herbicide		elective	25	r				None Restricte
 Name and Address of App United Phosphorus, Inc. 423 Riverview Plaza Trenton, NJ 08611 Check 	olicant (Include Zip Coc if this is a new address		(b)(l to: EPA		is simi	lar or identic	al in cor	FIFRA Section 3(c)(3) nposition and labeling
		S	ection					
Amendment - Explain b Resubmission in respon Notification - Explain be	nse to Agency letter dated	····			er date pplicati	on.	-	JUL 1 5 2004
Notification for to add addition regulations at 40 CFR 152.46 product. I understand that it in notification is not consistent v subject to enforcement action	5, and no other change is a violation of 18 U.S. vith the terms of PR No	s have been C. 1001 to v itice 98-10 a ections 12 a	n made to willfully m and 40 Cl	the labeling bake any false FR 152.46, th FIFRA.	or the o staten	confidential s nent to EPA.	tatemer I furthe	nt of formula of this er understand that if this
1. Material This Product W								
Child-Resistant Packaging Yes* No	Unit Packaging Yes No		Water S	oluble Packa Yes No	ging	2. Type of	Contair Metal Plastic	
	If "Yes"	No. per	If "Yes"		per		Glass	
* Certification must	Unit Packaging wgt.	container	Package	wgt con	tainer	· · · · · · · · · · · · · · · · · · ·	Paper	
be submitted	<u> </u>						J	(Specify)
3. Location of Net Contents I	nformation ntainer	4. Size(s)	Retail Co	ontainer	5.	Location of On L On L	abel	Directions
6. Manner in Which Label is a	Affixed to Product	P	ithograph aper glue tenciled] c)ther		
			ection					
1. Contact Point (Complete it Name	tems directly below for Title		n of indiv	idual to be co	ntacteo			ocess this application.) (Include Area Code)
Ann M. Tillman, Ph.D.		Technical	Director				92-8200	
I certify that the statements I hat I acknowledge that any knowing under applicable law.		all attachmer						te Application ceived (Stamped)
2. Signature		3. Title						·
am m. Jullen		Technical	I Director					
4. Typed Name		5. Date						
Dr. Ann M. Tillman		July 1, 20	04					

This is a reproduction of EPA Form 8570-1 (Rev. 8-94). Previous editions are obsolete.



DEVRINOL[®] 2-G ORNAMENTAL Selective Herbicide

A Preemergence Herbicide for Weed Control in Home Flower Gardens and Landscape Plantings. Use in Deciduous and Evergreen Trees and Shrubs, Ground Covers, Perennial Flowers, Fruit and Nut Crops, Container Grown Plants, and Turfgrass

ACTIVE INGREDIENT:

Napropamide	. 2.0%
INERT INGREDIENTS:	
TOTAL	

Contains 2 Pounds of Active Ingredient per 100 Pounds

EPA Reg. No.: 70506-33 EPA Est. No.:

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE PANEL FOR STATEMENT OF PRACTICAL TREATMENT AND PRECAUTIONARY STATEMENTS

Made in U.S.A.

Marketed by: United Phosphorus, Inc. 423 Riverview Plaza Trenton, New Jersey 08611 1-800-247-1557 www.upi-usa.com

NET WEIGHT: 10.5 lb, 50 lb.

NOTIFICATION

JUL 1 5 2004

Page 2 of 10 DEVRINOL 2-G ORN. Container 06/30/04

KEEP OUT OF REACH OF CHILDREN

CAUTION

	FIRST AID
If on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
If swallowed	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

HOT LINE NUMBER

For Medical Emergency Assistance (Human or Animal) call the National Pesticide Information Center 1-800-858-7378. For chemical emergency: spill, leak, fire, exposure, or accident, call CHEMTREC 1-800-424-9300.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

.

Avoid contact with skin, eyes and clothing. May be harmful if swallowed. Do not breathe dust. Avoid contamination of food and feed.

PERSONAL PROTECTIVE EQUIPMENT

Applicators and other handlers must wear:

• Long-sleeved shirt and long pants.

- Chemical resistant gloves made of any waterproof material such as Barrier Laminate, Nitrile Rubber
- $(\geq 14 \text{ mils})$, Neoprene rubber $(\geq 14 \text{ mils})$ or Viton $(\geq 14 \text{ mils})$.
- Shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENGINEERING CONTROLS STATEMENT

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment wash waters.

GENERAL PRECAUTIONS

- Read all instructions before using.
- Use only for recommended purposes and at recommended rates.
- Do not overdose.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Apply this product as specified on this label.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval (REI). The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

4/14

Page 4 of 10 DEVRINOL 2-G ORN. Container 06/30/04

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

Exception: If the product is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

 PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: Coveralls
 Chemical resistant gloves made of any waterproof material such as Barrier Laminate, Nitrile Rubber

 $(\geq 14 \text{ mils})$, Neoprene rubber $(\geq 14 \text{ mils})$ or Viton $(\geq 14 \text{ mils})$.

• Shoes plus socks

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses. Do not enter or allow others to enter the treated areas until dusts have settled.

WHAT THIS PRODUCT DOES

DEVRINOL 2-G ORNAMENTAL controls certain annual grassy and broadleaf weeds as they germinate. It does not control established weeds. The weeds controlled are listed below:

WEEDS CONTROLLED BY DEVR	INOL 2-G ORNAMENTAL	
ANNUAL GRASSES:		
Barnyardgrass, Junglerice	Echinochloa spp.	
Wild Barley	Hordeum leporinum	
Annual Bluegrass	Poa annua	
Bromes	Bromus	
Cheatgrass	B. secalinus	
Downy Brome	B. tectorum	\$
Ripgut Brome	B. rigidus	
Soft Chess	B. mollis	
Large (Hairy) Crabgrass	Digitaria sanguinalis	
Smooth Crabgrass	Digitaria ischaemum	
Southwestern Cupgrass	Eriochloa gracilis	
Foxtails	Setaria	
Bristly Foxtail	S verticilla	
Giant Foxtail	S. faberi	

5/14

6/14

WEEDS CONTROLLED BY DEVR	INOL 2-G ORNAMENTAL
Green Foxtail	S. viridis
Yellow Foxtail	S. lutescens
Goosegrass	Eleusine indica
Seedling Johnsongrass	Sorghum halepense
Wild Oats	Avena fatua
Panicums	Panicum
Guineagrass	P. Paximum
Fall Panicum	P. dichotomiflorum
Texas Panicum	P. texanum
Witchgrass	P. capillare
Italian Ryegrass	Lolium multiflorum
Sandbur	Cenchrus spp.
Red Sprangletop	Leptochloa filiformis
Stinkgrass	Eragrostis cilianensis
ANNUAL BROADLEAF WEEDS:	
Carpetweed	Mollugo verticillata
Common Chickweed	Stellaria media
Coast Fiddleneck	Amsinckia intermedia
Filaree	Erodium spp.
Groundsel	Senecio spp.
Prostrate Knotweed	Polygonum aviculare
Lambsquarters	Chenopodium album
Prickly Lettuce	Lactuca serriola
Little Mallow*	Malva parviflora
Redroot Pigweed	Amaranthus retroflexus
Pineappleweed	Matricaria matricarioides
Common Purslane	Portulaca oleracea
Horse Purslane	Trianthema portullacastrum
Common Ragweed**	Ambrosia artemisiifolia
Annual Sowthistle	Sonchus oleraceus

.....

.

.

*From seed **Suppression

Page 6 of 10 DEVRINOL 2-G ORN. Container 06/30/04 7/14

WHERE TO USE THIS PRODUCT

DEVRINOL 2-G ORNAMENTAL can be applied over small ornamental plants or around larger plants in rose gardens, container plantings, ornamental landscapes and ground covers including dichondra.

Use DEVRINOL 2-G ORNAMENTAL for weed control in the following plants:

Eucalyptus

Deciduous and Evergreen Trees

Acer Alder, Black Ash Balsam fir Birch Birch, European White Black Walnut Cedar Citrus Crataegus Cypress Dogwood Douglas Fir Elm, Siberian

Deciduous and Evergreen Shrubs

Abelia Arizona Fuschia Arrowwood Asparagus (Sprengeri) Aucuba Azalea Beach Plum Bottlebrush Bougainvillea Buxus Camellis Cotoneaster Crepe Myrtle

Ground Covers

Ajuga Carpobrotus Delosperma Dichondra Erysimum Fern, Christmas Fern, Hay-scented Fern, Japanese painted Fern, Lady

- Ficus Fir Gleditsia Golden Rain Tree Gum, Sweet Hemlock Japanese Larch Laburnum Little leaf Linden Malus Maple, Japanese Maple, Red Olive (Olea)
- Palm (Washingtonia robusta) Picea Pin Oak Pine, White Pinus Pittosporum Podocarpus Populus Prunus Spruce, Colorado Blue Tulip Tree Wisteria, Chinese
- Dogwood Euonymus Forsythia Gardenia Heather (Calluna) Hibiscus Honeysuckle (Lonicera) Hypericum Ilex Juniperus Leucothe Ligustrum Nandia Natal Plum
- Oleander Osmanthus Photinia Pittosporum Podocarpus Pyracantha Raphiolepis Rhododendron Rosa Serviceberry Star Jasmine Taxus Viburnum Xylosema
- Fern, Log Fern, Royal Fern, Shaggy Shield Ganzania Hedera Hypericum Iceplant Ivy Lantana
- Liriope Osteosperma Pachysandra Ribbon Grass Russian Sage Sedum Silver sage Vinca

Page 7 of 10 DEVRINOL 2-G ORN. Container 06/30/04

African DaisyDahliaPetuniaAsterDaisyPincushion FlowerBeard-TongueDaylillyPlantain Lily (Hosta)Bellflower, TussackGazaniaRedrocks PenastemonBird of ParadiseGeraniumSpeedwellBlanket FlowerGladiolusStone cropBleeding HeartLeopards BaneSun DaisyBoltoniaLilly of the IncasSunset HyssopChedder PinkMoss PinkYarrow, CommonChrysanthemumMumsYellow loosestrifeCleyeraNarcissusZinniaConeflower PurplePasque FlowerZinniaCONTAINER STOCKEucalyptusPachysandraAgapanthusEuonymusPalm (Washingtonia robusta)AgratumFirPhotinia
AsterDaisyPincushion FlowerBeard-TongueDaylillyPlantain Lily (Hosta)Bellflower, TussackGazaniaRedrocks PenastemonBird of ParadiseGeraniumSpeedwellBlanket FlowerGladiolusStone cropBleeding HeartLeopards BaneSun DaisyBoltoniaLilly of the IncasSunset HyssopChedder PinkMoss PinkYarrow, CommonChrysanthemumMumsYellow loosestrifeCleyeraNarcissusZinniaConeflower PurplePasque FlowerZinniaCONTAINER STOCKAbeliaEucalyptusPachysandraAgapanthusEuonymusPalm (Washingtonia robusta)
Beard-TongueDaylillyPlantain Lily (Hosta)Bellflower, TussackGazaniaRedrocks PenastemonBird of ParadiseGeraniumSpeedwellBlanket FlowerGladiolusStone cropBleeding HeartLeopards BaneSun DaisyBoltoniaLilly of the IncasSunset HyssopChedder PinkMoss PinkYarrow, CommonChrysanthemumMumsYellow loosestrifeCleyeraNarcissusZinniaContrainer StockEucalyptusPachysandraAgapanthusEuonymusPalm (Washingtonia robusta)
Bellflower, TussackGazaniaRedrocks PenastemonBird of ParadiseGeraniumSpeedwellBlanket FlowerGladiolusStone cropBleeding HeartLeopards BaneSun DaisyBoltoniaLilly of the IncasSunset HyssopChedder PinkMoss PinkYarrow, CommonChrysanthemumMumsYellow loosestrifeCleyeraNarcissusZinniaConeflower PurplePasque FlowerZinniaCONTAINER STOCKEucalyptusPachysandraAgapanthusEuonymusPalm (Washingtonia robusta)
Bird of ParadiseGeraniumSpeedwellBlanket FlowerGladiolusStone cropBleeding HeartLeopards BaneSun DaisyBoltoniaLilly of the IncasSunset HyssopChedder PinkMoss PinkYarrow, CommonChrysanthemumMumsYellow loosestrifeCleyeraNarcissusZinniaConeflower PurplePasque FlowerVellow loosestrifeCONTAINER STOCKAbeliaEucalyptusPachysandraAgapanthusEuonymusPalm (Washingtonia robusta)
Blanket FlowerGladiolusStone cropBleeding HeartLeopards BaneSun DaisyBoltoniaLilly of the IncasSunset HyssopChedder PinkMoss PinkYarrow, CommonChrysanthemumMumsYellow loosestrifeCleyeraNarcissusZinniaConeflower PurplePasque FlowerCONTAINER STOCKAbeliaEucalyptusAgapanthusEucalyptusPalm (Washingtonia robusta)
Bleeding HeartLeopards BaneSun DaisyBoltoniaLilly of the IncasSunset HyssopChedder PinkMoss PinkYarrow, CommonChrysanthemumMumsYellow loosestrifeCleyeraNarcissusZinniaConeflower PurplePasque FlowerVellow loosestrifeCONTAINER STOCKAbeliaEucalyptusPachysandraAgapanthusEuonymusPalm (Washingtonia robusta)
BoltoniaLilly of the IncasSunset HyssopChedder PinkMoss PinkYarrow, CommonChrysanthemumMumsYellow loosestrifeCleyeraNarcissusZinniaConeflower PurplePasque FlowerCONTAINER STOCKAbeliaEucalyptusAgapanthusEuconymusPalm (Washingtonia robusta)
Chedder PinkMoss PinkYarrow, CommonChrysanthemumMumsYellow loosestrifeCleyeraNarcissusZinniaConeflower PurplePasque FlowerCONTAINER STOCKAbeliaEucalyptusAgapanthusEuonymusPalm (Washingtonia robusta)
ChrysanthemumMumsYellow loosestrifeCleyeraNarcissusZinniaConeflower PurplePasque FlowerZinniaCONTAINER STOCKAbeliaEucalyptusPachysandraAgapanthusEuonymusPalm (Washingtonia robusta)
CleyeraNarcissusZinniaConeflower PurplePasque FlowerZinniaCONTAINER STOCKAbeliaEucalyptusPachysandraAgapanthusEuonymusPalm (Washingtonia robusta)
Coneflower PurplePasque FlowerCONTAINER STOCKEucalyptusAbeliaEucalyptusAgapanthusEuonymusPalm (Washingtonia robusta)
CONTAINER STOCKAbeliaEucalyptusAgapanthusEuonymusPalm (Washingtonia robusta)
AbeliaEucalyptusPachysandraAgapanthusEuonymusPalm (Washingtonia robusta)
Agapanthus Euonymus Palm (Washingtonia robusta)
Ageratum Fir Photinia
Asparagus Forsythia Pinus spp.
Azalea Gardenia Pittosporum
Bottlebrush Geranium Podocarpus
Bougainvillea Heather Pyracantha
Buxus Hedera Raphiolepis
Camellia Hibiscus Rhododendron
Cedar Ilex Rosa
Cotoneaster Juniperus Sedum
Crepe Myrtle Leucothe Star Jasmine
Cypress Ligustrum Thuja Dogwood Liriope Vinca
208/000 2000Pt
Douglas Fir Nandina Xylosema
Fruit and Nuts
Almond Lemon Pistachio
Apple Nectarine Plum
Apricot Orange Prune
Cherry Peach Tangerine
Filbert Pear Walnut
Grape Pecan
Strawberry: Applications should be delayed until the desired number of daughter plants have become
established. Do not apply from bloom through harvest.

WHEN TO USE THIS PRODUCT

DEVRINOL 2-G ORNAMENTAL should be used before weeds germinate. It will not control established weeds.

Application can be made anytime of the year to weed-free soil. Fall and winter applications will provide excellent weed control the following spring and summer.

In containers, apply after setting and watering the plants.

•

8/14

DEVRINOL 2-G ORNAMENTAL should be spread evenly on the soil surface using a shaker can or granular herbicide applicator.

Do not apply when weather conditions favor drift from areas treated.

When weed infestation is heavy or when broadleaves are the primary weeds, use one pound on 145 square feet (6.9 lbs./1,000 sq. ft.). For annual grassy weeds or when weed infestation is light, use one pound on 218 square feet (4.6 lbs/1,000 sq. ft.).

Do not apply more than 4.6 lb. DEVRINOL 2-G ORNAMENTAL per 1,000 sq. ft in California.

DEVRINOL 2-G ORNAMENTAL should be incorporated evenly into the soil using a hand cultivator to a depth of 1-2 inches or irrigation or natural moisture (rainfall or snow) ($\frac{1}{2}$ inch within 2-3 days) for optimum results.

For weed control in dichondra, apply at the time of seeding or to establish dichondra including dichondra sod. Irrigate with a minimum of one inch of water.

RECOMMENDATIONS: TURF GRASS (For Use on Warm Season Grasses Only)

DEVRINOL 2-G ORNAMENTAL is recommended for annual bluegrass, crabgrass and goosegrass control in the following established turf grasses: bahia, bermudagrass, centipede, St. Augustine and fescue.

TIMING OF APPLICATION:

For control of crabgrass and goosegrass, apply DEVRINOL 2-G ORNAMENTAL at the recommended rate. Application should be made 2-3 weeks prior to weed emergence. DEVRINOL 2-G ORNAMENTAL should be applied with a gravity flow drop spreader or a cyclone type spreader. A more uniform application can be made by spreading half the required amount over the area to be treated, then applying the remainder at right angles.

DEVRINOL 2-G ORNAMENTAL requires a minimum of one half (½) inch of rainfall or irrigation 2-3 days after application for adequate control. If irrigation methods are not available, the timing of the application of DEVRINOL 2-G ORNAMENTAL should be moved back several weeks to allow for some rainfall between application and weed germination.

RATES OF APPLICATION:

For Crabgrass Control: Apply 100 to 150 lbs. of DEVRINOL 2-G ORNAMENTAL uniformly per acre (2.25-3.38* lbs per 1,000 sq. ft.). Use the higher rate when applying before January 1 (not applicable north of South Carolina or when weed infestation is expected to be heavy).

*Where a rate range is given, use the higher rate when weed infestation is expected to be heavy.

For Goosegrass Control: Apply 100 to 150 lbs. of DEVRINOL 2-G ORNAMENTAL per acre (2.25-3.38 lbs. per 1,000 sq. ft.). Goosegrass usually starts to germinate 6 to 7 weeks after the start of crabgrass germination.

Split Application for Crabgrass and Goosegrass Control: When both of these weeds are to be controlled, apply 100 lbs. of DEVRINOL 2-G ORNAMENTAL spread uniformly per acre (2.25 lbs. per 1,000 sq. ft.) for crabgrass and another 100 lbs. of DEVRINOL 2-G ORNAMENTAL per acre for

Page 9 of 10 DEVRINOL 2-G ORN. Container 06/30/04

goosegrass. Apply 8-10 weeks apart. Timing should be adjusted to the germination of weeds in your area. Split applications give longer and better weed control than one application.

For Annual Bluegrass (Poa Annua) Control: Annual bluegrass is a winter annual in most of the warm season turf regions; therefore, application of DEVRINOL 2-G ORNAMENTAL should be made in the fall before the annual bluegrass germinates. Apply 100-150 lbs. of DEVRINOL 2-G ORNAMENTAL per acre (2.25-3.38 lbs. per 1,000 sq. ft.).

Reseeding: Do not reseed or overseed within six months after application.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Keep container closed when not in use. Store in a cool dry place. Do not store near seeds, fertilizer or food stuffs.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

[Optional Statement for plastic containers]

Plastic Container Disposal: Completely empty container into application equipment. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

[Editor's note: for homeowner uses, use the following statements:

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage: Store in original container out of the reach of children and pets. In case of leak or spill, contain material and dispose of as waste.

Pesticide Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-247-1557 for disposal instructions. Never place unused product down any indoor or outdoor drain. [Editor's note; supplemental distributor will insert own toll free number.]

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product should be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of United Phosphorus, Inc. or Seller. All such risks shall be assumed by Buyer and

Page 10 of 10 DEVRINOL 2-G ORN. Container 06/30/04

User, and Buyer and User agree to hold United Phosphorus and Seller harmless for any claims relating to such factors.

United Phosphorus warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or United Phosphorus, and Buyer and User assume the risk of any such use. UNITED PHOSPHORUS MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

In no event shall United Phosphorus or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF UNITED PHOSPHORUS AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF UNITED PHOSPHORUS OR SELLER, THE REPLACEMENT OF THE PRODUCT.

United Phosphorus and Seller offer this product, and Buyer and User accept it, subject to the foregoing conditions of sale and limitations of warranty and of liability, which may not be modified except by written agreement signed by a duly authorized representative of United Phosphorus.

DEVRINOL[®] is a trademark of United Phosphorus Inc. Rev. 6/30/04



DEVRINOL 2-G ORNAMENTAL Selective herbicide SUPPLEMENTAL LABELING - FOR USE ON ADDITIONAL ORNAMENTALS, NURSERY STOCK, AND CONTAINER STOCK

EPA Reg. No. 70506-33

EPA Est. No. 11773-IA-01

pp

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded. It is a violation of federal law to use this product in a manner inconsistent with its labeling.

This labeling must be in the possession of the user at the time of application. Use of Devrinol 2-G Ornamental Selective herbicide according to this labeling is subject to the use precautions and limitations imposed by the label affixed to the container for Devrinol 2-G Ornamental Selective herbicide.

Environmental Hazards

Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

DIRECTIONS FOR USE ON ADDITIONAL ORNAMENTALS, NURSERY STOCK AND CONTAINER STOCK

Devrinol 2-G Ornamental Selective herbicide may be used on the following additional ornamentals, nursery stock and container stock. When weed infestation is heavy or when broadleaves are the primary weeds, use one pound on 145 square feet (6.9 lbs./1,000 sq. ft.). For annual grassy weeds or when weed infestation is light, use one pound on 218 square feet (4.6 lbs/1,000 sq. ft.). Do not apply more than 4.6 lb. DEVRINOL 2-G ORNAMENTAL per 1,000 sq. ft in California. Refer to the entire Devrinol 2-G Ornamental label for other use directions.

Deciduous and Evergreen Trees

Alder, Black	Golden Rain Tree	Pine, White
Balsam fir	Gum, Sweet	Spruce, Colorado Biue
Birch, European White	Little leaf Linden	Tulip Tree
Elm, Siberian	Maple, Japanese	Wisteria, Chinese
	Maple, Red	

Deciduous and Evergreen Shrubs

Arizona Fuschia Arrowwood

Ground Covers

Fern, Christmas Fern, Hay-scented Fern, Japanese painted Fern, Lady

Flowers

Beard-Tongue Bellflower, Tussack Blanket Flower Bleeding Heart Boltonia Chedder Pink Cleyera Coneflower Purple **Ibs** Beach Plum Heather (Calluna)

Fern, Log Fern, Royal Fern, Shaggy Shield

Davlilly

Gazania

Moss Pink

Mums

Leopards Bane

Lilly of the Incas

Pasque Flower

Pincushion Flower

Serviceberry

Ribbon Grass Russian Sage Silver sage

Redrocks Penastemon Speedwell Stone crop Sun Daisy Sunset Hyssop Yarrow, Common Yellow loosestrife



CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

The Directions for Use of this product should be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of United Phosphorus or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold United Phosphorus and Seller harmless for any claims relating to such factors.

United Phosphorus warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or United Phosphorus, and Buyer and User assume the risk of any such use. UNITED PHOSPHORUS MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

In no event shall United Phosphorus or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF UNITED PHOSPHORUS AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT SHALL BE, AT THE ELECTION OF UNITED PHOSPHORUS OR SELLER, THE REPLACEMENT OF THE PRODUCT, OR COMPENSATION LIMITED TO DAMAGES NOT EXCEEDING THE FAIR MARKET PURCHASE PRICE, AND SHALL NOT INCLUDE INCIDENTAL OR CONSEQUENTIAL DAMAGES.

United Phosphorus and Seller offer this product, and Buyer and User accept it, subject to the foregoing conditions of sale and limitations of warranty and of liability, which may not be modified except by written agreement signed by the duly authorized representative of United Phosphorus.

United Phosphorus inc. 423 Riverview Plaza Trenton, NJ 08611 • www.upi-usa.com • 1-800-247-1557

Rev. 6/2004

Page 2 of 2

whu



United Phosphorus, Inc.

423 Riverview Plaza Trenton, NJ 08611 (609) 392-8200 (phone) (609) 392-0808 (fax) Ann M. Tillman Technical Director

July 1, 2004

Mr. James Tompkins, PM 25 Document Processing Desk (NOTIF) Office of Pesticide Programs (7504C) U.S. Environmental Protection Agency Room 266A, Crystal Mall 2 1921 Jefferson Davis Highway Arlington, VA 22202

Dear Mr. Tompkins:

DEVRINOL 2-G Ornamental Selective Herbicide (Active Ingredient - Napropamide) EPA REG. NO. 70506-33 NOTIFICATION - Addition of New Ornamental Species

Enclosed is the copy of the revised labels for Devrinol 2-G Ornamental Selective Herbicide and the sublabel for homeowner use to include the following changes:

- 1. Added ornamental species based on data generated by IR-4. This label already bears directions for use for ornamentals. The use rates for the new ornamental plants remain the same as for ornamentals currently listed on the label.
- 2. Removed the phrase "24-hours" from the medical emergency response statement.

Contents of this Submission

- Transmittal document (this letter).
- ▶ EPA Application Form 8570-1 (OPP Identifier Number 274799).
- Four (4) copies of the revised Devrinol 2-G Ornamental Selective herbicide label and the sublabel and one (1) copy of the revised label highlighted labels to show the location of the changes. In order to market Devrinol 2-G for use on these ornamental species, UPI will be using a supplemental label, copies also provided, until these ornamental crops can be added to the printed label. The enclosed CD contains a pdf version of these labels.

If you require further information, please contact me at the number listed above.

Sincerely,

Ann M. Tillman, Ph.D. Technical Director United Phosphorus, Inc.

Enclosures