

70506-74

01-13-2010

1/13



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Rebecca A. Clemmer
Regulatory Manager
United Phosphorus, Inc.
630 Freedom Business Center, Suite 402
King of Prussia, PA 19406

JAN 13 2010

SUBJECT: Applications for Pesticide Notification – Changes per PR Notices 2001-5 and 2007-4

Cypermethrin Technical Insecticide	EPA Reg. No. 70506-10
UP-Cyde® Pro 2.0 EC Termiticide/Insecticide	EPA Reg. No. 70506-19
UP-Cyde® 2.5 EC Ag Insecticide	EPA Reg. No. 70506-20
Cypermethrin 2.5 EC Termiticide/Insecticide	EPA Reg. No. 70506-21
UP-Star® Gold Granular Insecticide	EPA Reg. No. 70506-73
UP-Star® GC Granular Insecticide	EPA Reg. No. 70506-74
UP-Star® Nursery Granular Insecticide	EPA Reg. No. 70506-75
UP-Star® One-G Granular Insecticide	EPA Reg. No. 70506-129

Applications Dated August 7, 2009

Dear Ms. Clemmer:

The Agency is in receipt of your Applications for Pesticide Notification under Pesticide Registration Notices (PRNs) 2001-5 and 2007-4 for the above products. The Registration Division (RD) has conducted a review of these requests for their applicability under PRNs 2001-5 and 2007-4 and finds that the actions requested fall within the scope of these PRNs. The labels submitted with the applications are considered “acceptable”, date stamped “Notification”, and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please call me directly at 703-305-6249 or Terri Stowe of my staff at 703-305-6117.

Sincerely,

A handwritten signature in black ink, appearing to read "Linda Arrington".

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs

Please read instructions on reverse before completing form

Form Approved, OMB No. 2070-0060, Approval expires 5-31-98



United States
Environmental Protection Agency
Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 70506-74	2. EPA Product Manager R. Gebken	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) United Phosphorus, Inc/UP-Star GC Granular Insecticide	PM # 13	
5. Name and Address of Applicant (Include ZIP Code) United Phosphorus, Inc. 630 Freedom Business Center, Suite 402 King of Prussia, PA 19406	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg No. _____ Product Name _____	
<input type="checkbox"/> Check if this is a new address		

Section - II

<input type="checkbox"/> Amendment - Explain below	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application
<input checked="" type="checkbox"/> Notification - Explain below	<input type="checkbox"/> Other - Explain below

NOTIFICATION
JAN 13 2010

Explanation: Use additional page(s) if necessary. (For Section I and Section II.)

Notification of label change per PR Notice 2007-4 and 2001-5 and company information updates. This notification is consistent with the guidance in PRN 2007-4 and 2001-5 and the requirements of EPA's regulations at 40CFR §§156.10, 156.140, 156.144, 156.146, 156.156. No other changes have been made to the labeling or the CSF for this product. I understand that it is a violation of 18 USC Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the sections above, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section III

1. Material This Product Will be Packaged in:

Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
*Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 50 lb	5. Location of label directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Label accompanying product
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		<input checked="" type="checkbox"/> Other: printed bag	

Section IV

1. Contact Person (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name Rebecca A. Clemmer	Title Regulatory Manager	Telephone No. (Include Area Code) 610-491-2828
----------------------------	-----------------------------	---

Certification

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law

2. Signature 	3. Title Regulatory Manager
4. Typed Name Rebecca A. Clemmer	5. Date August 7, 2009

6. Date Application Received

(Stamped)



United Phosphorus, Inc.

630 Freedom Business Center
Suite 402
King of Prussia, PA 19406
(610) 491-2828 (phone)
(610) 491-2810 (fax)

Rebecca A. Clemmer
Regulatory Manager

August 7, 2009

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202

NOTIFICATION

JAN 13 2010

Re: Bifenthrin Products - Notifications

To Whom It May Concern:

United Phosphorus, Inc. is submitting revised labels to accomplish the following changes, all of which qualify as Notifications: add resistance category per PRN 2001-5; update container disposal wording per PRN 2007-4. In several cases there have also been updates to the emergency and company contact information, as well as the warranty.

Products:

UP-Star Gold Granular Insecticide, EPA Reg. No. 70506-73
UP-Star GC Granular Insecticide, EPA Reg. No. 70506-74
UP-Star Nursery Granular Insecticide, EPA Reg. No. 70506-75
UP-Star One-G Granular Insecticide, EPA Reg. No. 70506-129

In support, for each label enclosed please find:

- EPA form 8570-1
- Label copy marked to show changes
- Label integrity form
- A CD containing clean pdf copies of each label

Please contact me if you have any questions.

Very truly yours,

A handwritten signature in cursive script that reads 'R.A. Clemmer'.

Rebecca A. Clemmer
rebecca.clemmer@uniphos.com

4
13

Certification with Respect to Label Integrity

version: 9/11/02

I certify that the information (including, but not limited to, text, tables, and graphics) contained in the electronic file identified below by file name and submitted with this certification is the same information as that on the paper copies of these documents included with this submission.

PROPOSED LABEL		
EPA Registration #	Date Submitted to EPA	Electronic file name
70506-73	August 7, 2009	070506-00073.20090807.UP-Star Gold 2007-4.pdf
70506-74		070506-00074.20090807.UP-Star GC Granular Insecticide 2007-4.pdf
70506-75		070506-00075.20090807.UP-Star Nursery Granular 2007-4.pdf
70506-129		070506-00129.20090807.UP-Star One-G Insecticide 2007-4.pdf

I certify that the statements that I have made on this form are true, accurate, and complete. I acknowledge that any knowingly false or misleading statements may be punishable by fine or imprisonment or both under applicable law.

R. A. Clemmer
Signature

August 7, 2009
Date

Rebecca A. Clemmer
Name (typed)

NOTIFICATION
JAN 13 2010

Regulatory Manager
Title

5
13

RESTRICTED USE PESTICIDE
Toxic to Fish and Aquatic Organisms
 For retail sale to and use only by certified applicators, or persons under their direct supervision and only for those uses covered by the certified applicator's certification.

GROUP	3A	INSECTICIDE
-------	----	-------------

UP-Star® GC
Granular Insecticide

For use to control ants (including imported fire ants), mole crickets, and other insect pests on lawns in landscaped areas and perimeters around residential, institutional, public, commercial, and industrial buildings, parks, recreational areas, golf courses, sod farms, and athletic fields.

DO NOT USE THIS PRODUCT ON GOLF COURSES AND SOD FARMS IN NASSAU COUNTY OR SUFFOLK COUNTY, NEW YORK.

Active Ingredient:	By Wt.
Bifenthrin*	0.2%
Inert-Other Ingredients:	99.8%
TOTAL	100.0%

NOTIFICATION
JAN 13 2010

*Cis isomers 97% minimum, trans isomers 3% maximum

KEEP OUT OF REACH OF CHILDREN
CAUTION

See other panels for additional precautionary information or see back panel pamphlet for additional precautionary information and complete directions for use.

FIRST AID	
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
NOTE TO PHYSICIAN	
This product is a pyrethroid. If large amounts have been ingested, milk, cream, and other digestible fats and oils may increase absorption and so should be avoided.	
HOTLINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency medical assistance, call the National Pesticide Information Center at 1-800-858-7378. Rocky Mountain Poison Control Center at 1-866-673-6671.	

FOR CHEMICAL EMERGENCY: Spill, leak, fire, exposure, or accident,
call CHEMTREC 1-800-424-9300.

Manufactured for:
 United Phosphorus, Inc.
 423 Riverview Plaza • Trenton, NJ 08611-630 Freedom Business Center
 EPA Est. No.
 King of Prussia, PA 19406
 1-800-247-1557/438-6071 • www.upi-usa.com

EPA Reg. No. 70506- 74

Net Contents:

6
13

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals

CAUTION

Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing.

The following Personal Protective Equipment requirements apply to sod farm use only:

Personal Protective Equipment (PPE):

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Waterproof gloves
- Shoes and socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations:

Users Should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and run-off from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. .

Do not apply more than 0.2 lb. active ingredient (a.i.) per acre per application on residential use sites (i.e., around private homes, apartment buildings, condominiums, non-agricultural outbuildings, non-commercial greenhouses, pre-schools or day care facilities). May be applied at up to 0.4 lb. a.i. per acre per application on non-residential use sites (i.e., around institutional, public, commercial or industrial buildings; parks; recreational areas or athletic fields).

Aerial application is prohibited.

Do not broadcast apply more than 0.4 lbs. a.i. (200 lbs. UP-Star GC Granular) per acre per year.

Do not apply within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries, and commercial fish farm ponds.

Not for use on nurseries, in commercial greenhouses or on grass grown for seed.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

7
13

Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers, and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry to treated areas during the restricted entry interval (REI) of 12 hours.

PPI required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water, is:

- Coveralls
- Waterproof gloves
- Shoes plus socks

Non-Agricultural Use Requirements

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries and greenhouses.

If watering-in of the granules is necessary, do not allow people or pets on treated areas until the grass or soil is dry.

Do not touch treated surface until dry.

STORAGE AND DISPOSAL

Prohibitions: Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use close tightly.

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills.

To Confine Spill: Cover to prevent dispersal. Place damaged package in a holding container. Identify contents.


Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal—: Nonrefillable container. Do not reuse or refill this container.

~~Paper and plastic bags:~~ Completely empty bag into application equipment. Then offer for recycling if available, or dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**GRASS AND PERIMETER APPLICATIONS
(Including Golf Courses and Sod Farms)**

Grass Application: Broadcast UP-Star GC Granular Insecticide with application equipment which will ensure uniform coverage of the treatment area.



8
13

APPLICATION RATES

The application rates listed below are expected to provide excellent control of the target pests under normal conditions. However, based on the experience of the applicator, UP-Star GC Granular may be applied at up to 0.4 lb a.i./A to control each of the pests listed in this Table. For residential lawn use, do not apply more than 0.2 lbs. a.i. per acre per application.

Insect	Rate per acre	Instructions
Armyworms Cutworms Sod Webworm	50 lbs. product/A; 1.15 lbs product/1000 sq. ft. (0.1 lbs a.i./A)	<p>Armyworms, Cutworms, and Sod Webworms: For optimum control, irrigate the treated area immediately following treatment with up to 0.1 inches of water to activate (release from the granule) the insecticide.</p>
Annual Bluegrass Weevil (<i>Hyperodes</i>) (Adult) Billbugs (Adult) Black Turfgrass Ataenius (Adult) Leafhoppers Mealybugs	50-100 lbs. product/A; 1.15-2.3 lbs. product/1000 sq. ft. (0.1-0.2 lbs a.i./A)	<p>Annual Bluegrass Weevil (<i>Hyperodes</i>) Adults: Time application to control adult weevils as they leave their over-wintering sites and move into grass areas. This movement usually begins when Forsythia is in full bloom and ends when flowering dogwood is in full bloom. Consult your State Cooperative Extension Service for more specific information regarding application timing.</p> <p>Billbug Adults: Apply when adult billbugs are first seen during April and May. Degree day models have been developed to optimize application timing. Consult your State Cooperative Extension Service for information specific to your region. In temperate areas, spring applications made to control billbug adults will also control over-wintered chinch bugs.</p> <p>Black Turfgrass Ataenius Adults: Apply in May and July to control the first and second generation of black turfgrass ataenius adults, respectively. Time the May application so that it coincides with the full bloom stage of Vanhoutte spiraea (<i>Spiraea vanhouttei</i>) and horse chestnut (<i>Aesulus hippocastanum</i>). Time the July application so that it coincides with the blooming of Rose of Sharon (<i>Hibiscus syriacus</i>).</p>
Ants Centipedes Chinch Bugs Fleas (Larvae) Fleas (Adult) Imported Fire Ants (Adult) Imported Fire Ants (Mounds) Millipedes Mole Cricket (Adult) Mole Cricket (Nymph) Ticks	100-200 lbs. product/A; 2.3-4.6 lbs. product/1000 sq. ft. (0.2-0.4 lbs a.i./A)	<p>Chinch Bugs: Chinch bugs are found at the base of grass plants and also in the thatch layer. Immediately following application, irrigate the treated area with as much as 0.25 inches of water to activate (release from the granule) the insecticide. Since Chinch bugs can be one of the most difficult pests to control in grasses, the higher application rates may be necessary to control populations that contain both nymphs and adults during the summer.</p> <p>Flea Larvae: Flea larvae develop in the soil of shaded areas that are accessible to pets or other animals. Immediately after application, irrigate the treated area with as much as 0.5 inches of water in order to activate (release from the granule) the insecticide.</p> <p>Imported Fire Ants: For best control combine broadcast applications (for control of foraging workers and newly mated fly-in queens) with mound treatments (for control of existing colonies). If the soil is dry, it</p>

9
13

	<p>should be irrigated before application. Use up to 0.4 lb a.i./A for broadcast treatments. Treat mounds by sprinkling 1/2 cup of UP-Star GC Granular on each mound and then drenching each mound with 1 to 2 gallons of water. Treat the mounds with enough force to break their apex and allow the insecticide solution to flow inside. Treat a four foot diameter circle around the mound. For optimum results, make application in cool weather (65-80° F) or in early morning or late evening hours. Treatment as described above will kill the queen within 24 hours of application. Note: a spray rig that is calibrated to apply 0.1 lb a.i./A (20 ounces) of BIFENTHRIN Flowable in 2.5 gallons per 1,000 sq. ft. contains the approximate dilution (1 teaspoon per gallon) that is required for fire ant mound drenches in the spray tank. Application of 0.25 lb/acre of UP-Star GC Granular Insecticide will provide six months residual activity for control of both foraging imported Fire Ants and newly mated fly-in queens.</p> <p>Mole Cricket Adults: It is difficult to achieve acceptable control of adult mole crickets because they continuously invade preferred grass areas during the early spring. Apply as late in the day as possible and water in with up to 0.5 inches of water immediately following treatment. If the soil is dry, it is important to irrigate before application in order to bring the mole crickets closer to the soil surface where they will come in contact with insecticide. Grass areas infested by adult mole crickets should be treated at peak egg hatch to ensure optimum control of later nymph populations (see below).</p> <p>Mole Cricket Nymphs: If grass areas received intense adult mole cricket pressure in the spring, they should be treated immediately before peak egg hatch. This is the time of best control because young nymphs are more susceptible to insecticides and because they are near the soil surface. Control of larger, more damaging, nymphs later in the year is difficult and may require both higher application rates and more frequent applications to maintain acceptable control. Apply as late in the days as possible and water in with as much as 0.5 inches of water immediately following treatment. If the soil is dry, it is important to irrigate before application to bring the mole crickets closer to the soil surface.</p> <p>Ticks (including ticks that may transmit Lyme Disease): Do not make spot applications, but treat the entire area where exposure to ticks may occur. When treating areas of dense ground cover or heavy leaf litter, use higher application rates. Note that ticks may be reintroduced from surrounding areas by means of host animals. Do not allow public use of treated areas during application.</p> <p>Deer ticks (<i>Ixodes sp.</i>) have a complicated life cycle that ranges over a two year period and involves four life stages. Apply in mid to late spring to control larvae</p>
--	--

10
13

		and nymphs that live in the soil and leaf litter. American dog ticks may be a problem in suburban settings, particularly where homes are built on land that was previously field or forest. Apply as necessary in areas where these ticks are found (paths, roadways) from mid spring to early fall to control American dog tick larvae, nymphs and adults.
Pillbugs Sowbugs European Crane Flies	200 lbs. product/A; 4.6 lbs. product/sq. ft. (0.4 lbs a.i./A)	

In New York State, this product may NOT be applied to any grass or turf area within 100 feet of a water body (lake, pond, river, stream, wetland, or drainage ditch).

In New York State, do make a single repeat application of UP-Star GC Granular if there are signs of renewed insect activity, but not sooner than two weeks after the first application.

Perimeter Application

Apply to the ground in an area 5 to 10 feet wide around and next to the structure.

Application Rate: Pounds Per 1,000 sq. ft.	Band Width	Pounds of UP-Star GC Granular for Perimeter Applications Linear Distances (Feet) Around Structure							
		100	150	200	250	300	400	500	1000
2.3	5 feet	1.3	1.9	2.5	3.0	3.6	4.8	5.9	11.7
2.3	10 feet	3.0	4.2	5.3	6.5	7.6	9.9	12.2	23.7
3.0	5 feet	1.7	2.5	3.3	3.9	4.7	6.3	7.7	15.2
3.0	10 feet	3.9	5.4	6.9	8.5	9.9	12.9	15.9	30.9
3.5	5 feet	2.0	2.9	3.8	4.5	5.4	7.2	8.9	17.5
3.5	10 feet	4.5	6.3	8.0	9.8	11.4	14.9	18.3	35.5
4.6	5 feet	2.6	3.8	5.0	6.0	7.2	9.6	11.8	23.4
4.6	10 feet	6.0	8.4	10.6	13.0	15.2	19.8	24.4	47.4

Note: Use the following formula to determine the area to be treated: Multiply the linear distance by the band width and then add to their value the area of a circle whose radius is equal to the band width (to account for the area treated at the four corners of a rectangular structure).

INDUSTRIAL NON-AGRICULTURAL APPLICATIONS
(Including Industrial Sites, Parks, Ball Fields and Cemeteries)

Broadcast Spot Applications For the Control of Actively Foraging Ants (Including Imported Fire Ants): Make a uniform broadcast application of 2.3 to 4.6 lbs UP-Star GC Granular Insecticide per 1000 sq. ft. (0.2 to 0.4 lbs a.i./Acre). See comments section under Grass Applications for additional rate recommendations.

Application to Pad Mounted Electrical Sites to Reduce or Prevent Ant Mound Building Activity: uniformly distribute 1.0 to 1.5 tablespoons (0.06 to 0.09 lbs.) of UP-Star GC Granular Insecticide per 4 sq.

11
13

ft. of mounting pad. If existing transformers are completely or partially filled with soil which has been excavated by resident ants, first remove any excess fill and level the remaining soil before application is made. If food utensils such as tablespoons are used to measure pesticide, they must not be used for food purposes afterwards.

Note: Ants are more attracted to electrical transformers in the Fall or early Spring. For best results, make application in these cooler months.

**UP-STAR GC GRANULAR INSECTICIDE
Recommended Spreader Settings for Broadcast Applications**

Equipment	Spreader Setting Ground Speed (MPH)	100 Pounds Per Acre		200 Pounds Per Acre	
		Once Over	Twice Over	Once Over	Twice Over
Hand Pushed					
LESCO Rotary	3	B + 1/4	A + 1/2	C + 1/2	B + 1/4
Scotts R-8A-1 Rotary	3	G	E	Not Rec.	G
Gandy Models (42, 36, 30, 24")	3	12	10.5	16	12
Spyker (All Models)	3	2.6	2	3.1	2.6

Equipment Drawn (PTO=540 RPM)

Grandy Models (42, 36, 30, 24")	4.5	14	11.5	19	14
Gandy 6500 Series	4.5	15	11	20	15
Gandy 10T Series	5.0	16.5	12	24	16.5
Herd GT-77	4.0	--	--	8-H	--
Herd GT-77	8.0	8-H	--	--	8-H
Lely 2.3202.000.1	4.5	2	1	3.5	2
Lely Model L-400	4.5	Not Rec.	Not Rec.	2	Not Rec.
Vicon PS402	4.5	10	7	16	10
Vicon PS1002T	4.5	13	9	21	13

Note: Use these recommended settings as starting points when calibrating a spreader to achieve the needed application rate of UP-Star GC Granular Insecticide. Once the equipment is calibrated, the technician should make further setting adjustments, as necessary, to maintain the proper application rate. Spreaders should be calibrated regularly to confirm that equipment wear or other factors have not changed the flow rate of UP-Star GC Granular Insecticide. Calibration instructions are included in the Owner's Manual that was provided by the equipment manufacturer at the time of purchase.

Recommended Spreader Settings (Optional Text)

Note: Following will be a list of application spreaders and appropriate settings. This list will vary depending on the alternate carrier used. (This note will not appear on final printed label.)

Note: These spreader settings were established using standard equipment available from the spreader manufacturer at swath widths and speeds typically used within the industry. UPI recommends that all spreader equipment be calibrated at the time of application to achieve the desired application rate.

Resistance: Some insects are known to develop resistance to products used repeatedly for control. Because the development of resistance cannot be predicted, the use of this product should conform to

12
13

resistance management strategies established for the use area. Consult your local or state pest management authorities for details.

If resistance to this product develops in your area, this product, or other products with a similar mode of action, may not provide adequate control. If poor performance cannot be attributed to improper application or extreme weather conditions, a resistant strain of insect may be present. If you experience difficulty with control and suspect that resistance is reasonable cause, immediately consult your local company representative or pest management advisor for the best alternative method of control for your area.

Dealers Should Sell In Original Packages Only

IMPORTANT INFORMATION READ BEFORE USING PRODUCT

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product should be followed carefully. The Directions for Use of this product reflect the opinion of experts based on field use and tests. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of United Phosphorus, Inc. or Seller. Handling, storage, and use of the product by Buyer or User are beyond the control of United Phosphorus, Inc. and Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold United Phosphorus, Inc. and Seller harmless for any claims relating to such factors.

United Phosphorus, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or United Phosphorus, Inc., and Buyer and User assume the risk of any such use. **UNITED PHOSPHORUS, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.**

To the extent allowed by law, United Phosphorus, Inc. or Seller shall not be liable for any incidental, consequential or special damages resulting from the use or handling of this product. **THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF UNITED PHOSPHORUS, INC. AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT SHALL BE, AT THE ELECTION OF UNITED PHOSPHORUS, INC. OR SELLER, THE REPLACEMENT OF THE PRODUCT, OR COMPENSATION LIMITED TO DAMAGES NOT EXCEEDING THE FAIR MARKET PURCHASE PRICE, AND SHALL NOT INCLUDE INCIDENTAL OR CONSEQUENTIAL DAMAGES.**

United Phosphorus, Inc. and Seller offer this product, and Buyer and User accept it, subject to the foregoing conditions of sale and limitations of warranty and of liability, which may not be modified except by written agreement signed by the duly authorized representative of United Phosphorus, Inc..

IMPORTANT INFORMATION

13
13

READ BEFORE USING PRODUCT

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product reflect the opinion of experts based on field use and tests, and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of United Phosphorus, Inc. or Seller. Handling, storage, and use of the product by Buyer or User are beyond the control of United Phosphorus, Inc. and Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold United Phosphorus, Inc. and Seller harmless for any claims relating to such factors.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, UNITED PHOSPHORUS, INC. AND SELLER MAKE NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ON THIS LABEL.

To the extent consistent with applicable law, United Phosphorus, Inc. or Seller shall not be liable for any incidental, consequential or special damages resulting from the use or handling of this product and **THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF UNITED PHOSPHORUS, INC. AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF UNITED PHOSPHORUS, INC. OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

United Phosphorus, Inc. and Seller offer this product, and Buyer and User accept it, subject to the foregoing conditions of sale and limitations of warranty and of liability, which may not be modified except by written agreement signed by the duly authorized representative of United Phosphorus, Inc.

