UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

JAN 2 3 2014

Ms. Sherry Hutcheson United Phosphorous, Inc. 630 Freedom Business Center, Suite 402 King of Prussia, PA 19406

Subject:

Label notification to add restrictions for the state of Oregon and make other minor

formatting changes, per PRN 98-10

Dear Ms. Hutcheson:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10, dated January 2, 2014, for "IMIGOLD 0.5 G Turf & Ornamental Insecticide," EPA Registration Number 70506-142.

The Registration Division (RD) has conducted a review of this request for applicability under PRN 98-10 and finds that the label changes requested do fall within the scope of PRN 98-10. The label submitted with your application has been date-stamped "Notification" and will be placed in our files.

If you have any questions, please contact me directly at 703-308-8735 or email me at chao.julie@epa.gov.

Sincerely,

Julie A. Chao

Insecticide-Rodenticide Branch Registration Division (7505P) Office of Pesticide Programs

Please read instructions on reverse before ç	•
expires 05-31-98	

a	form.	

Th Approved, OMB No. 2070-0060, Approval //O

United States Regis	``*			
FPA m to a sect Doctor than A section A	stration	OPP Identifier Number		
Environmental Protection Agency Amen	ndment			
Washington, DC 20460 Other	•			
Application for Pesticide - Secti	ion I			
1. Company/Product Number 2. EPA Product Manager	I	3. Proposed Classification		
70506-142 Venus Eagle				
4. Company/Product (Name) PM#		None Restricted		
ImiGold 0.5 G Turf & Ornamental Insecticide 1 5. Name and Address of Applicant (Include ZIP Code) 6. Expedited Review. In accordance with FIFRA Section 3(c)(3)				
		composition and labeling		
630 Freedom Business Center, Suite 402 to:				
King of Prussia, PA 19406 EPA Reg. No.				
Check if this is a new address Product Name		JAN 2 3 2014		
Section - II				
		Agency letter dated		
Resubmission in response to Agency letter dated "Me Too" App				
Notification - Explain below. Under - Explain below.				
Explanation: Use additional page(s) if necessary. (For Section I and Section				
Notification of the addition of a required restriction statement for the State of Oregon. This notification is consistent with the provisions of PR Notice 98-10 and EPA regula		2.46 and no other changes		
have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 USC Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of				
Sec. [00] to willfully make any false statement to EPA. I further understand that if the				
PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and 1		enforcement action and		
		enforcement action and		
PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I penalties under Sections 12 and 14 of FIFRA.		enforcement action and		
PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I penalties under Sections 12 and 14 of FIFRA. Section - III		enforcement action and		
PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I penalties under Sections 12 and 14 of FIFRA. Section - III 1. Material This Product Will Be Packaged In:	I may be subject to e			
PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I penalties under Sections 12 and 14 of FIFRA. Section - III 1. Material This Product Will Be Packaged In: Child-Resistant Packaging Unit Packaging Water Soluble P	I may be subject to e	Type of Container		
PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I penalties under Sections 12 and 14 of FIFRA. Section - III 1. Material This Product Will Be Packaged In: Child-Resistant Packaging Ves* Unit Packaging Yes Yes	I may be subject to e	Type of Container Metal		
PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I penalties under Sections 12 and 14 of FIFRA. Section - III 1. Material This Product Will Be Packaged In: Child-Resistant Packaging Unit Packaging Water Soluble P	I may be subject to e	2. Type of Container Metal Plastic		
PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I penalties under Sections 12 and 14 of FIFRA. Section - III 1. Material This Product Will Be Packaged In: Child-Resistant Packaging Ves* No If "Yes" No, per If "Yes" Package wat	I may be subject to e	2. Type of Container Metal Plastic Glass		
PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I penalties under Sections 12 and 14 of FIFRA. Section - III 1. Material This Product Will Be Packaged In: Child-Resistant Packaging Yes* No No If "Yes" Unit Packaging wgt. Vater Soluble P Yes No If "Yes" Package wgt.	I may be subject to e	2. Type of Container Metal Plastic Glass Paper		
PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I penalties under Sections 12 and 14 of FIFRA. Section - III 1. Material This Product Will Be Packaged In: Child-Resistant Packaging Ves* No If "Yes" No, per If "Yes" Package wat	Packaging No. per container	2. Type of Container Metal Plastic Glass		
PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I penalties under Sections 12 and 14 of FIFRA. Section - III 1. Material This Product Will Be Packaged In: Child-Resistant Packaging Yes* No No If "Yes" Unit Packaging wgt. *Certification must be submitted Vater Soluble P No If "Yes" Unit Packaging wgt. Vater Soluble P Yes No If "Yes" Unit Packaging wgt. Vater Soluble P Yes No If "Yes" Package wgt.	Packaging No. per container	2. Type of Container Metal Plastic Glass Paper Other (Specify)		
PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I penalties under Sections 12 and 14 of FIFRA. Section - III	Packaging No. per container 5. Location of t	2. Type of Container Metal Plastic Glass Paper Other (Specify)		
PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I penalties under Sections 12 and 14 of FIFRA. Section - III	Packaging No. per container 5. Location of t	2. Type of Container Metal Plastic Glass Paper Other (Specify) Label Directions		
PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I penalties under Sections 12 and 14 of FIFRA. Section - III	Packaging No. per container 5. Location of t	2. Type of Container Metal Plastic Glass Paper Other (Specify) Label Directions		
PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I penalties under Sections 12 and 14 of FIFRA. Section - III	Packaging No. per container 5. Location of t	2. Type of Container Metal Plastic Glass Paper Other (Specify) Label Directions		
PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I penalties under Sections 12 and 14 of FIFRA. Section - III	No. per container 5. Location of t On Labeling On Labeling	2. Type of Container Metal Plastic Glass Paper Other (Specify) Label Directions g accompanying product		
PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I penalties under Sections 12 and 14 of FIFRA. Section - III	No. per container 5. Location of t On Labeling On Labeling	2. Type of Container Metal Plastic Glass Paper Other (Specify) Label Directions g accompanying product his application elephone No. (Include Area		
PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I penalties under Sections 12 and 14 of FIFRA. Section - III	No. per container 5. Location of t On Label On labeling	2. Type of Container Metal Plastic Glass Paper Other (Specify) Label Directions g accompanying product his application) elephone No. (Include Area ode)229-247-9041		
PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I penalties under Sections 12 and 14 of FIFRA. Section - III	No. per container 5. Location of I On Labeling On labeling	2. Type of Container Metal Plastic Glass Paper Other (Specify) Label Directions g accompanying product his application c elephone No. (Include Area ode)229-247-9041 6. Date-Application		
PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I penalties under Sections 12 and 14 of FIFRA. Section - III	No. per container 5. Location of I On Labeling On labeling eccessary, to process the container	2. Type of Container Metal Plastic Glass Paper Other (Specify) Label Directions g accompanying product his application celephone No. (Include Area ode) 22 § 4247-9041 6. Date Application Received		
PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I penalties under Sections 12 and 14 of FIFRA. Section - III	No. per container 5. Location of I On Labeling On labeling eccessary, to process the container	2. Type of Container Metal Plastic Glass Paper Other (Specify) Label Directions g accompanying product his application celephone No. (Include Area ode) 22 § 4247-9041 6. Date Application Received		
PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I penalties under Sections 12 and 14 of FIFRA. Section - III	No. per container 5. Location of I On Labeling On labeling eccessary, to process the complete. I complete is sometiment or both container.	2. Type of Container Metal Plastic Glass Paper Other (Specify) Label Directions g accompanying product his application elephone No. (Include Area ode)229-247-9041 6 6. Date-Application Received (Stamped)		
PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I penalties under Sections 12 and 14 of FIFRA. Section - III	No. per container 5. Location of I On Labeling On labeling eccessary, to process the complete. I complete is sometiment or both container.	2. Type of Container Metal Plastic Glass Paper Other (Specify) Label Directions g accompanying product his application elephone No. (Include Area ode)229-247-9041 6. Date-Application Received (Stamped)		
PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I penalties under Sections 12 and 14 of FIFRA. Section - III	No. per container 5. Location of I On Labeling On labeling eccessary, to process the complete. I complete is sometiment or both container.	2. Type of Container Metal Plastic Glass Paper Other (Specify) Label Directions g accompanying product his application elephone No. (Include Area ode)229-247-9041 6. Date-Application Received (Stamped)		
PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I penalties under Sections 12 and 14 of FIFRA. Section - III	No. per container 5. Location of I On Labeling On labeling eccessary, to process the complete. I complete is sometiment or both container.	2. Type of Container Metal Plastic Glass Paper Other (Specify) Label Directions g accompanying product Metal		



United Phosphorus, Inc.

Sherry B. Hutcheson 630 Freedom Business Center, Suite 402 King of Prussia, PA 19406

Phone: (229) 247-9041 Fax: (229) 241-9699

January 2, 2014

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Ariel Rios Building
1200 Pennsylvania Ave., N.W.
Washington, DC 20460

NOTIFICATION JAN 2 3 2014

RE: Notification for ImiGold 0.5G Turf & Ornamental Insecticide (EPA Reg. No. 70506-142)

Dear Sir or Madam,

United Phosphorus, Inc. (UPI) is hereby submitting a notification for ImiGold 0.5G Turf & Ornamental Insecticide (EPA Reg. No. 70506-142) containing imidacloprid as the active ingredient. The State of Oregon has requested a use restriction statement be added to this label that would allow the use of this product on linden or basswood trees (*Tilia* species), regardless of application method, formulation, concentration or the intended user.

We believe this action qualifies as a notification, since it is not mandatory language requested by the Agency. Therefore we are submitting this as a notification under the guise of PR Notice 98-10.

Included with this letter are the following:

- One application, EPA Form 8570-1
- One copy of the proposed label, clearly marked
- One copy of the proposed label, clean
- A copy of the letter we received from Oregon.

If you have any questions, please feel free to contact me at 229-247-9041 or sherry.hutcheson@uniphos.com

Thank you for your kind attention to this matter.

Best regards,

Sherry B. Hutcheson

Regulatory Affairs Manager

Imigold 0.5G Turf & Ornamental Insecticide Formatted: Right Notification - marked copy

GROUP

INSECTICIDE

January 2, 2014

IMIGOLD 0.5 G Turf & Ornamental Insecticide

For systemic insect control in turfgrass and landscape ornamentals **ALSO**

For pest management professionals use, to kill worker termites and reproductive forms of termites (Coptotermes, Heterotermes, Reticulitermes, Zootermopsis) present at the time of application only. Does not provide structural protection or substitute for mechanical alteration, soil or foundation treatment with termiticide. Do not use as sole protection against termites, as this product will not prevent future infestations. A professional inspection is recommended.

ACTIVE INGREDIENT Imidacloprid - 1-[(6-Chloro-3-pyridinyl)methyl]-N-nitro-2-Total

NOTIFICATION JAN 2 3 2014

KEEP OUT OF REACH OF CHILDREN **CAUTION**

FIRST AID			
If Swallowed	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. 		
If on Skin or Clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. 		
If in Eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 		
treatment. Contact the Rock treatment information.	or label with you when calling a poison control center or doctor, or going for my Mountain Poison Center at 1-866-767-5089 for emergency medical No specific antidote is available. Treat symptomatically.		

FOR CHEMICAL EMERGENCY: Spill, leak, fire, exposure, or accident, call CHEMTREC at 1-800-424-9300

Imigold 0.5G Turf & Ornamental Insecticide Formatted: Right

Formatted: Centered

Notification - marked copy January 2, 2014

United Phosphorus, Inc. 630 Freedom Business Center, Suite 402 King of Prussia, PA 19406 1-800-438-6071 • www.upi-usa.com

Contents: EPA Reg. No. 70506-142 EPA Est. No. Batch/Lot #

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION:

Harmful if swallowed or absorbed through skin. Causes eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

This product is highly toxic to aquatic invertebrates. Do not apply directly to water, areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

This chemical demonstrates the properties and characteristics associated with chemicals detected in ground water. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not formulate this product into other end-use products.

TURF & ORNAMENTAL APPLICATIONS INFORMATION

Use Precautions and Restrictions

- Do not apply more than 80 lbs ImiGold 0.5 G Insecticide (0.4 lb ai) per acre per year
- Apply so as to avoid runoff or puddling of irrigation water.
- Do not apply to areas which are waterlogged or saturated, which will not allow penetration into the root zone.
- Before application, ensure that application equipment is properly calibrated.
- Do not use this product on commercial sod farms.
- Do not use this product in commercial greenhouses, nurseries, on sod farms, or on grass grown for seed.
- Treated areas may be replanted with any crop specified on an Imidacloprid label, or with any crop for which a tolerance exists for the active ingredient. For crops not listed on an Imidacloprid label, or for crops for which no tolerances for the active ingredient have been established, a 12-month plant-back interval should be observed.
- Do not apply this product, by any application method, to linden, basswood or other Tilia species in the State of Oregon.

Turfgrass Applications

Apply ImiGold 0.5 G to turf and ornamentals in sites such as:

Airports

Home lawns

Athletic fields

Multi-family residential complexes

Page 2 of 7

Formatted: Right

Notification – marked copy January 2, 2014

Business and office complexes

Parks

Cemeteries

Playgrounds

Golf courses

Shopping complexes

Due to the residual activity of the active ingredient, applications of ImiGold 0.5 G Insecticide may be made before target pests lay their eggs. For best control, apply before the eggs hatch, basing the need for application on historical monitoring, current season trapping, or other methods. All applications should be followed by rainfall or irrigation to move the active ingredient through the thatch.

When infested turfgrass areas are waterlogged, or soil beneath turf is saturated with water, avoid making applications because it is difficult to obtain thorough and consistent distribution of the product. For best results, ensure that rainfall or irrigation after application will vertically penetrate the soil, allowing the active ingredient to be carried into the zone where the pests are found.

PESTS	RATE	INSTRUCTIONS
	IMIGOLD 0.5 G	
Larvae of:		For best control of grubs, billbugs, European
Annual bluegrass weevil	50 to 80 lb per acre	crane fly and annual bluegrass weevil, apply
Asiatic garden beetle		before egg hatch.
Billbugs	or	Chinchbugs (suppression): apply before first
Black turfgrass ataenius		instar nymphs hatch.
Cutworms (suppression)	1.2 to 1.8 lb per	Mole crickets: apply before or during the peak
European chafer	1000 sq. ft.	egg hatch period. When adults or large
European Crane Fly		nymphs are present and actively tunneling,
Green June beetle		ImiGold 0.5 G Insecticide application should
Japanese beetle		be accompanied by a curative insecticide.
Northern masked chafer		Compult views local State Assigniturel
Oriental beetle		Consult your local State Agricultural
Phyllophaga spp. Southern masked chafer		Experiment Station or State Extension Turf
	90 lb man gama	Specialists for assistance recording timing of
Chinch bug (suppression) Mole crickets	80 lb per acre	Specialists for assistance regarding timing of application.
Mole clickets	or	NOTE: For best control, irrigation or rainfall
	OI	should occur within 24 hours after application
	1.8 lb per 1000 sq.	to move the active ingredient through the
	ft.	thatch. On golf courses, irrigate treated areas
	11.	following application.
·		Tonowing approacion:
		Avoid mowing turf or lawn area until
		sufficient irrigation or rainfall has occurred.
, ,		
		Do not apply more than 80 lb. ImiGold 0.5 G
		Insecticide (0.4 lb. of active ingredient) per
		acre per year.

Formatted: Right

Notification - marked copy January 2, 2014

Ornamental Applications

Apply ImiGold 0.5 G Insecticide to plants used for aesthetic purposes or climatic modification that are being grown in interior plantscapes, ornamental gardens or parks, or on golf courses or lawns and grounds.

ImiGold 0.5 G Insecticide can be used as a broadcast application on ornamentals in commercial and residential landscapes. Because ImiGold 0.5 G Insecticide is a systemic product that is translocated upward within the plant system, best control will be achieved when applications are followed by sufficient mechanical incorporation, irrigation or rainfall to move the active ingredient into the soil. Apply before anticipated pest infestation for best control.

Application

Apply ImiGold 0.5 G Insecticide uniformly over the area being treated with drop-type or rotarytype spreaders. Avoid the use of spreaders which apply material in narrow, concentrated bands. Calibrate application equipment prior to use according to the manufacturer's directions, and check frequently to be sure equipment is working properly and distributing granules uniformly and accurately.

Do not apply this product, by any application method, to linden, basswood or other Tilia species in the State of Oregon.

ORNAMENTAL APPLICATIONS Landscape plantings including trees, shrubs, evergreens, flowers, foliage plants, ground covers			
PESTS	RATE	INSTRUCTIONS	
White grub larvae (such as Japanese beetle larvae, Chafers, <i>Phyllophaga</i> spp., Asiatic garden beetle, Oriental beetle)	1.4 to 1.8 lb. Per 1000 sq. ft.	Apply as a broadcast treatment. Before applying, remove black plastic or other weed barrier material that will not permit water to reach soil surface. NOTE: For best control, mechanical incorporation, irrigation or rainfall should occur within 24 hours after application to move the active ingredient into the soil. Refer to label sections below for application equipment and spreader settings.	

Spreader Settings for ImiGold 0.5 G Insecticide

The following chart can be used as a guide in establishing an accurate rate of ImiGold 0.5 G Insecticide. Application rates will vary depending upon speed, equipment wear and condition of spreader. Carefully calibrate application equipment prior to commercial use of this product.

SPREADER		SETTINGS	
	SPEED (mph)	60 lb/A	80 lb/A
Cyclone Model CB4000	3	3.25	3.50
Earthway Drop	3	9	10
Earthway 10' Rotary	3	• 11	12

Page 4 of 7

Formatted: Right

Notification – marked copy January 2, 2014

Gandy Turf Tender 24"	3	16	19
Gandy Turf Tender 42"	3	21	23
Lely	4.5	3.50	-
Lesco Model 6000	3	B 1/2	С
PSB Prizelawn CBR-11	3	3.25	3 1/2
Scott's Proturf R-8A	3	Н	I
Scott's Proturf SR-1	3	Н	I
Scott's PF-1, PF-2, PF-3, PF-4	3	4	4.50
Drop			
Scott's SS-1 Drop	3	4	4.50
Spyker Model 34	3	3.1	3.2
Vicon Model PS-203	4.5	13	16

TERMITICIDE APPLICATIONS INFORMATION

This ready-to-use formulation of imidacloprid will kill subterranean termite species of Coptotermes, Heterotermes, Reticulitermes, and Zootermopsis. Formulated as a granule, this product may be used for perimeter band application and/or soil incorporated. When it has been applied to soil, moisture and/or precipitation will cause the active ingredient to release from the granule. The residue established in the top few inches of soil will kill termites present at the time of application. This product may be applied as a spot treatment in advance of structural treatment or treatment with a conventional soil-applied termiticide or foundation treatment.

USE SITES

Apply ImiGold 0.5 G Insecticide to bare soils, landscaped areas, and turfgrass immediately surrounding sites such as residential structures, and other wooden structures which may be subject to termite infestations.

When infested areas are waterlogged, or soil beneath turf is saturated with water, avoid making applications because it is difficult to obtain thorough and consistent distribution of the product.

APPLICATION

Perimeter use (band application 3 to 10 feet wide around and next to the structure's foundation): To kill subterranean termites near commercial and residential structures, apply 1.8 lb ImiGold 0.5 G (29 oz) per 1,000 square feet. For best results, irrigate the treated area (though not to the point of runoff) to move the active ingredient into the soil where termites forage.

Use standard granular application equipment (hand-held spreaders, shaker cans, wheel-mounted and the standard granular application equipment (hand-held spreaders, shaker cans, wheel-mounted and policy to the standard granular application equipment (hand-held spreaders, shaker cans, wheel-mounted and policy to the standard granular application equipment (hand-held spreaders, shaker cans, wheel-mounted policy to the standard granular application equipment (hand-held spreaders, shaker cans, wheel-mounted granular application equipment (hand-held spreaders, shaker cans, wheel-mounted granular application equipment (hand-held spreaders) to the point of the policy to the standard granular application equipment (hand-held spreaders) to the policy to the p

Use standard granular application equipment (hand-held spreaders, shaker cans, wheel-mounted spreaders) to apply ImiGold 0.5 G Insecticide uniformly. Calibrate the application equipment before use, and check frequently to ensure equipment is working properly to distribute the granules uniformly.

<u>Soil incorporation</u>: make spot treatments to kill termites in the soil. Incorporate the product into localized areas of soil along the foundation of structures, or in soil next to threatened wooden constructions. First dig a narrow trench (about 6 inches wide by 6 inches deep), then incorporate 1/6 lb (3.0 oz) ImiGold 0.5 G Insecticide per linear foot of trench. Mix the product completely with the soil used to refill the trench. Or incorporate 1/3 lb (5.0 oz) ImiGold 0.5 G Insecticide per square foot of surface at critical spots such as around plumbing, bath traps, utility services or

Formatted: Right

Notification – marked copy January 2, 2014

wells/cisterns, and around poles or posts, fencing and decking materials, landscape timbers and similar non-structural places where wood comes into contact with soil.

One level cup of ImiGold 0.5 G Insecticide equals approximately 8.5 oz.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store in a cool, dry area and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Handle and open container in a manner as to prevent spillage. If the container is leaking or material is spilled for any reason or cause, carefully sweep material into a pile and dispose of as directed for pesticides below. Refer to Precautionary Statements on label for hazards associated with the handling of this material. In spill or leak incidents, keep unauthorized people away. **Pesticide Disposal:** Pesticides wastes are toxic. Improper disposal of excess pesticide, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA regional Office for guidance.

Container Handling: Nonrefillable container. Do not reuse or refill this container. Completely empty bag into application equipment. Then offer for recycling if available or dispose of empty bag in a sanitary landfill or by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

IMPORTANT INFORMATION READ BEFORE USING PRODUCT

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product reflect the opinion of experts based on field use and tests, and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of United Phosphorus, Inc. or Seller. Handling, storage, and use of the product by Buyer or User are beyond the control of United Phosphorus, Inc. and Seller. To the extent consistent with applicable law, Aall such risks shall be assumed by Buyer and User, and Buyer and User agree to hold United Phosphorus, Inc. and Seller harmless for any claims relating to such factors.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, UNITED PHOSPHORUS, INC. AND SELLER MAKE NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ON THIS LABEL.

Formatted: Right

Notification – marked copy January 2, 2014

To the extent consistent with applicable law, United Phosphorus, Inc. or Seller shall not be liable for any incidental, consequential or special damages resulting from the use or handling of this product and THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF UNITED PHOSPHORUS, INC. AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF UNITED PHOSPHORUS, INC. OR SELLER, THE REPLACEMENT OF THE PRODUCT.

United Phosphorus, Inc. and Seller offer this product, and Buyer and User accept it, subject to the foregoing conditions of sale and limitations of warranty and of liability, which may not be modified except by written agreement signed by the duly authorized representative of United Phosphorus, Inc.

Rev. 7/31/200901/02/2014