

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

June 28, 2021

Brien O'Loughlin Agent for UPL NA, Inc. c/o Pyxis Regulatory Consulting, Inc. 4110 136th St. Ct. NW Gig Harbor, WA 98332

Subject: Notification per PRN 98-10 – Add optional referral statements, change company name,

update hotline info, and minor label revisions

Product Name: Aquathol Super K Granular Aquatic Herbicide

EPA Registration Number: 70506-191

Application Date: May 4, 2021 Decision Number: 576488

Dear Mr. O'Loughlin:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

Since this product's signal word is DANGER, note that the optional referral statement excludes the First Aid statement, which must be placed on the front panel of the container label in accordance with 40 CFR 156.68(d).

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance. If you have any questions, you may contact Derek Corbin at 703-347-8903 or by email at Corbin.Derek@epa.gov.

Sincerely,

Mindy Ondish Product Manager 23

Mindy Ondish

Herbicide Branch

Registration Division (7505P) Office of Pesticide Programs

NOTIFICATION

70506-191

The applicant has certified that no changes, other than those reported to the Agency have been made to the **AQUATHOL® SUPER K** labeling. The Agency acknowledges this notification by letter dated:

06/28/2021

GRANULAR AQUATIC HERBICIDE

For aquatic plant control in quiescent, slow moving, and flowing water aquatic sites.

ACTIVE INGREDIEN							
•	f endothall*						
OTHER INGREDIEN	TOTAL:						
*7-oxabicyclo [2.2.	1]heptane-2,3-dicarboxylic acid equivalent 44.7%						
{OPTIONAL REFERRAL STATEMENTS FOR COMMERCIAL PACKAGING:}							
[See inside for add	[See inside for additional Precautionary Statements and Directions For Use.]						
[See attached bool	klet for additional Precautionary Statements.]						
	klet for Conditions Of Sale and Limitation of Warranty and Liability.]						
[See attached bool	[See attached booklet for complete Directions for Use.]						
	KEEP OUT OF REACH OF CHILDREN						
	DANGER PELIGRO						
	entiende la etiqueta, busque a alguien para que se la explique a usted en						
(If you	u do not understand the label, find someone to explain it to you in detail.	.)					
	FIRST AID						
	 Hold eye open and rinse slowly and gently with water for 15 to 20 m 						
IF IN EYES	Remove contact lenses, if present, after the first 5 minutes, then con	ntinue rinsing.					
	Call a poison control center or doctor for treatment advice.						
	Call a poison control center or doctor immediately for treatment advantage of the control center or doctor.	vice.					
IF	Have person sip a glass of water if able to swallow.						
SWALLOWED	Do not induce vomiting unless told to do so by a poison control cent Do not give anything by mouth to an unconscious person.	er or doctor.					
	 Do not give anything by mouth to an unconscious person Take off contaminated clothing. 						
IF ON SKIN OR	 Rinse skin immediately with plenty of water for 15-20 minutes. 						
CLOTHING	 Call a poison control center or doctor for treatment advice. 						
HOT LINE NUMBER							
Have the produc	ct container or label with you when calling a poison control center or doc	or or going for					
treatment. You may also contact 866-673-6671 (Rocky Mountain Poison Control and Drug Center) for							
emergency medical treatment information.							
NOTE TO PHYSICIAN							
Probable mucosal damage may contraindicate the use of gastric lavage.							
EPA Registration N	EPA Registration No. 70506-191 EPA Establishment No						
Batch/Lot No	Net Weight:						

United Phosphorous, Inc. UPL NA Inc.

630 Freedom Business Center, Suite 402 King of Prussia, PA 19406

1-800-438-6071

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

CORROSIVE. CAUSES IRREVERSIBLE EYE DAMAGE. MAY BE FATAL IF SWALLOWED. HARMFUL IF ABSORBED THROUGH THE SKIN. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING.

Personal Protective Equipment (PPE)

Mixers, loaders, applicators and other handlers must wear:

- Long-sleeved shirt and long pants,
- Socks and shoes,
- Chemical resistant gloves,
- Protective eyewear,
- NIOSH-approved half- or full-face respirator with a cartridge or canister approved for dusts and mists or a cartridge with any N, R, P, or HE filter. Note: the quarter-face cupstyle respirator does not meet this requirement.

Exception: During application, the respirator need not be worn, *provided* that the pesticide is applied in a manner (such as direct metering or subsurface applications from the rear of a vessel that is moving into the wind) that the applicator will have no contact with the pesticide.

See Engineering Controls for additional requirements.

User Safety Requirements:

Follow the manufacturers' instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing or other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

Engineering Controls:

When handlers use closed systems, enclosed cabs or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

Pilots must use an enclosed cockpit that meets the requirements listed in the WPS for agricultural pesticides [40CFR170.240(d)(6)]. Exception: Enclosed cockpit is not required when applications are made from a helicopter utilizing a suspended hopper (minimum distance of 25') with remote actuation of the application equipment such as the helicopter mounted Simplex Spreader.

User Safety Recommendations

Users should:

- Wash hands thoroughly after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing.
 As soon as possible, wash thoroughly and change into clean clothing

ENVIRONMENTAL HAZARDS

Do not contaminate water by cleaning of equipment or disposal of equipment washwaters. This pesticide is toxic to mammals.

Treatment of aquatic plants can result in oxygen loss from decomposition of dead plants. This loss can cause fish suffocation. Water bodies containing very high plant density should be treated in sections to prevent suffocation of fish.

PRODUCT INFORMATION

Aquathol Super K is a granular aquatic herbicide which is effective against a broad range of aquatic plants. Dosage rates indicated for the application of Aquathol Super K are measured in parts per million (ppm) of dipotassium endothall.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift.

- When used as directed, phytotoxicity is not expected on plants or crops irrigated with Aquathol Super K treated water, however, all species and cultivars (varieties) have not been tested.
- Do not use Aquathol Super K treated water for chemigation as interactions between Aquathol Super K and other pesticides and fertilizers are not known.
- Contact with desirable plants or crops may result in injury.
- Do not use Aquathol Super K in brackish or saltwater.
- Contact of granules directly or by drift with non-target plants or crops may result in injury.
- United Phosphorus, Inc. UPL NA Inc. recommends not reducing Aquathol Super K rates below those specified within this label, when using Aquathol Super K in a treatment combination with product(s) containing ALS inhibitor active ingredients, unless specified otherwise on this label or a United Phosphorus, Inc. UPL NA Inc. supplemental label.

HOW TO APPLY:

Aquathol Super K is a contact herbicide; consequently, apply when target plants are present. Apply Aquathol Super K as evenly as possible over areas to be treated.

Drinking Water (Potable Water)

Consult with appropriate state or local water authorities before applying this product to public waters. State or local agencies may require permits.

The drinking water (potable water) restrictions on this label are to ensure that consumption of water by the public is allowed only when the concentration of endothall acid in the water is less than the MCL (Maximum Contamination Level) of 0.1 ppm. Applicators must consider the unique characteristics of the treated waters to assure that endothall acid concentrations in potable drinking water do not exceed 0.1 ppm at the time of consumption.

For Lakes, Ponds, and other Quiescent Water Bodies:

- For Aquathol Super K applications, the drinking water setback distance from functioning potable water intakes in the treated water body must be greater than or equal to 600 feet.
- Note: Existing potable water intakes that are no longer in use, such as those replaced by a connection to a municipal water system or a potable water well, are not considered to be functioning potable

water intakes.

For Flowing Water Bodies:

Applicator is responsible to assure that treated water exceeding the MCL of 0.1 ppm does not enter
potable water intakes. For Aquathol Super K applications, potable water intakes must be closed when
treated water exceeding the MCL of 0.1 ppm is present at the intake. In the event the water intake
cannot be closed (when treated water will exceed 0.1 ppm), treatments must only be made
downstream from the intake in order to assure Aquathol Super K treated water above 0.1 ppm does
not enter the potable water system.

QUIESCENT, SLOW MOVING OR FLOWING WATER TREATMENTS

Aquathol Super K is labeled for the control of the aquatic plants listed in the chart below at the rates indicated.

Use higher labeled rates of Aquathol Super K when making treatments to small areas with an increased potential for rapid dilution or when treating narrow areas such as for boat lanes or shoreline treatments where dilution may reduce the exposure of plants to the herbicide.

Use lower labeled rates of Aquathol Super K for large contiguous treatment blocks or in protected areas such as coves where reduced water movement will not result in rapid dilution of Aquathol Super K from the target treatment area or when treating entire lakes or ponds.

PLANTS CONTROLLED AND AQUATHOL SUPER K DOSAGE RATES FOR APPLICATIONS TO QUIESCENT, SLOW MOVING, OR FLOWING WATER

	APPLICATION RATE					
Aquatic Plant	Entire Pond/Lak Treati	_	Spot or Lake Margin Treatment			
Aquatic Flant	ppm Dipotassium Endothall	lbs. Aquathol Super K per Acre Ft.	ppm Dipotassium Endothall	lbs. Aquathol Super K per Acre Ft.		
Coontail, Ceratophyllum spp.	2.0-3.0	8.8-13.2	3.0-5.0	13.2-22.0		
Horned Pondweed, Zannichellia palustris	2.0-3.0	8.8-13.2	3.0-5.0	13.2-22.0		
Sago Pondweed, Stuckenia pectinata	1.0-2.0	4.4-8.8	2.0-5.0	8.8-22.0		
Hydrilla, <i>Hydrilla verticillata</i>	1.0-4.0	4.4-17.6	3.0-5.0	13.2-22.0		
Hygrophila *, Hygrophila polysperma	4.0-5.0	17.6-22.0	5.0	22.0		
Milfoil, Myriophyllum spp.	2.0-3.0	8.8-13.2	3.0-5.0	13.2-22.0		
Naiad, <i>Najas</i> spp.	2.0-4.0	8.8-17.6	3.0-5.0	13.2-22.0		
Pondweed, <i>Potamogeton</i> spp.	0.75-3.0	3.3-13.2	1.5-5.0	6.6-22.0		
Including:						
American, P. nodosus	2.0-3.0	8.8-13.2	3.0-5.0	13.2-22.0		
Largeleaf (Bass Weed), P. amplifolius	2.0-3.0	8.8-13.2	3.0-5.0	13.2-22.0		
Curlyleaf, P. crispus	0.75-1.5	3.3-6.6	1.5-5.0	6.6-22.0		
Flatstem, P. zosteriformis	2.0-3.0	8.8-13.2	3.0-5.0	13.2-22.0		
Floating-leaf, P. natans	1.0-2.0	4.4-8.8	2.0-5.0	8.8-22.0		
Illinois, P. illinoensis	1.5-2.5	6.6-11.0	2.5-5.0	11.0-22.0		
Narrowleaf, P. pusillus	1.0-2.0	4.4-8.8	2.0-5.0	8.8-22.0		
Threadleaf, P. filiformis	2.0-3.0	8.8-13.2	3.0-5.0	13.2-22.0		
Variable Leaf, P. diversifolius	1.0-2.0	4.4-8.8	2.0-5.0	8.8-22.0		
Parrotfeather,	2.0-3.0	8.8-13.2	3.0-5.0	13.2-22.0		
Myriophyllum aquaticum						
Water Stargrass, Heteranthera spp.	2.0-3.0	8.8-13.2	3.0-5.0	13.2-22.0		

^{*}Suppression only

Restriction for flowing waters used for irrigation of food crops: Do not apply more than 30 ppm per growing season, not to exceed 5 ppm per application. Do not apply more than a total of 5 ppm within a 7-day interval.

Note: There is no Pre-harvest Interval (PHI) for crops irrigated with treated water.

The following charts indicate the quantity of Aquathol Super K to be applied.

Pounds of Aquathol Super K to Treat One Acre-Foot of Water

	Rate (ppm)						
	0.75	1.0	1.5	2.0	3.0	4.0	5.0
1 acre ft	lbs/A-ft						
1 acre it	3.4	4.4	6.6	8.8	13.2	17.6	22

Ounces of Aquathol Super K to Treat 1,000 Square-Feet per Foot of Depth

	Rate (ppm)						
	0.75	1.0	1.5	2.0	3.0	4.0	5.0
1000 ft ²	oz/1000 ft²						
100011	1.2	1.6	2.4	3.2	4.8	6.4	8.0

Ponds and Small Lakes with little to no outflow

The following directions are intended for ponds and small lakes with minimal outflows to assure adequate contact time with the weeds.

Apply Aquathol Super K directly to the perimeter or in multiple locations around the perimeter of the water body. This will allow for rapid mixing throughout the water body as well as the water column.

For best results, apply in early Spring when weeds are actively growing with a minimum of 24 hours contact time.

Apply Aquathol Super K at the following rate:

PLANTS CONTROLLED AND AQUATHOL SUPER K DOSAGE RATES FOR SURFACE OR INJECTED APPLICATIONS IN PONDS AND SMALL LAKES

Aquatic Plant	Application Rate	Concentration (ppm)
Coontail (Ceratophyllum spp.) Horned Pondweed (Zannichellia palustris) Milfoil (Myriophyllum spp.) Parrotfeather (Myriophyllum aquaticum) Water Stargrass (Heteranthera spp.) Naiad (Najas spp.) Hydrilla (Hydrilla verticillata) Sago Pondweed (Stuckenia pectinate) Pondweed (Potamogeton spp.)	7.5 lbs. Aquathol Super K per acre ft.	1.75 ppm

^{*}Suppression only

The following chart exemplifies the quantity of Aquathol Super K to be applied.

Examples of Aquathol Super K required for Treatment, Average Depth 4ft. (1.75ppm).

Amount of Aquathol Super K to treat ½ acre	Amount of Aquathol Super K to treat 1 acre
15 lbs.	30 lbs.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store in the original container. Do not store in a manner where cross- contamination with other pesticides, fertilizers, food or feed could occur. If spilled during storage or handling sweep up spillage and dispose of in accordance with the Pesticide Disposal Instructions listed below.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Handling:

Nonrefillable Plastic Containers (Capacity Equal to or Less Than 50 Pounds): Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or mix tank. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling if available or puncture and dispose of in a sanitary landfill or by incineration. Do not burn unless allowed by state and local ordinances.

Nonrefillable Plastic Bags: Nonrefillable container. Do not reuse or refill this container. Completely empty bag into application equipment. Then offer for recycling if available or dispose of empty bag in a sanitary landfill or by incineration, or by other procedures approved by state and local authorities.

EMERGENCY TELEPHONE NUMBERS:

CHEMTREC: (800) 424-9300

MEDICAL: (866) 673-6671

Rocky Mountain Poison Control and Drug Center

IMPORTANT INFORMATION READ BEFORE USING PRODUCT

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product reflect the opinion of experts based on field use and tests, and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of United Phosphorus, Inc. UPL NA Inc. or Seller. Handling, storage, and use of the product by Buyer or User are beyond the control of United Phosphorus, Inc. UPL NA Inc. and Seller. To the extent consistent with applicable law, all such risks shall be assumed by Buyer and User, and Buyer and User agree to hold United Phosphorus, Inc. UPL NA Inc. and Seller harmless for any claims relating to such factors.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW. UNITED PHOSPHORUS, INC. UPL NA INC. AND SELLER MAKE NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ON THIS LABEL.

To the extent consistent with applicable law, United Phosphorus, Inc.UPL NA Inc. or Seller shall not be liable for any incidental, consequential or special damages resulting from the use or handling of this product and THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF UNITED PHOSPHORUS, INC.UPL NA INC. AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF UNITED PHOSPHORUS, INC.UPL NA INC. OR SELLER, THE REPLACEMENT OF THE PRODUCT.

United Phosphorus, Inc. UPL NA Inc. and Seller offer this product, and Buyer and User accept it, subject to the foregoing conditions of sale and limitations of warranty and of liability, which may not be modified except by written agreement signed by the duly authorized representative of United Phosphorus, Inc. UPL NA Inc.

Aquathol <u>and UPL logo</u> is <u>are a registered</u> trademarks of <u>United Phosphorus</u>, <u>Inc.</u> <u>UPL Corporation Limited</u> or its related companies.

{Note to Reviewer: Text within brackets [] is optional.
Text within braces {} will not appear on final label.}