

United States Environmental Protection Agency WASHINGTON, DC 20460

OFFICE OF **CHEMICAL SAFETY AND** POLLUTION PREVENTION

Gary R. Orr Regulatory Affairs Manager United Phosphorus, Inc. 630 Freedom Business Center Suite 402 King of Prussia, PA 19406

AUG 1 2 2013

Subject: Manzate Max Fungicide

EPA Reg. No. 70506-194

PRIA Amendment dated October 26, 2011, new use on walnut

PRIA Decision No. 457084

Dear Mr. Orr:

The supplemental labeling referred to above, submitted in connection with registration in accordance with FIFRA section 3(c)5, as amended, is acceptable. It expires on July 30, 2016.

A stamped copy of the labeling is enclosed for your records. You must submit one (1) copy of the final printed label before you release the product for shipment. Products released for shipment after eighteen (18) months from the date of this letter must bear the new revised label. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA §6(e). Your release for shipment of the product constitutes acceptance of these conditions.

If you have any questions, please contact Tamue L. Gibson by phone at (703) 305-9096 or via email at gibson.tamue@epa.gov.

Sincerely,

Cynthia Giles-Parker

Acting Product Manager (21)

Fungicide Branch

Registration Division (7504P)

Enclosure



Supplementellebel

MANZATE® MAX FUNGICIDE

EPA Reg. No. 70506-194

For Use on Walnuts

This supplemental label expires on July 30, 2016 and must not be used or distr

ACCEPTED

AUG 1 2 2013

Under the rederal Insecticide, Functione, and Rodenticide Act, as amended, for the pesticide If also transports date.

70506-194

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

The supplemental labeling and the entire MANZATE MAX FUNGICIDE container label, EPA Registration Number 70506-194, must be in possession of the user at the time of application. Read the label affixed to the container for MANZATE MAX FUNGICIDE before applying. Carefully follow all precautionary statements and applicable use directions. Use MANZATE MAX FUNGICIDE according to this supplemental labeling is subject to the use precautions and limitations imposed by the label affixed to the container for MANZATE MAX FUNGICIDE.

Read the Limitation of Warranty and Liability on the container labeling before buying or using MANZATE MAX FUNGICIDE. If terms are not acceptable, return the unopened package at once to Seller for full refund of purchase price paid. Otherwise, use by Buyer or any other User constitutes acceptance of the terms of the Limitation of Warranty and Liability on the container label.

USE RATES AND APPLICATION TIMING FOR USE ON WALNUTS

Disease	Rate MANZATE MAX FUNGICIDE per application	Directions for use
Walnut Blight (Xanthomonas campestris pv. Juglandis)	1.8 qts/A (1.8 lbs ai)	Apply by ground in a minimum of 100 gallons water per acre, or by air in a minimum of 10 gallons water per acre. Do not apply through any irrigation system. Begin applications at early pre-bloom prior to or when catkins are partially expanded. Make additional applications during bloom and early nutlet stage, or as needed if frequent rainfall occurs. The minimum reapplication interval is 10 days. Do not make more than 10 applications per season. Do not apply more than 18 quarts product (18 lbs ai) per acre per use season.

Restrictions: This product must be tank mixed with a fixed copper product (such as Cuprofix Ultra 40 Disperss, EPA Registration Number 70506-201) which is registered for use on walnuts.

Pre-harvest Interval: Do not apply within 75 days before harvest.

Rev. 8/5/2013