



## OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

January 12, 2026

Juli Smith  
NA Reg Affairs Consultant  
Elanco Animal Health  
2500 Innovation Way  
Greenfield, IN 46140

Subject: Label Amendment - Registration Review Mitigation for Cyphenothrin  
Product Name: Parastar Plus for Dogs  
EPA Registration Number: 70585-13  
Case Number: 474242  
Application Dates: November 18<sup>th</sup>, 2020

Dear Juli Smith:

The Agency, in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, has completed reviewing all the information submitted with your application to support the Registration Review of the above referenced product in connection with the Cyphenothrin Final Decision, and has concluded that your submission is acceptable. The label referred to above, submitted in connection with registration under FIFRA, as amended, is acceptable.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling and must be used at your next label printing. You must submit one copy of the final printed labeling before you release the product for

shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

If you have any questions about this letter, please contact Nicholas Barnett by phone at 513-569-7643, or via email at [Barnett.nicholas@epa.gov](mailto:Barnett.nicholas@epa.gov).

Sincerely,

A handwritten signature in black ink, appearing to read "Julie Javier".


Julie Javier, Team Leader  
Risk Mitigation and Implementation Branch 4  
Pesticide Re-Evaluation Division  
Office of Pesticide Programs

ENCLOSURE: Stamped label

[Optional text appears in brackets -the final label may include some or all of the optional text on front, back, side, or inside label panels]

CARTON FRONT PANEL

**Parastar<sup>TM</sup> Plus**  
**For Dogs**  
 [(fipronil/cyphenothrin)]



{Note to Reviewer: The word "Dogs" will be included in the product name and will be at least 75% the height of the largest letter in the product name.}

A large, clear picture of a dog in the weight range for the product as packaged will be on the front panel.

{Note to Reviewer: Only one of the two sentences shown below will appear in a box on the carton front panel.}

Apply only to dogs and puppies more than 12 weeks old and [weighing] [4-22 lbs] [23-44 lbs] [45-88 lbs] [89-132 lbs]

Apply only to dogs and puppies 12 weeks or older and [weighing][4-22 lbs] [23-44 lbs] [45-88 lbs] [89-132 lbs]

{Note to Reviewer: See Optional Marketing Claims list at the end of the label.}

**ACTIVE INGREDIENTS:**

Fipronil..... 9.8%

Cyphenothrin..... 5.2%

**OTHER INGREDIENTS:**..... 85.0%

**TOTAL:** ..... 100.0%

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

For indoor use only

See Back [Panel] [Label Panel] for full Directions for Use, First Aid and Precautionary Statements

**NET CONTENTS:**

[Contains] [1] [One] [2] [Two] [Three] [3] [4] [Four] [5] [Five] [6] [Six] [12] [Twelve] [24] [Twenty-Four] [-] 0.023 fl oz (0.67 ml) tube[s]  
[Contains] [1] [One] [2] [Two] [Three] [3] [4] [Four] [5] [Five] [6] [Six] [12] [Twelve] [24] [Twenty-Four] [-] 0.045 fl oz (1.34 ml) tube[s]  
[Contains] [1] [One] [2] [Two] [Three] [3] [4] [Four] [5] [Five] [6] [Six] [12] [Twelve] [24] [Twenty-Four] [-] 0.091 fl oz (2.68 ml) tube[s]  
[Contains] [1] [One] [2] [Two] [Three] [3] [4] [Four] [5] [Five] [6] [Six] [12] [Twelve] [24] [Twenty-Four] [-] 0.136 fl oz (4.02 ml) tube[s]



OR



{Note to reviewer – Cat icons indicated above appear at lower right hand corner of carton front panel. Size of Cat icons are 1.5 x 1.5 cm or greater in size. Either a YELLOW box or a RED box is used, whichever provides better contrast with the other carton colors.}

## CARTON BACK PANEL

**[For use [ONLY][only] on Dogs & Puppies 12 weeks or older and [weighing] [4 [to] [-] 22 lbs] [23[-][to]44 lbs] [45[-][to]88 lbs] [89[-] [to]132 lbs]]**

[Parastar<sup>TM</sup> Plus For Dogs contains Fipronil and Cyphenothrin to effectively kill [in as little as 1 hour] Fleas, Ticks [(including those that may transmit Lyme Disease)], and kills mosquitoes and (chewing) lice.]

[Parastar<sup>TM</sup> Plus For Dogs contains Fipronil and Cyphenothrin to effectively [start killing [ticks and] [fleas] in [just] [as little as] [5] [15] minutes [and for up to 30 days.] [Kills ticks, including those that may transmit Lyme disease, Rocky Mountain Spotted Fever, ehrlichiosis, babesiosis, anaplasmosis, and heptaozoonosis.] [kill fleas [(starts killing in [5][15] minutes)] [,] [and] ticks [(starts killing in [5][15] minutes)] [(including those that may transmit Lyme disease)], and kills [mosquitoes][and] chewing lice.]]

[The active ingredients in Parastar<sup>TM</sup> Plus [For Dogs] work by collecting in the hair follicles and skin oils. This product features a sustained-release formula developed for fast acting [and long lasting] control of fleas, ticks, mosquitoes and chewing lice for up to 30 days on dogs.]

### **READ ENTIRE LABEL BEFORE EACH USE.**

**USE ONLY ON DOGS AND PUPPIES OVER 12 WEEKS OF AGE AND [WEIGHING] [4 [TO] [-] 22 lbs] [23[-][TO]44 lbs] [45[-][TO]88 lbs] [89[-] [TO]132 lbs].**

[Parastar<sup>TM</sup> Plus [For Dogs] kills fleas [in as little as 1 hour], ticks [in as little as 1 hour], mosquitoes and chewing lice. [Controls mites that may cause sarcoptic mange.] [Aids in control of mites that cause sarcoptic mange.] Kills deer ticks [that may transmit Lyme disease]. Kills brown dog ticks, American dog ticks, and lone star ticks. [Prevents flea reinfestation.]]

### **Side Effects**

Monitor your dog after application. [Some dogs may experience temporary startle effects when product is applied.] Dogs may experience some temporary irritation at the site of product application, such as redness, scratching, or other signs of discomfort. If signs of a sensitivity occur, bathe your dog with a mild soap and rinse with large amounts of water. The most common signs of ingestion are excessive salivation and foaming at the mouth. If these or other side effects occur, consult your veterinarian or [call] Elanco US Inc. at 1-888-545-5973. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating treatment.

{Note to Reviewer: A box labeled "Side Effects" will be placed immediately above the cat warning box on the back panel}



OR



{Note to reviewer – Cat warning text box with cat prohibition icons indicated above appear at lower right hand corner of carton front panel. Size of Cat icons are 1.5 x 1.5 cm or greater in size. Either a YELLOW box or a RED box is used, whichever provides better contrast with the other carton colors.}

For Technical Information, call 1-888-545-5973 [Hours of service]  
[Manufactured in the USA] [Formulated in the USA]

[Distributed by:] [Manufactured for][Available exclusively from]:  
Elanco US, Inc.  
2500 Innovation Way  
Greenfield, IN 46140

[BAR CODE AREA]

EPA Reg. No. 70585-13  
EPA Est. No. XXXXX-XX-XXX

INSIDE FLAP OF CARTON BACK PANEL

<b>FIRST AID</b>	
<b>If In Eyes</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>
<b>If On Skin Or Clothing</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If Swallowed</b>	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
<b>HOT LINE NUMBER</b>	
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For more information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-888-545-5973.</p>	
<b>NOTE TO PHYSICIAN OR VETERINARIAN</b>	
Treat patient symptomatically	

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS. CAUTION.** Causes moderate eye irritation. Do not get in eyes or on clothing. Harmful if swallowed. Harmful if absorbed through skin. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

**HAZARDS TO DOMESTIC ANIMALS.** For external use only. Individual sensitivities, while rare, may occur after using any pesticide product. Certain medications can interact with pesticides. Do not treat your dog with more than one topically applied pesticide product at a time. Overdosing your dog can result in serious illness and even death. Consult a veterinarian before using on medicated, pregnant, nursing, debilitated or aged dogs.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.  
READ ENTIRE LABEL [AND ENCLOSED DIRECTIONS] BEFORE EACH USE.

**Do not allow children to apply product.** TO PREVENT HARM TO YOU AND YOUR DOG, READ ENTIRE LABEL [AND ENCLOSED DIRECTIONS] BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY.  
DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS. DO NOT USE ON CATS – MAY BE FATAL. Keep cats away from treated dogs for 24 hours. If applied to a cat

or ingested by a cat, contact your veterinarian immediately. Do not bathe dogs until 24 hours after treatment

**FOR EXTERNAL USE ON DOGS ONLY.** Do not allow your dog to ingest this product. Do not apply to puppies less than 12 weeks of age. Do not apply to dogs or puppies weighing less than [4][23][45][89] lbs. For use only on dogs [[&] [and] puppies] [weighing 4 [to] [-] 22 lbs.] [weighing 23 [to] [-] 44 lbs.] [weighing 45 [to] [-] 88 lbs.] [weighing 89[to] [-] 132 lbs.]. Do not split [tubes][vials]between dogs. [Do not use multiple [tubes][vials]on one dog.] Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog. Do not double dose or apply more than one tube per treatment for one dog regardless of the dog's weight.

Application of product on pets must only be done indoors.

**How to open:** Remove product tube[s] [vial[s]] from the package. [Separate one tube from the others.] Holding the tube [vial] with notched end pointing up and away from the face and body, cut off the narrow end at the notches with scissors.

**How to apply:** While holding the dog with one hand, use the other hand to apply the solution. Invert the [tube] [vial] and use the open end to part the dog's hair. Apply contents of one [tube] [vial] of Parastar<sup>TM</sup> Plus [For Dogs] [as a spot to the dog's back between the shoulder blades] [from the back of the neck to a point midway between the neck and tail]. Hold the dog for a few seconds to give the solution time to be absorbed into the dog's coat. When finished, wrap the [tube] [vial] in paper and put into the trash. Apply only one tube per dog per treatment. Repeat application may be made if necessary, but do not apply more often than once every[[4] [four] weeks] [30 days] [month].

#### **FREQUENCY OF APPLICATION**

Use Parastar<sup>TM</sup> Plus [For Dogs] monthly for complete control of flea, tick [and] chewing lice [and mosquito] [infestations]. [[Studies show that] Parastar<sup>TM</sup> Plus [For Dogs] kills adult fleas [starts killing in as little as 1 hour)] [[starts killing] [starts to kill] in [5][15] minutes] [for up to three months]. If your dog is at high risk of flea reinfestation [, or in a highly infested environment], apply monthly. Apply monthly to control ticks[, mosquitoes] and chewing lice. [Parastar<sup>TM</sup> Plus [For Dogs] Kills mosquitoes [within 48 hours for up to 1 month]] Parastar<sup>TM</sup> Plus [For Dogs] remains effective, even after bathing, water immersion, or exposure to sunlight. Allow treated area to dry thoroughly. Do not reapply for 30 days.

{For Cartons containing .67 ml (0.023 fl oz) tubes}

**For use only on Dogs and Puppies 12 weeks old or older Weighing [Between 4 [-] [and] 22 lbs.] [4 [to] [-] 22 lbs.]**

Apply one [tube] [0.023 fl. oz. [(0.67 mL)]] [(0.67 mL) (0.023 fl. oz.)] [0.67 mL [(0.023 fl. oz.)]] [as a spot on the dog's back between the shoulder blades] [from the back of the neck to a point midway between the neck and tail].

{For Cartons containing 1.34 ml (0.045 fl oz) tubes}

**For use only on Dogs and Puppies 12 weeks old or older Weighing [Between 23 [-] [and] 44 lbs. ] [23 [to] [-] 44 lbs.]**

Apply one [tube] [0.045 fl. oz. [(1.34 mL)]] [(1.34 mL) (0.045 fl. oz.)] [1.34 ml [(0.045 fl. oz.)]] [as a spot on the dog's back between the shoulder blades.] [from the back of the neck to a point midway between the neck and tail].

{For Cartons containing 2.68 ml (0.091 fl oz) tubes}

**For use only on Dogs and Puppies 12 weeks old or older Weighing [Between 45 [-] [and] 88lbs.] [45 [to][-] 88 lbs.]**

Apply one [tube] [0.091 fl. oz. [(2.68 mL)]] [(2.68 mL) (0.091 fl. oz.)] [2.68 mL [(0.091 fl. oz.)]] [as a spot on the dog's back between the shoulder blades] [from the back of the neck to a point midway between the neck and tail].

{For Cartons containing 4.02 ml (0.136 fl oz) tubes}

**For use only on Dogs and Puppies 12 weeks old or older Weighing [Between 89 [-] [and] 132 lbs.] [89[to] [-]132 lbs.]**

Apply one [tube] [0.136 fl. oz. [(4.02 mL)]] [(4.02 mL) (0.136 fl. oz.)] [4.02 mL [(0.136 fl. oz.)]] [from the back of the neck to a point midway between the neck and tail.] [as a spot on the dog's back between the shoulder blades.]

#### **STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**PESTICIDE STORAGE:** Do not remove tube from the pack until ready to use. Store in a cool (below 77°F [25°C]) dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

**CONTAINER DISPOSAL:** Non-refillable container. Do not reuse or refill this container.

If empty: Place in the trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Do not pour or dispose down-the-drain or sewer. Call your local solid waste agency for local disposal options.

#### **WARRANTY**

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of ELANCO US, INC. (EUS) or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold EUS and Seller harmless for any claims relating to such factors.

EUS warrants that this product conforms to the chemical description on the label and is reasonably fit for the purpose stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of the product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or EUS, and Buyer and User assume the risk of any such use. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, EUS MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent consistent with State law, in no event shall EUS or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of

this product. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF EUS AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF EUS OR SELLER, THE REPLACEMENT OF THE PRODUCT.

[If you have questions or comments about this product, please write to: Elanco US, Inc., (address).]

## OPTIONAL TEXT FOR CARTON BACK PANEL OR INSIDE FLAP OF CARTON BACK PANEL

{Note to Reviewer: text in the following section may be used in addition to, not as a replacement for, the required text shown in carton back panel and inside flap of carton back panel sections above.}

### **How to Apply - May contain graphics illustrating product use, e.g., dog with a drop falling onto its neck from a vial on front, side, or back carton label and/or applicator labeling.**


#### **How to open**

1. Remove product [tube[s]] [vial] from the package.
2. [Separate one tube from the others.] Holding the [tube] [vial] with notched end pointing up and away from the face and body, cut off the narrow end at the notches with scissors.

#### **How to apply:**

1. Invert [tube] [vial] over dog and use open end to part dog's hair.
2. Squeeze [tube] [vial] firmly to apply all of the solution to the dog's skin [as a spot to the dog's back between the shoulder blades.] [or] [from the back of the neck to a point midway between the neck and tail.]

#### **Example Flea life cycle diagram**



Look at the Label (Look at the Label icon) 6 Step [Easy] [Parastar<sup>TM</sup> Plus [For Dogs] [Spot On] [Squeeze-On] Checklist

- Read the label completely and follow directions
- Weigh your dog
- Do NOT use Dog products on Cats
- Do NOT treat with more than one pesticide product at a time
- To avoid chance of ingestion, separate treated dogs from each other and other pets until product is dry.
- Do NOT split tubes between dogs [and use the ENTIRE tube contents]

## Parastar™ Plus [For Dogs]

Monthly reminder card] [Fill out this reminder card with your dog's name and the date each treatment should be given to your dog as a reminder to reapply Parastar™ Plus [For Dogs] every 30 days.

Apply Parastar™ Plus [For Dogs] monthly for continuous protection against Fleas, Ticks, [and] chewing lice [and mosquitoes].

For year round protection apply Parastar™ Plus [For Dogs] monthly.

Dog's Name (Empty blank for owner to fill in name)

[First] [1<sup>st</sup>]] [dose] [Application] (Empty blank for owner to fill in date)

[Second] [2<sup>nd</sup>]] [dose] [Application] (Empty blank for owner to fill in date)

[Third] [3<sup>rd</sup>]] [dose] [Application] (Empty blank for owner to fill in date)

[Fourth] [4<sup>th</sup>]] [dose] [Application] (Empty blank for owner to fill in date)

[Fifth] [5<sup>th</sup>]] [dose] [Application] (Empty blank for owner to fill in date)

[Sixth] [6<sup>th</sup>]] [dose] [Application] (Empty blank for owner to fill in date)

[Seventh] [7<sup>th</sup>]] [dose] [Application] (Empty blank for owner to fill in date)

[Eighth] [8<sup>th</sup>]] [dose] [Application] (Empty blank for owner to fill in date)

[Ninth] [9<sup>th</sup>]] [dose] [Application] (Empty blank for owner to fill in date)

[Tenth] [10<sup>th</sup>]] [dose] [Application] (Empty blank for owner to fill in date)

[Eleventh] [11<sup>th</sup>]] [dose] [Application] (Empty blank for owner to fill in date)

[Twelfth] [12<sup>th</sup>]] [dose] [Application] (Empty blank for owner to fill in date)

calendar stickers with brand name [Place stickers on your calendar as a reminder to reapply [brand name] [in 30 days.]

## calendar stickers with Parastar™ Plus [For Dogs]

[1] [2] [3] [4] [5] [6] [12] [24]-month] [application tracker]

Enclosed for your convenience are [one][1] [two] [2] [three] [3] [four] [4] [five] [5] [six] [6] [seven] [7] [eight] [8] [nine] [9] [ten] [10] [eleven] [11] [twelve] [12] stickers. [Place stickers on your calendar every 30 day from initial treatment as a reminder to reapply Parastar™ Plus [For Dogs] every 30 days.]

Optional Example graphics for calendar stickers, reminder cards, and/or magnets.




## Monthly Application Reminder Magnet (image of reminder magnet)

Enclosed for your convenience is an application reminder magnet. Push the (reset) button, and the reminder light will blink twice. The reminder tag is now set for 30 days. At the end of 30 days the reminder light will blink, reminding you to reapply Parastar™ Plus [For Dogs]. Press the button once and the blinking light will stop. Press the button again and this will reset the timer for another 30 days.

TUBE LABEL

*FRONT OF TUBE:*



OR:

Dog [[.045][.091] [.136] fl.  
oz.][[.67][1.34][2.68][4.02]  
mL]

OR:

weighing [23-44] [45-  
88][89-132] lbs.

*BACK OF TUBE:*

KEEP OUT OF REACH OF CHILDREN

CAUTION: Read accompanying directions and precautions before using. Use scissors to open.



EPA REG. No. 70585-13

EPA EST. NO. XXXXX-XXX-XXX


{label code}

## OPTIONAL LABEL GRAPHICS

[Example pictograms that may or may not be found on the printed label]



**3 EASY-TO-USE  
APPLICATIONS**



[[1] [2] [4] [5] [6] [12] [24]  
EASY-TO USE  
APPLICATION[S]]

## OPTIONAL MARKETING CLAIMS

### Mosquitoes

1. Kills mosquitoes [within 48 hours for up to 1 month]

### Chewing Lice

1. Kills chewing lice
2. Rapidly eliminates infestations of chewing lice

### Fleas

1. [Quickly] [K][k]ills fleas
2. Kills fleas fast
3. Kills adult fleas [in as little as 1 hour] [!] [for up to three months]
4. Kills newly emerged adult fleas (starts killing in as little as 1 hour) before they lay eggs
5. Kills fleas [in as little as 1 hour], which may be a source of flea allergy dermatitis [or, flea bite anemia]
6. Kills fleas [in as little as 1 hour]
7. Kills fleas [in as little as 1 hour] Up to [4 weeks] [1 month] [30 days]!
8. If dog is at high risk of flea reinfestation, apply once a month
9. Starts [[ killing] [to kill]] fleas in [as little as] [just] [5] [15] [minutes] [1 hour] [after application]

### Multiple Infestations

1. Kills [chewing lice] [and] [[C][c]ontrols mites that may cause sarcoptic mange]
2. Kills chewing lice and [A][a]ids in control of mites that cause sarcoptic mange]
3. Controls mites that [may] cause sarcoptic mange
4. Starts [[killing] [to kill]] fleas and ticks in [just] [5] [15] [minutes] [1 hour] [after application]
5. [Quickly] [K][k]ills fleas and ticks
6. Flea [&] [and] Tick Control only for Dogs [&] [and] Puppies 12 weeks old and older and [weighing] [4 [to] [-] 22 lbs] [23[-][to]44 lbs] [45[-][to]88 lbs] [89[-] [to]132 lbs]
7. Flea [&] [and] Tick Control only for Dogs [&] [and] Puppies more than 12 weeks of age and [weighing] [4 [to] [-] 22 lbs] [23[-][to]44 lbs] [45[-][to]88 lbs] [89[-] [to]132 lbs]
8. Kills Fleas [(starts killing in as little as 1 hour)], Ticks [(starts killing in as little as 1 hour)] [and] chewing lice [&] [and] [mosquitoes]
9. Kills Fleas [(starts killing in as little as 1 hour)], Ticks [(starts killing in as little as 1 hour)], [and kills Mosquitoes], [and kills chewing lice]
10. Kills Fleas [(starts killing in as little as 1 hour)], Ticks [(starts killing in as little as 1 hour)], and kills chewing lice [&] [and] [mosquitoes]

11. Kills Fleas [(starts killing in as little as 1 hour)], Ticks [(starts killing in as little as 1 hour)], [mosquitoes,] and chewing lice
12. Kills Fleas, Ticks, [and kills chewing lice] [and] [mosquitoes]
13. Monthly flea, tick, mosquito, and chewing lice application
14. Kills Fleas (starts killing in as little as 1 hour), Ticks (starts killing in as little as 1 hour), mosquitoes, and lice
15. [4 Week] [1 month] [30 day] Flea and Tick Application
16. [Four (4) Week] [1 month] [30 day] Flea, Tick, Mosquito and Chewing Lice Application
17. Kills Fleas (starts killing in as little as 1 hour) and Ticks (starts killing in as little as 1 hour) for up to [4 weeks] [1 month] [30 days]!
18. Once A Month Flea and Tick Application
19. Use Parastar™ Plus [For Dogs] monthly to control Ticks (starts killing in as little as 1 hour) and chewing lice
20. Monthly flea, tick, mosquito, and chewing lice protection.
21. Kills Fleas [(starts killing in as little as 1 hour], Ticks [(starts killing in as little as 1 hour)], and kills chewing lice & mosquitoes
22. Starts [[killing] [to kill]] fleas and ticks in as little as [5][15][minutes] [1 hour] [and continues to kill for a month]

#### Ticks

1. [Quickly] Kills Ticks
2. Starts [[killing] [to kill]] ticks in just [5] [15] [minutes] [1 hour] [after application]
3. Kills Ticks (starts killing in as little as 1 hour) including those that may transmit Lyme disease
4. Kills Ticks (starts killing in as little as 1 hour) for Up to [4 weeks] [1 month] [30 days]!
5. Kills Deer Ticks [that may transmit Lyme Disease,] [ for up to [4 weeks] [1 month] [30 days]
6. Kills Ticks (starts killing in as little as 1 hour)
7. Kills Deer Ticks for up to [4 weeks] [1 month] [30 days]
8. Kills [Brown Dog Ticks], [American Dog Ticks,] [[and] Lone Star Ticks] ([starts killing] in as little as 1 hour) [(*Rhipicephalus sanguineus*)] for up to [4 weeks] [1 month] [30 days]
9. Kills [Brown Dog Ticks], [(*Rhipicephalus sanguineus*)] [([starts killing] in as little as [5][15] [minutes] [1 hour])] for up to [4 weeks] [1 month] [30 days]
10. Kills American Dog Ticks [and] [(*Dermacentor variabilis*)] for up to [4 weeks] [1 month] [30 days]!
11. Kills Lone Star Ticks
12. Prevents and control reinfestation of listed pests] [for] [30 days] [1month]
13. Kills ticks that may transmit Lyme disease, Rocky Mountain Spotted fever, ehrlichiosis, babesiosis, bartonellosis, anaplasmosis and hepatolzoonosis

## All Others

1. For use only on Dogs and Puppies 12 weeks of age or older and [weighing] [4 [to] [-] 22 lbs] [23[-][to]44 lbs] [45[-][to]88 lbs] [89[-] [to]132 lbs]
2. For use only on Dogs and Puppies more than 12 weeks of age and [weighing] [4 [to] [-] 22 lbs] [23[-][to]44 lbs] [45[-][to]88 lbs] [89[-] [to]132 lbs]
3. Fast[-]Acting
4. Long[-] Lasting
5. Remains effective, even after bathing, water immersion, or exposure to sunlight
6. Convenient spot application
7. Fast Action against chewing lice infestations
8. Controls mites that may cause Sarcoptic Mange
9. [One Application] [Two Applications] [Three Applications] [Four Applications] [Five Applications] [Six Applications] [Twelve Applications] [Twenty-Four Applications] and/or [1 Month Supply] [2 Month Supply] [3 Month Supply] [4 Month Supply] [5 Month Supply] [6 Month Supply] [12 Month Supply] [24 Month Supply] or [4 Week Supply] [8 Week Supply] [12 Week Supply] [16 Week Supply] [20 Week Supply] [24 Week Supply] or [1][2][3] [4] [5] [6] [12] [24] applications]
10. Best if used year round!
11. (ICON Showing 4 Week Protection)
12. 4 Week Dose! [in Child Resistant Packaging]
13. 1 Month Dose! [in Child Resistant Packaging]
14. Fipronil (9.8%) + Cyphenothrin (5.2%)
15. A fipronil and cyphenothrin product
16. [1] [2] [3] [4] [5] [6] [12] [24] [Easy-to-Use] Applications! [in Child Resistant Packaging]
17. Easy to Use [Application] [in Child Resistant Packaging]
18. Formulated for use only on Dogs and Puppies 12 weeks of age or older and [weighing] [4 [to] [-] 22 lbs] [23[-][to]44 lbs] [45[-][to]88 lbs] [89[-] [to]132 lbs]
19. [Free] Calendar Stickers Inside!
20. [Free] Calendar Stickers Inside
21. Apply once every [4 weeks] [month] [30 days]!
22. Waterproof
23. Can be used only on puppies 12 weeks of age and older and [weighing] [4 [to] [-] 22 lbs] [23[-][to]44 lbs] [45[-][to]88 lbs] [89[-] [to]132 lbs]
24. Can be used only on puppies more than 12 weeks of age and [weighing] [4 [to] [-] 22 lbs] [23[-][to]44 lbs] [45[-][to]88 lbs] [89[-] [to]132 lbs]
25. Monthly application reminder card inside
26. Dogs [N][n]eed [A][a]dventure[!]
27. Adventure [P][p]ack
28. Tick and Flea [P][p]rotection for [A][a]dventurous [D][d]ogs
29. Protection [P][p]ack
30. Protection from [H][h]ead to [T][t]oe

31. This [adventure][protection] pack contains [1][2][3] [4] [5] [6] [12] [24] [a single] dose[s] of Parastar<sup>TM</sup> Plus for Dogs along with other valuable offers to help ensure that your dog is always ready for adventure.

**For use ONLY on Dogs & Puppies 12 weeks or older and [weighing] [4 [to] [-] 22 lbs] [23[-]  
][to]44 lbs] [45[-][to]88 lbs] [89[-] [to]132 lbs]**

EPA (*approval date*)