

70590-2

11/8/2004

Page 175

## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

November 8, 2004

Kim Davis, CC, APC, Manager  
Agent for Current Technologies, Inc.  
c/o RegWest Company, LLC  
30856 Rocky Road  
Greeley, CO 80631-9375

Subject: Disinfecting Spray with Bleach  
EPA Registration No. 70590-2  
Application Date: October 8, 2004  
Receipt Date: October 12, 2004

Dear Ms. Davis:

This acknowledges receipt of your notification, submitted under the provision of PR Notice 98-10, FIFRA section 3(c)9.

**Proposed Notification**

- minor non-FIFRA revisions

**General Comments**

Based on a review of the material submitted, the following comments apply:

The notification application is acceptable and a copy has been inserted into your file for future reference.



Should you have any questions or comments concerning this letter, please contact me at (703) 308-6345.

Sincerely,

Wanda Y. Mitchell  
Product Reviewer (32)  
Regulatory Management Branch II  
Antimicrobials Division (7510C)

CONCURRENCES							
SYMBOL	7510C	7510C					
SURNAME	E. B. C. 12	Mitchell					
DATE	11/8/04	11-8-04					

275

United States <b>Environmental Protection Agency</b> 1200 Pennsylvania Avenue, N.W. Washington, DC 20460-0001		<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number
<b>Application for Pesticide – Section I</b>			
1. Company/Product Number <b>EPA Reg. No. 70590-2</b>		2. EPA Product Manager <b>Wanda Mitchell</b>	
4. Company/ Product (Name) <b>Disinfecting Spray with Bleach</b>		3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted	
5. Name and Address of Applicant (Include ZIP Code) <b>Current Technologies, Inc.</b> <b>c/o RegWest Company, LLC</b> <b>30856 Rocky Road</b> <b>Greeley, CO 80631-9375</b> <input type="checkbox"/> Check if this is a new address		6. <b>Expedited Review.</b> In accordance with FIFRA Section 3(c)(3)(b)(i) my product is similar or identical in composition and labeling to:  EPA Reg. No. _____  Product Name _____	
<b>Section – II</b>			
<input type="checkbox"/> Amendment – Explain below. <input checked="" type="checkbox"/> Resubmission in response to Agency letter dated _____ <input checked="" type="checkbox"/> Notification – Explain below.		<input type="checkbox"/> Final printed labels in response to Agency letter dated _____ <input type="checkbox"/> "Me Too" Application. <input type="checkbox"/> Other – Explain below.	
<b>Explanation:</b> Use additional page(s) if necessary. (For Section I and Section II.) <b>Submit label revision notification, in response to the EPA letter of 09/13/04, per PR Notice 98-10.</b> <b>(Refer to Reference Label for an illustration of the label revisions.)</b>  <i>This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR §152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statements to the EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR § 152.46 this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under Sections 12 and 14 of FIFRA.</i>			
<b>Section – III</b>			
1. <b>Material This Product Will Be Packaged In:</b>			
Child Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify): _____
<b>Certification must be submitted</b> If "Yes" Unit Packaging Wgt.    No. Per Container		If "Yes" Packaging Wgt.    No. Per Container	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container	
		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling Accompanying Product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Stenciled <input type="checkbox"/> Paper glued <input type="checkbox"/> Other _____			
<b>Section - IV</b>			
1. <b>Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application).</b>			
Name <b>Kim Davis, CC, APC, Manager</b>		Title <b>Consultant/Agent</b>	
		Telephone No. (Include Area Code) <b>(970) 353-0611 / kim@regwest.com</b>	
<b>Certification</b>			6. Date Application Received <b>(Stamped)</b> 
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.			
2. Signature 		3. Title <b>Consultant/Agent</b>	
4. Typed Name <b>Kim Davis, CC, APC, Manager</b>		5. Date <b>October 8, 2004</b>	

**AB 8473 3441 4493**

October 8, 2004



Sherada Hobgood  
Document Processing Desk – **NOTIF**  
Office of Pesticide Programs – **7504C**  
**U.S. Environmental Protection Agency**  
1801 South Bell Street  
Crystal Mall #2, Room 266A  
Arlington, VA 22202-4501

Dear Ms. Hobgood:

**Subject:** Current Technologies, Inc.  
Disinfecting Spray with Bleach  
EPA Reg. No. 70590-2  
Agency Letter Dated September 13, 2004

On behalf of its client **Current Technologies, Inc.** RegWest Company, LLC is submitting the attached materials in response to the EPA letter dated September 13, 2004 in continuing support of a label revision notification for subject product. RegWest Company will act as sole agent in this endeavor.

Attached are the following:

1. Application for Pesticide: Other
2. A copy of the Agency's September 13, 2004 letter
3. One **Reference Label** (illustrates the changes)
4. Two **New Labels** (Incorporate the changes)
5. Two market labels (1 quart size)

Please refer to the **Reference Label** for an illustration of all changes.

In response to the EPA letter of September 13, 2004, we do not wish to take the *Streptococcus* claim off the front panel. Therefore, instead of deleting *Streptococcus* from the front panel we are leaving the full claim for *Streptococcus pyogenes*.

Please contact me at (970) 353-0611 or [kim@regwest.com](mailto:kim@regwest.com) if you have any questions or require additional information.

Regards,  
**RegWest Company, LLC**

Kim Davis, CC, APC, Manager  
Consultant/Agent

## Attachments

pc: CTI – Hapak, S.

30856 Rocky Road  
Greeley, CO 80631-9375  
970-353-0611  
970-353-0613 Fax  
Kir.Oregwest.com

485

## Disinfecting Spray with Bleach

### HOSPITAL CLEANER – DISINFECTANT SPRAY WITH BLEACH

Clean and Disinfect in One Step: Counters, Equipment and Other Hard, Nonporous Surfaces

Pre-Mixed, Ready-to-Use Solution Contains at Least a 1:10 Dilution  
(0.55% by weight or 5500 ppm) of NaOCl (Bleach) at Expiration with Proper Storage\*

#### Thirty Second Kill Time for:

VRE, TB and *Streptococcus pyogenes*

#### One Minute Kill Time for:

Coronavirus, Hepatitis-A, Herpes Simplex Type II, HIV-1, Poliovirus, *Pseudomonas aeruginosa*, Rotavirus,  
*Staphylococcus aureus*, MRSA and *Salmonella choleraesuis*

<b>Active Ingredient:</b> Sodium Hypochlorite .....	0.94%
<b>Other Ingredients</b> .....	99.06%
<b>Total</b> .....	100.00%

**Keep Out of Reach of Children**

### CAUTION

See back panel for additional  
precautionary statements.

**current technologies, inc.**

P.O. Box 21

Crawfordsville, IN 47933 USA

Phone: 765-364-0490 Fax: 765-364-1607

Reorder # \_\_\_\_\_

EPA Reg. No. 70590-2

EPA Est. 70590-IN-1

NET \_\_\_\_ FL OZ

{Back Panel}

#### Product Specifics / Uses

- Cleans and disinfects hard, nonporous surfaces including stainless steel, plastics, glass, glazed ceramics, tile, linoleum, laminated plastic countertops, enamel, vinyl and glazed porcelain.
- For use on non-critical surfaces/items in clinical/research/industrial labs and hospital areas including ER, OR, radiology, nursing stations, wards, clinics, dialysis and outpatient. Also for use in blood banks, physician and dental offices, ambulances, nursing homes, veterinarian facilities, wastewater facilities and restrooms.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Disinfecting Spray with Bleach [This product] kills the following organisms with a 30-second contact time:  
*Enterococcus faecium* (VRE), *Streptococcus pyogenes* ATCC 19615 and *Mycobacterium bovis* BCG (TB).

575

Disinfecting Spray with Bleach [This product] kills the following organisms with a 1-minute contact time: Coronavirus ATCC VR-470, Hepatitis-A Virus (HAV), Herpes Simplex Virus Type II ATCC VR-734, Human Immunodeficiency Virus Type 1 (HIV-1), Poliovirus Type I ATCC VR-59, Pseudomonas aeruginosa ATCC 15442, Rotavirus strain WA ATCC VR-2018, Salmonella choleraesuis ATCC 10708, Staphylococcus aureus ATCC 6538 and *Staphylococcus aureus* (MRSA) ATCC 33591.

**To Clean and Disinfect in One Step:** Remove gross soil prior to cleaning and disinfecting, Thoroughly spray surface until completely wet (ten second spray time), holding bottle 12" from surface. Leave surface wet at least one minute at room temperature to disinfect a broad range of organisms. Wipe clean with a damp paper towel or cloth. No rinsing necessary.

**Special Instructions for Cleaning and Decontamination Against HIV on Surfaces/Objects Soiled with Blood/Body Fluids** on pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids in health care settings (or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of HIV): **Personal Protection:** When handling items soiled with blood or body fluids, use appropriate barrier protection such as disposable latex gloves, gowns, masks or eye coverings. **Cleaning Procedure:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this disinfectant. **Contact Time:** Spray surface to be treated 10 seconds, from a distance of 12 inches, until surface is wet. Allow spray to dry without wiping or allow spray to contact treated surface for a minimum of 1 minute prior to wiping. **Disposal of Infectious Materials:** Blood and other body fluids should be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membrane but which does not ordinarily penetrate the blood barrier or enter otherwise normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

#### **Storage and Disposal**

**\*Storage:** Store in a cool, dry area away from sunlight and heat to inhibit deterioration/reduced concentration of bleach solution. In case of spill, flood area with large quantities of water. **Product Disposal:** Product that cannot be used according to label directions should be diluted with water then disposed of in a sanitary sewer. **Container Disposal:** Triple rinse (or equivalent), then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

#### **PRECAUTIONARY STATEMENT** **Physical and Chemical Hazards**

Do not use this product with ammonia and acids (such as vinegar), rust removers or toilet bowl cleaners. Will corrode aluminum.

**Expiration Date:** {MM/DD/YY}

{NFPA Graphic with Legend}

[ ] Denotes alternate/optional language

{ } Denotes language that does not appear on the market labeling