

PM 34 70627-6 10-6-98 1875



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 M St., S.W.
Washington, D.C. 20460

EPA Reg. Number:
70627-6

Date of Issuance:
OCT - 6 1998

NOTICE OF PESTICIDE:
 Registration
 Reregistration

Term of Issuance: Until
Reregistration

(under FIFRA, as amended)

Name of Pesticide Product:
Phenolic Disinfectant
HG

Name and Address of Registrant (include ZIP Code):

S.C. Johnson Commercial Markets, Inc.
8310 16th Street
P.O. Box 902
Sturtevant, Wisconsin 53177-0902

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistration under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c) (7) (A) provided that you:

1. Submit and/or cite all data or other material required for registration/reregistration of your product under FIFRA sec. 3(c) (5) or FIFRA sec. 4 when the Agency requires all registrants of similar products to submit such data.
2. Add the phrase, "EPA Registration No. 70627-6" to your label before you release your product for shipment.

Signature of Approving Official:

Adam Heyward, Product Manager (34)
Regulatory Management Branch II
Antimicrobials Division (7510W)

Date:

OCT - 6 1998

JofS


page 2
EPA Reg. No. 70627-6

3. Submit five (2) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,



Adam Heyward
Product Manager 34
Regulatory Management Branch II
Antimicrobials Division (7510W)

Enclosure

Phenolic Disinfectant HG
GERMICIDAL DETERGENT

3045

• Cleans, Disinfects & Deodorizes • Pleasant Fragrance

PSEUDOMONACIDAL STAPHYLOCIDAL *VIRUCIDAL FUNGICIDAL TUBERCULOCIDAL

Phenolic Disinfectant HG is a multi-purpose germicidal detergent proven effective by the AOAC Use-Dilution method in 400 ppm hard water (calculated at CaCO₂) in the presence of 5% organic bioload (Fetal Bovine Serum). Phenolic Disinfectant HG's formula disinfects, cleans, and deodorizes in one labor-saving step. Phenolic Disinfectant HG is effective against the following pathogenic organisms:

- Pseudomonas aeruginosa
- Salmonella choleraesuis
- † Staphylococcus aureus
- Enterobacter aerogenes
- † Enterobacter cloacae
- ** Enterococcus spp.
- Escherichia coli
- Klebsiella pneumoniae
- Mycobacterium bovis
- † Proteus mirabilis
- Proteus vulgaris
- Providencia rettgeri
- Pseudomonas cepacia
- ** Pseudomonas maltophilia
- Salmonella typhi
- Salmonella typhimurium
- Serratia marcescens
- Shigella flexneri
- † Enterococcus faecalis
- Streptococcus pyogenes

- *HIV-1 (AIDS Virus)
- *Rubella
- *Adenovirus Type 2
- *Herpes Simplex Type 2
- *Human rhinovirus Type 38
- *Influenza Type A/Mich
- * Polio I Virus
- *Vaccinia
- *Avian Influenza
- *Canine parvovirus
- *Feline leukemia
- *Feline picornavirus
- *Infectious Bovine Rhinotracheitis
- *Newcastle Disease Virus

- Candida albicans
- Trichophyton mentagrophytes

**Tested against antibiotic resistant strain only. †Tested against standard ATCC Strains and antibiotic resistant strains.

ACTIVE INGREDIENTS:

o-benzyl-p-chlorophenol.....	10.5%
o-phenylphenol.....	10.5%
INERT INGREDIENTS:	79.0%
Total.....	100.0%

KEEP OUT OF REACH OF CHILDREN


DANGER

(See reverse panel for additional precautionary statements.)

CONTENTS _____

ACCEPTED
with COMMENTS
in EPA Letter Dated:
OCT - 6 1998

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 70627-6



Dilution: 1 to 256

ONE-HALF OUNCE PER GALLON

4/07/5

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

GENERAL USE DIRECTIONS:

USES: For use on hard, non-porous surfaces such as floors, walls, metal surfaces, painted surfaces, exterior bowl surfaces, empty basins, showers, conductive flooring and lavatory fixtures. For use in hospitals, nursing homes, schools, colleges, medical and dental offices, farms, hog farms, equine farms, poultry and turkey farms, meat and poultry plants, kennels, pet shops, veterinary clinics, and animal life science laboratories. This includes barns, calf pens, laying operations, breeder operations, hatcheries, agricultural buildings and premises, live haul equipment, trucks, foot baths, and meat and poultry processing plants.

APPLICATIONS: Use 1/2 ounce of Phenolic Disinfectant HG per gallon of water for a minimum contact time of 10 minutes in a single application. For disinfecting, remove gross filth and heavy soil deposits, then thoroughly wet surfaces. Phenolic Disinfectant HG is extremely versatile and can be applied with a mop, sponge, or cloth as well as soaking or used as a holding solution. Thoroughly wet surfaces with the recommended use solution for at least 10 minutes. The recommended use solution is used once and discarded on a daily basis. Rinsing is not necessary on floor surfaces unless floors are to be waxed or polished. Tuberculocidal effectiveness is in 10 minutes at 20°C.

HATCHERY: Can be used for cleaning, disinfecting and deodorizing floors, walls and equipment throughout the hatchery. This includes incubators, setters, and racks. Add 1/2 ounce per gallon of water. Hot or cold water may be used. Remove loose waste, gross filth, and heavy soil deposits prior to disinfecting. Repeat with fresh solution to disinfect.

MEAT AND POULTRY PLANTS: For use as a floor and wall cleaner. Before use of this compound, food products and packaging materials must be removed from the room and carefully protected. After use of this compound, all surfaces must be thoroughly rinsed with potable water. Use 1/2 ounce per gallon of water. For use on all surfaces in inedible product processing areas, nonprocessing areas, and/or exterior areas. For use as an antimicrobial agent in all departments. Food products and packing materials must be removed from the room or carefully protected. Use product in accordance with its label. All surfaces must be thoroughly rinsed with potable water. Avoid contamination of food contact surfaces in the application of this product.

KILLS HIV (AIDS VIRUS) ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of surfaces/objects likely to be soiled with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS) OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

PERSONAL PROTECTION: Intact, disposable latex or vinyl gloves; gowns; and face masks or eye coverings must be worn during all cleaning of body fluids and blood, and during all decontamination procedures.

CLEANING PROCEDURES: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of Phenolic Disinfectant HG. This cleaning may be accomplished with any cleaning solution including this product.


CONTACT TIME: HIV-1 (AIDS virus) is inactivated after one (1) minute of contact at room temperature (20 to 25°C). Use a 10 minute contact time for other types of viruses and bacteria claimed.

DISPOSAL OF INFECTIOUS MATERIAL: Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.

ACCEPTED
with COMMENTS
in EPA Letter Dated:
OCT - 6 1998

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No.

70627-6



STATEMENT OF PRACTICAL TREATMENT

In case of skin contact, wash thoroughly with soap and water. In case of eye contact, immediately flush eyes with water for 15 minutes and get prompt medical attention. If swallowed, drink promptly a large quantity of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

DANGER

CORROSIVE. Causes eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before reuse. Harmful or fatal if swallowed. Avoid contamination of food, water, or feed.

ENVIRONMENTAL HAZARDS

(for sizes 5 gallons and larger)

Do not discharge effluent containing this product into lakes, streams, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

PESTICIDE DISPOSAL:

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL:

Plastic Containers

Triple rinse or equivalent. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration or if allowed, by state and local authorities, by burning. If burned, stay out of smoke.

Fiber Drums with Liners

Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration, if allowed by state and local authorities. If drum is contaminated and can not be reused, dispose of in the same manner.

Metal Containers

Triple rinse or equivalent. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

General

Consult federal, state, or local disposal authorities for approval of alternative procedures such as limited open burning. If burned, stay out of smoke.

EPA Reg. No. 70627-

EPA Est. No. 0312-WI-1 (A) or 4822-WI-1(B)

Lot number suffix A or B indicates Manufacturing Site

Questions? Comments:

Call 800-558-2332 Weekdays 8-5 Central Time (or)

Write Customer Service Department

S.C. Johnson Professional

P.O. Box 902

Sturtevant, WI 53177-0902

ACCEPTED
with COMMENTS
in EPA Letter Dated:

OCT - 6 1998

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 70627-6

©1998 S.C. Johnson Commercial Markets, Inc. S.C. Johnson Professional is a Division of S.C. Johnson Commercial Markets, Inc.
Sturtevant, WI 53177-0902
U.S.A. All Rights Reserved