


UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Kresti Lyddon
Diversey, Inc.
8310 16th Street, MS 707
Sturtevant, WI 53177-1964



Subject: Johnson Blue Chip Germicidal Cleaner for Hospitals
EPA Registration No.: 70627-15
Amendments Dated: July 14, 2010
EPA Receipt Date: July 15, 2010

Dear Kresti Lyddon,

The following amendment, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable subject to the conditions listed below:

1) Revise the section on page 3 in the Food Service section beginning: "Its non-abrasive formula is designed for use on..." to end as follows: "...required for food contact surfaces. *Do not use on glasses, dishes or utensils.*"

2) Beginning on page 4 and continuing on page 5 your claims include the use rate of the product as well as contact times. This is information which should only be included in the directions for use section of the label. Thus revise your labeling by moving the heading "**Directions for Use**" and the statement: "It is a violation of Federal Law to use this product in a manner inconsistent with its labeling." from page 6 to page 3 immediately preceding the section beginning: "When used as directed at a 1:64 dilution (2 oz. per gallon of water) (16 ml/L), this product..."

CONCURRENCES


| | | | | | | | |
|---------|----------|--|--|--|--|--|--|
| SYMBOL | 7510P | | | | | | |
| SURNAME | E. Jones | | | | | | |
| DATE | 10/13/10 | | | | | | |

3) correct the Precautionary Statements on page 11 by revising to end as follows:
“...before eating, drinking, chewing gum, *using tobacco or using the toilet.*”

General Comments

A stamped copy of the accepted labeling is enclosed. Submit one (1) copy of your final printed labeling before distributing or selling the product bearing the revised labeling. Should you have any questions concerning this letter, please contact Tracy Lantz at (703) 308-6415.

Sincerely,



for Velma Noble
Product Manager (31)
Regulatory Management Branch I
Antimicrobials Division (7510P)

Enclosure: Stamped accepted label
7510P:T.Lantz:10/13/10:70627-15 accepted label amend

(Note to Agency: Text appearing in parenthesis is done to show optional text.)



JOHNSON BLUE CHIP® GERMICIDAL CLEANER FOR HOSPITALS

Bactericidal • Fungicidal • Mildewstatic • Deodorizing • *Virucidal • Sanitizer

- (One-Step) Disinfectant Cleaner and Deodorant • Germicidal Cleaner & Deodorant • (Concentrate)
 - (General-Purpose) (Restroom) Disinfectant Cleaner
 - (For Restroom Surfaces) (Cleans/Disinfects/Sanitizes Restroom Surfaces)
 - Sanitizes in 1 Minute

(Fragrance Free Formula), (Unscented), (Fresh [Lemon] [Pine] [Mint] [Spring Fresh] [Floral] [Citrus] [Powder] Scent)

For (Hospital,) (Foodservice,) (Commercial,) Industrial & Institutional Use

| | |
|--|---------|
| ACTIVE INGREDIENT: | |
| n-Alkyl (50% C ₁₄ , 40% C ₁₂ , 10% C ₁₆) dimethyl benzyl ammonium chlorides..... | 3.90% |
| INERT (OTHER) INGREDIENTS: | 96.10% |
| TOTAL: | 100.00% |

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.

IN CASE OF EMERGENCY, CALL A POISON CONTROL CENTER OR DOCTOR FOR TREATMENT ADVICE.
1-XXX-XXX-XXXX
 Have the product container or label with you when calling a Poison Control Center or doctor or going in for treatment.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

See additional precautionary statements (on) (back) (side) (left) (right) (panel) (of) (label)(below).

(See reference sheet (enclosed in each case) for (a complete list of pathogenic organisms) (additional features, claims direction for use) (claimed for this product) (eliminated by JOHNSON BLUE CHIP® GERMICIDAL CLEANER FOR HOSPITALS).)

Net Contents:

ACCEPTED
 with COMMENTS
 in EPA Letter Dated:
OCT 13 2010

(Product of USA)

Under the Federal Insecticide,
 Fungicide, and Rodenticide Act as
 amended, for the pesticide,
 registered under EPA Reg. No. 70627-15

EPA Reg. No. 70627-15
 July 14, 2010
 Page 1 of 13

(Note to Agency: Text appearing in parentheses is done to show optional text.)

(MARKETING CLAIMS): (Note to EPA - This text will only appear on the appropriate container.)

ACCUMIX™ CONTAINERS DISPENSING SYSTEM (32 oz. container) - ACCUMIX™. (Remove [Loosen] cap). Squeeze. (Squeeze bottle.) Measure. (Measure amount). Pour. (Pour contents). (Designed) For use with 5 gallon Buddy Jugs™ (the BIG BUDDY™ [ACCUTAINER™] System). JOHNSON-BLUE CHIP® GERMICIDAL CLEANER FOR HOSPITALS This product can also be diluted into pre-cleaned and properly labeled 5-gallon BUDDY JUG™ (ACCUTAINERS™) (Dispensing Containers) for dispensing as needed.

SOLUTIONS CENTER™ DISPENSING SYSTEM (64 oz. containers) - For use with (Diversey) (JohnsonDiversey) (SOLUTIONS CENTER™) Brand Dispensing Equipment. Eliminates Mixing. The Accurate Solution To Cleaner Dilution. Disinfectant Cleaning With The Convenience Of (SOLUTIONS CENTER™). ((SOLUTIONS CENTER™) (This) packaging offers) Reduced Exposure To Concentrate Due To Closed Transfer System. Solutions To Go!

J-FILL™ DISPENSING SYSTEM (84.5 oz. containers) - For use with (Diversey) (JohnsonDiversey) (J-FILL™) Brand Dispensing Equipment. Eliminates Mixing. The Accurate Solution To Cleaner Dilution. Disinfectant Cleaning With The Convenience Of J-FILL™. ((J-FILL™) (This) packaging offers) Reduced Exposure To Concentrate Due To Closed Transfer System. Solutions To Go!

RTD™ DISPENSING SYSTEM (1.5L & 5L containers) - RTD. Very Simple. Very Smart. Ready-To-Dispense. Out of the box. Provides accuracy. No chemical connections, sealed bottle. Proven dilution control concentrate.

OUTPOST™ (SINGLE SOLUTION™) DISPENSING SYSTEM (3 L containers) - For use with (Diversey) (BUTCHER™) (RAMSEY™) (OUTPOST™) (SINGLE SOLUTION™) Brand Dispensing Equipment. Eliminates Mixing. The Accurate Solution To Cleaner Dilution. ((OUTPOST™) (SINGLE SOLUTION™) (This) packaging offers) Reduced Exposure To Concentrate Due To Closed Transfer System.

PRACTICAL SOLUTIONS™ DISPENSING SYSTEM (1 gal. containers) - For use with (Diversey) (BUTCHER™) (RAMSEY™) (PRACTICAL SOLUTIONS™) Brand Dispensing Equipment. Eliminates Mixing. The Accurate Solution To Cleaner Dilution. ((PRACTICAL SOLUTIONS™) (This) packaging offers) Reduced Exposure To Concentrate Due To Closed Transfer System.

COMMAND CENTER™ DISPENSING SYSTEM (1.5 gal. containers) - For use with (Diversey) (BUTCHER™) (COMMAND CENTER™) Brand Dispensing Equipment. Eliminates Mixing. The Accurate Solution To Cleaner Dilution. ((COMMAND CENTER™) (This) packaging offers) Reduced Exposure To Concentrate Due To Closed Transfer System.

PRE-MEASURED PACKETS DISPENSING SYSTEM - Pre-Measured [Tear-Open] Packets.

(FEATURES, CLAIMS & USES:)

(General Uses)

This product cleans quickly by removing dirt, grime, mold, mildew, body oils and other common soils. This product is for use in hospitals, nursing homes, schools and colleges, (day care centers), (medical) offices, funeral homes, veterinary clinics, pet shops, (equine farms), animal life science laboratories, hotels, motels, restrooms, and food service establishments (restaurants).

It is designed for use on (Use daily on) (the following) hard, non-porous environmental surfaces: vinyl, painted surfaces, plastic (surfaces), glazed ceramic, glazed porcelain, chrome, stainless steel, aluminum, laminated surfaces and baked enamel surfaces associated with floors, walls, ceilings, tables, chairs, countertops, telephones, fixtures, glazed tile, toilets, urinals, sinks, shower rooms and locker rooms areas – any hard, nonporous (food and non-food contact) surface where disinfection is required. A potable water rinse is required for food contact surfaces. Do not use on glasses, dishes and utensils.

(Note to Agency: Text appearing in parentheses is done to show optional text.)

(Hospitals/Health Care Facilities)

This product is a one-step (hospital-use) germicidal (disinfectant) cleaner and deodorant (odor-counteractant) (odor neutralizer) designed for general cleaning, (and) disinfecting, sanitizing, (deodorizing) (and controlling mold and mildew on) hard, non-porous environmental surfaces. This product cleans quickly by removing dirt, grime, mold, mildew, food residue, body oils, dead skin, blood and other organic matter commonly found in hospitals (in health care facilities) (on medical surfaces). It (also) eliminates odors leaving (restroom) surfaces smelling clean and fresh. Use where odors are a problem.

This product cleans, disinfects, sanitizes and deodorizes (hard, non-porous environmental hospital (medical) surfaces) in one step (with no rinsing required). Its non-abrasive formula is designed for use on (Use daily on) (the following hard, non-porous environmental surfaces): vinyl, painted surfaces, plastic (surfaces), glazed ceramic, glazed porcelain, chrome, stainless steel, laminated surfaces and baked enamel surfaces associated with floors, walls, ceilings, tables, chairs, countertops, telephones, fixtures, glazed tile, toilets, urinals, sinks found in (health care facilities [hospitals],) patient rooms, operating rooms, ICU areas, shower rooms, and locker rooms. (It can also be used to pre-clean and disinfect hospital items: wheelchairs, [hospital] [patient] bed rails and linings, wash basins, bedpans, [and] [medical equipment surfaces]) - any washable (food and non-food contact) surface (where disinfection is required). A potable water rinse is required when disinfecting food contact surfaces. Do not use on glasses, dishes and utensils.

(Food Service:)

This product removes dirt, grime and food soils in food preparation and processing areas. Its non-abrasive formula will not harm (scratch) surfaces. It cleans, disinfects and eliminates odors leaving surfaces smelling clean and fresh. Use where odors are a problem.

Its non-abrasive formula is designed for use on (Use daily on) the following hard, non-porous environmental surfaces: vinyl, painted surfaces, plastic (surfaces), glazed ceramic, glazed porcelain, chrome, aluminum, stainless steel, brass, copper, laminated surfaces and baked enamel surfaces associated with floors, walls, ceilings, tables, chairs, countertops, fixtures, glazed tile, toilets, (toilet bowls), urinals, sinks found in food establishments, (restaurants), (commercial kitchens) & restrooms. A potable water rinse is required for food contact surfaces.

(Animal Housing Facilities:)

This product cleans by removing dirt, grime, mold, mildew, blood, urine, fecal matter and other common soils found in animal housing facilities, livestock, swine or poultry facilities, grooming facilities, farms, kennels, pet stores, veterinary clinics, laboratories or other small animal facilities. It (also) eliminates odors leaving surfaces smelling clean and fresh.

This product cleans, disinfects and deodorizes (hard, non-porous environmental surfaces) in one step. Its non-abrasive formula is designed for use on (Use daily on) (Use daily to clean and disinfect) hard, non-porous surfaces: plated or stainless steel, aluminum, chrome, glazed porcelain, glazed tile, laminated surfaces (associated with floors, walls, countertops, cages, kennels, animal equipment) found in (barns, pens and stalls) animal housing facilities.

(Public Restrooms:)

This product is a (sanitizer,) a one-step disinfectant cleaner and deodorant (odor-counteractant) (odor-neutralizer) designed for general cleaning, (and) (disinfecting) (sanitizing) (deodorizing) (and controlling mold and mildew) on hard, non-porous environmental surfaces.

This product cleans, disinfects, sanitizes and deodorizes surfaces by killing odor-causing germs and controls the growth of mold and mildew. Its non-abrasive formula is designed for use on (restroom surfaces): glazed ceramic (restroom) tile, glazed porcelain, chrome, stainless steel and plastic surfaces associated with floors, walls, fixtures, toilets, urinals, sinks, shower rooms and locker rooms.

(Note to Agency: Text appearing in parenthesis is done to show optional text.)

(Non-Acid Bowl [& Bathroom] Disinfectant Cleaner:)

This product is a (concentrated) non-acid (bowl and) bathroom cleaner which cleans, disinfects and deodorizes in one easy step. It cleans, disinfects, sanitizes and deodorizes toilet bowls, urinals, rims, sinks, sink basins, faucets, tubs, glazed tiles, glazed ceramic, glazed porcelain, chrome, stainless steel, and all hard non-porous, washable surfaces found in the bathroom (restroom) (in the presence of organic soil).

This product eliminates odors leaving bathrooms (restrooms) smelling clean and fresh. Use where odors are a problem. It cleans, disinfects, sanitizes and deodorizes surfaces by killing odor-causing microorganisms and controls the growth of mold and mildew. Its non-abrasive formula is designed for use (Use it daily) on ([hard, non-porous environmental] restroom surfaces): glazed ceramic (restroom) tile, glazed porcelain, chrome, stainless steel and plastic surfaces associated with floors, walls, fixtures, toilets, urinals, sinks, shower rooms and locker rooms.

(Refill)

(To Refill Concentrate From Large Containers Into Smaller Containers:)

This product may be used to fill and refill clean, properly labeled containers for dilution elsewhere within your facility. Make sure the small container has been cleaned, dried and properly labeled. Also make sure other items (funnels or hand pumps) are properly cleaned and dried. To refill, simply pour (or pump) product from the larger container directly into the smaller one being careful not to spill any product. Keep both containers sealed when not in use.

(CLAIMS:)

When used as directed at a 1:64 dilution (2 oz. per gallon of water) (16 mL/L), this product contains 609 ppm of active quaternary germicide making it highly effective against a wide variety (broad-spectrum) of pathogenic microorganisms (including bacteria, antibiotic resistant bacteria, viruses, fungi, mold and mildew. See reference sheet (enclosed in each case) for a complete list of organisms.)

Using approved AOAC test methods (under Good Laboratory Practices, [GLP's]), in the presence of 500 ppm hard water, 10% serum load and 10 minutes contact time this product kills the following on hard non-porous inanimate surfaces:

Bacteria (Bactericidal Activity):

- Pseudomonas aeruginosa*, (ATCC 15442)
- Staphylococcus aureus*, (ATCC 6538)
- Salmonella enterica*, (ATCC 10708)
formerly known as *Salmonella choleraesuis*
- Acinetobacter baumannii* (ATCC 19606)
- Bordetella bronchiseptica*, (ATCC 10580)
- Burkholderia cepacia*, (ATCC 25416)
formerly known as *Pseudomonas cepacia*
- Campylobacter fetus*, (ATCC 27374)
- Citrobacter freundii*, (ATCC 8090)
- Enterobacter agglomerans*, (ATCC 27155)
- Enterobacter cloacae*, (ATCC 23355)
- Enterobacter liquefaciens*, (ATCC 14460)
formerly known as *Serratia grimesii*
and *Serratia liquefaciens*
- Enterococcus faecalis*, (ATCC 19433)
formerly known as *Streptococcus faecalis*
- Enterococcus hirae*, (ATCC 10541)
- Escherichia coli*, (ATCC 11229)
- Escherichia coli O157:H7*, (ATCC 43890)

- Flavobacterium meningosepticum*,
(ATCC 13253)
- Haemophilus influenza*, (ATCC 10211)
- Hafnia alvei*, (ATCC 13337)
- Klebsiella oxytoca*, (ATCC 13182)
- Klebsiella pneumoniae*, (ATCC 13883)
- Legionella pneumophila*, (ATCC 33153)
- Listeria monocytogenes*, (ATCC 15313)
- Micrococcus luteus*, (ATCC 4698)
- Micrococcus luteus*, (ATCC 14452),
- Micrococcus sedentarius*, (ATCC 27573)
- Morganella morganii*, (ATCC 25830)
- Neisseria gonorrhoeae*, (ATCC 43069)
- Pasteurella multocida*, (ATCC 43137)
- Proteus mirabilis*, (ATCC 9240)
- Proteus vulgaris*, (ATCC 13315)
- Pseudomonas diminuta*, (ATCC 11568)
- Pseudomonas fluorescens*, (ATCC 13525)
- Pseudomonas putida*, (ATCC 12633)
- Pseudomonas stutzeri*, (ATCC 17588)
- Salmonella enteritidis*, (ATCC 13076)

- Salmonella gallinarum*, (ATCC 9184)
- Salmonella schottmuelleri*, (ATCC 10719)
- Salmonella typhi*, (ATCC 6539)
- Salmonella typhimurium*, (ATCC 13311)
- Shigella dysenteriae*, (ATCC 29026)
- Shigella flexneri*, (ATCC 25875)
- Shigella sonnei*, (ATCC 25931)
- Staphylococcus aureus*, (ATCC 25923)
- Staphylococcus aureus* (Toxic Shock),
(ATCC 33586)
- Staphylococcus epidermidis*, (ATCC 14990)
- Staphylococcus haemolyticus*, (ATCC 29970)
- Staphylococcus species*, (ATCC 12715)
- Streptococcus agalactiae*, (ATCC 13813)
- Streptococcus mutans*, (ATCC 25175)
- Streptococcus pyogenes*, (ATCC 19615)
- Streptococcus pyogenes* ("Strep A" -
Flesh Eating Strain), (clinical isolate)
- Vibrio cholera*, (ATCC 11623)
- Yersinia enterocolitica*, (ATCC 9610)

(Note to Agency: Text appearing in parenthesis is done to show optional text.)

Antibiotic-Resistant (Strains of) Bacteria (Antibiotic-Resistant Bactericidal Activity):

Acinetobacter baumannii (ATCC 19606);
(MDR) (Resistant to Ampicillin,
Gentamicin and Trimethoprim/sulfa)

Enterococcus faecium, (ATCC 51559);
(Resistant to Vancomycin (VRE))

Staphylococcus aureus, (ATCC 14154);
(Resistant to Erythromycin, Penicillin,
Streptomycin, Tetracycline)

Escherichia coli, (ATCC 55244);
(Resistant to Kanamycin)

Klebsiella oxytoca, (ATCC 15764);
(Resistant to Ampicillin,
Dihydrostreptomycin)

Staphylococcus aureus, (ATCC 33592);
(Resistant to Methicillin (MRSA), Gentamicin
(GRSA))

Escherichia coli, (ATCC 47041);
(Resistant to Tetracycline)

Micrococcus sedentarius, (ATCC 27573);
(Resistant to Methicillin)

Staphylococcus aureus, (NRS 123) (Genotype
USA400) Community Associated Methicillin
Resistant (CA-MRSA))

Escherichia coli, (ATCC BAA-196);
(Extended Beta-Lactamase Resistance
(ESBL))

Staphylococcus aureus, (CDC HIP 5836);
(Resistant to intermediate Vancomycin
strain (VISA))

Streptococcus pneumoniae, (ATCC 51915);
(Resistant to Penicillin (PRSP))

***Viruses (*Virucidal Activity):**

- *Cytomegalovirus, (VR-538)
- *Herpes Simplex virus Type 1, (VR-733)

- *Herpes Simplex virus Type 2, (VR-734)
- *Parainfluenza virus Type 3, (VR-93)

- *Respiratory syncytial virus, (VR-26)
- *Vaccinia virus (smallpox vaccine virus), (VR-119)

Kills *HIV-1 (Human Immunodeficiency Virus Type 1) (AIDS virus) (HTLV-III_B) when used as directed on hard, non-porous inanimate surfaces with a 1 minute contact time.

Kills *Hepatitis B Virus (HBV) when used as directed on hard, non-porous inanimate surfaces with a 5 minute contact time.

(*Veterinary viruses:)

- *Avian Infectious bronchitis virus (IBV), (VR-22)
- *Avian Influenza virus, (VR-2072)

- *Feline Rhinotracheitis virus, (VR-636)
- *Infectious bovine rhinotracheitis virus, (VR-188)

- *Pseudorabies virus, (VR-135)
- *Transmissible gastroenteritis virus (TGE), (U of Minn. Strain)

- *Canine distemper virus, (VR-128)

- *New Castle disease virus, (VR-108)

Fungi/Yeast (Fungicidal and Yeast Activity):

Geotrichum candidum, (ATCC 18301)

Trichophyton mentagrophytes (athlete's foot fungus), (ATCC 9533)

Mold/Mildew Mildewstatic Activity - controls and prevents (inhibits) the growth of mold and mildew: *Aspergillus niger* (ATCC 6275) (and the odors caused by them when applied to hard, non-porous environmental surfaces).

Malodor(s) (Activity) (Counteractancy) – eliminates (destroys) odors and odor-causing bacteria on hard, nonporous surfaces in restroom areas, behind and under sinks and counters, and storage areas (and other places where bacterial growth can cause malodors).

(Sanitizer) - When used as directed as a non-food contact sanitizer at a 1:64 dilution (2 oz. of product per gallon of water) (16 mL/L) using approved ASTM test methods (under Good Laboratory Practices, [GLP's]), in the presence of 500 ppm hard water, 10% serum load and 1 minute contact time this product kills 99.9% of the following on hard non-porous inanimate surfaces:

Acinetobacter baumannii (ATCC 19606);
(MDR) (Resistant to Ampicillin,
Gentamicin and Trimethoprim/sulfa)
Escherichia coli O157:H7, (ATCC 35150)
Escherichia coli, (ATCC BAA-196);
(Extended Beta-Lactamase Resistance
(ESBL))

Enterococcus faecalis, (ATCC 51575);
(Resistant to Vancomycin (VRE))
Haemophilus influenza, (ATCC 10211)
Klebsiella pneumoniae, (ATCC 4352)
Pseudomonas aeruginosa, (ATCC 15442)

Salmonella enterica (ATCC 10708)
Shigella dysenteriae, (ATCC 11835)
Staphylococcus aureus, (ATCC 6538)
Staphylococcus aureus, (ATCC 33592)
(CA-MRSA)

(Note to reviewer: We will choose one or more of these statements depending on available space on the product label.)

- *Respiratory illnesses attributable to Pandemic 2009 H1N1 are caused by Influenza A virus. (This product or product name) is a broad-spectrum hard surface disinfectant that has been shown to be effective against Avian Influenza, (VR-2072), and is expected to inactivate all Influenza A viruses including Pandemic 2009 H1N1 (formerly called swine flu).
- *This product has demonstrated effectiveness against Influenza A virus and is expected to inactivate all Influenza A viruses including Pandemic 2009 H1N1 Influenza A virus.
- *This product has demonstrated effectiveness against Avian Influenza, (VR-2072) and is expected to inactivate all Influenza A viruses including Pandemic 2009 H1N1 (formerly called swine flu).
- *Kills Pandemic 2009 H1N1 Influenza A virus (formerly called swine flu).
- *Kills Pandemic 2009 H1N1 Influenza A virus.

(Note to Agency: Text appearing in parentheses is done to show optional text.)

(Modes of Application:)

This product can be applied by mop, sponge, cloth, paper towel, (hand pump) coarse trigger sprayer, tank sprayer, (mechanical spray device,) auto-scrubber or (broadcast) foam gun (device). Change cloth, sponges or towels frequently to avoid redeposition of soil. For disinfection, all surfaces must remain wet for 10 minutes.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

(This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.)

To Prepare Use Solution:

Add the product at 2 oz. per gallon of water (16 mL/L) (1:64).

(Note to EPA: The directions that appear for specific container sizes will be substituted for the sentence above only on that container size.)

ACCUMIX™ CONTAINERS DISPENSING SYSTEM (32 oz. container) - Add the product at 2 oz. per gallon of water (16 mL/L) (1:64).

SOLUTIONS CENTER™ DISPENSING SYSTEM (64 oz. containers) - (Remove cap and) insert cartridge into dispenser. Note: See dispenser instructions for proper cartridge placement. Once cartridge is in place, squeeze the handle or press the button to dispense a 1:64 solution into a bucket, bottle, scrubber or other container.

J-FILL™ DISPENSING SYSTEM (84.5 oz. containers) - (Remove cap and) insert cartridge into dispenser. Note: See dispenser instructions for proper cartridge placement. Once cartridge is in place, squeeze the handle or press the button to dispense a 1:64 solution into a bucket, bottle, scrubber or other container.

RTD™ DISPENSING SYSTEM (1.5L and/or 5L containers) -Turn off water to connect unit. Attach to water source. Rotate control knob to fill bottle or bucket. Squeeze handle to dispense a 1:64 solution into a bottle (bucket) (or other container). See device instruction manual for more information.

OUTPOST™ (SINGLE SOLUTION™) DISPENSING SYSTEM (3 L containers) - (Remove cap and) insert cartridge into dispenser. Note: See dispenser instructions for proper cartridge placement. Once cartridge is in place turn the knob to dispense a 1:64 solution into a bucket, bottle, scrubber or other container.

PRACTICAL SOLUTIONS™ DISPENSING SYSTEM (1 gal. containers) - (Remove cap and) insert cartridge into dispenser. Note: See dispenser instructions for proper cartridge placement. Once cartridge is in place, press the button to dispense a 1:64 solution into a bucket, bottle, scrubber or other container.

COMMAND CENTER™ DISPENSING SYSTEM (1.5 gal. containers) - (Remove cap and) insert cartridge into dispenser. Note: See dispenser instructions for proper cartridge placement. Once cartridge is in place, press the button to dispense a 1:64 solution into a bucket, bottle, scrubber or other container.

PRE-MEASURED PACKETS DISPENSING SYSTEM - (Simply) open and pour contents into xx gallons of water (for a 1:64 dilution). Keep packets in box until ready to use. (Pour contents of packet into xx gallons of water for a 1:64 dilution.).

(Note to Agency: Text appearing in parentheses is done to show optional text.)

For Use as a One-Step Cleaner/Disinfectant:

1. Pre-clean heavily soiled areas.
2. Apply Use Solution to hard, non-porous environmental surfaces.
3. All surfaces must remain wet for ten (10) minutes.
4. Wipe surfaces (and let air dry).

(NOTE: When cleaning floors position wet-floor signs around area to be cleaned. Floors will be slippery when wet or contaminated with foreign materials. Promptly clean up spills and foreign materials.)

Note - Rinsing is not necessary unless floors are to be coated with finish or restorer. All food contact surfaces such as appliances and kitchen countertops must be rinsed with potable water. Do not use on glassware, utensils, or dishes.

To Sanitize Non-Food Contact Surfaces:

1. Pre-clean soiled hard non-porous surfaces.
2. Apply this product until surface is thoroughly wet.
3. Let stand 1 minute, then wipe.

Note: Not for use on food contact surfaces or on food preparation areas.

For Use as a Cleaner and/or Deodorizer:

Apply Use Solution to surfaces. Wipe surfaces (and let air dry).

To Control Mold and Mildew:

Pre-clean heavily soiled areas. Apply Use Solution to hard, non-porous environmental surfaces. Allow to air dry. Repeat application weekly or when growth reappears.

To Kill Fungi:

Pre-clean heavily soiled areas. Apply Use Solution to hard surfaces found in bathrooms, shower stalls, locker rooms, or other clean, hard, non-porous surfaces commonly contacted by bare feet. Allow surface to remain wet for ten (10) minutes. Wipe surfaces (and let air dry).

For Use as a Non-Acid Bowl Cleaner/Disinfectant in Toilet Bowls from Concentrate:

1. Pre-clean heavily soiled areas.
2. Pour 2 oz. per gallon into toilet bowl.
3. Swab entire surface area especially under the rim.
4. Allow entire surface to remain wet for ten (10) minutes.
5. Flush toilet and rinse swab applicator thoroughly.

For Use as a Non-Acid Bowl Cleaner/Disinfectant in Toilet Bowls [and Urinals] from Use-Dilution:

1. Pre-clean heavily soiled areas.
2. Empty toilet bowls by forcing water through the trap. Apply Use Solution to exposed surfaces in toilet bowls and urinals.
3. Swab entire surface area especially under the rim.
4. Allow entire surface to remain wet for ten (10) minutes.
5. Flush toilet or urinal and rinse swab applicator thoroughly.

(Note to Agency: Text appearing in parenthesis is done to show optional text.)

10/15

For Use To Clean and Disinfect Shower Rooms, Locker Rooms and Other Large, Open Areas with Floor Drains:

1. Pre-clean heavily soiled areas.
2. Apply Use Solution to floors, walls and ceilings making sure not to over spray. To disinfect, all surfaces must remain wet for ten (10) minutes.

Special instructions for foam guns: Pour concentrate into foam gun bottle and attach bottle to spray nozzle and ensure gun is attached to hose. Note: See foam gun instructions for more information. Make sure setting is set for a 1:64 dilution. Once in place, squeeze the handle to dispense foam solution. To disinfect, all surfaces must remain wet for ten (10) minutes.

3. Scrub using a deck brush or other coarse material as necessary.
4. Rinse surfaces thoroughly and let air dry.

(NOTE: When cleaning floors position wet-floor signs around area to be cleaned. Floors will be slippery when wet or contaminated with foreign materials. Promptly clean up spills and foreign materials.)

For Use as a Cleaner/Disinfectant in Food Processing Plants:

1. Before using this product in food processing areas, food products and packaging materials must be removed from the room or carefully protected.
2. Apply Use Solution evenly over surface. Be sure to wet all surfaces thoroughly.
4. Allow product to remain on surfaces for ten (10) minutes.
5. Wipe with clean cloth, sponge or paper towel.
6. For heavily soiled areas, thoroughly clean surface prior to disinfecting.
7. When disinfecting food contact surfaces used for food preparation, rinse surfaces thoroughly with potable water. This product must not be used to clean the following surfaces: utensils, glassware, and dishes.

For Treatment of Animal Housing Facilities:

1. Remove all animals and feed from areas being treated.
2. Remove all litter and manure from floors, walls and surfaces of barns, pens, stalls, chutes, and other facilities occupied or traversed by animals.
3. Empty or cover all troughs, racks and other feeding and watering appliances.
4. Thoroughly clean all surfaces with soap and rinse with water.
5. Apply fresh use solution to floors, walls, cages and other washable hard, non-porous environmental surfaces. For smaller surfaces, use a trigger spray bottle to spray all surfaces with solution until wet. To disinfect, all surfaces must remain wet for ten (10) minutes.
6. Immerse all halters, ropes and other types of equipment used in handling and restraining animals, as well as forks, shovels and scrapers used for removing litter and manure.
7. Ventilate buildings, cars, boats and other closed spaces. Do not house animals or employ equipment until product has dried.
8. For disinfection of feed racks, troughs, automatic feeders, fountains and watering appliances scrub with use-solution, let stand ten (10) minutes. Then thoroughly scrub all treated surfaces with soap or detergent and rinse with potable water before reuse.

(Note to Agency: Text appearing in parentheses is done to show optional text.)

***Kills HBV and HIV-1 on pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids** in health care settings (Hospitals, Nursing Homes) and other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Hepatitis B Virus, and Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HBV and HIV-1 ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

Personal Protection: Disposable latex or vinyl gloves, gowns, face masks, and eye coverings as appropriate, must be worn during all cleaning of body fluids, blood, and decontamination procedures.

Cleaning Procedures: Blood and body fluids must be thoroughly cleaned from surfaces and objects before application of this product.

Contact Time: Allow surface to remain wet for 1 minute to kill HIV-1, 5 minutes to kill HBV, and for 10 minutes to kill all other organisms cited on the label.

Disposal of Infectious Material: Blood and other body fluids must be autoclaved and disposed of according to Federal, State, and local regulations for infectious waste disposal.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE

Do not reuse empty container (unless refilling from a larger container of the same product according to the refilling directions outlined previously). (Keep from freezing.)

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL (Note to reviewer – One or more of the following paragraphs for Container Disposal will be selected, depending on packaging type:)

NONREFILLABLE SEALED CONTAINERS: Note to EPA: Several of our packaging options (including ACCUMIX Containers™, Solutions Center™, J-Fill™, OUTPOST™, Single Solutions™, Smart Dose, Command Center™, or RTD™) are sealed containers or bottles designed to reduce worker exposure to the concentrate. None of these can be triple rinsed because they are closed, sonically welded, sealed containers. The following text will be used on these sealed container types:

Nonrefillable container. Do not reuse or refill this container. Wrap empty container and put in trash.

NONREFILLABLE NON-RIGID CONTAINERS: Note to EPA: Several of our packaging options are Bag-in-Box containers (a plastic bag liner supported inside a box) or are flexible bag-type containers (such as ACCUPACK™ Containers). These flexible containers are exempt from the triple rinsing requirements. The following text will be used on these container types:

Nonrefillable container. Do not reuse or refill this container. Wrap empty container and put in trash.

(Note to Agency: Text appearing in parentheses is done to show optional text.)

SMALL NONREFILLABLE CONTAINERS: *Note to EPA: The following text will be used on rigid, nonrefillable containers small enough to shake (5 gallons or smaller):*

Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer container for recycling, if available.

LARGE NONREFILLABLE CONTAINERS: *Note to EPA: One of the following paragraphs will be used on labels for rigid, nonrefillable containers too large to shake (larger than 5 gallons):*

Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water and replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for at least 30 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Offer container for reconditioning, if appropriate.

OR

Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or a mix tank or collect rinsate for later use or disposal. Insert pressure-rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. Offer for reconditioning, if appropriate.

REFILLABLE CONTAINERS: *Note to EPA: One of the following paragraphs will be used on labels for refillable containers:*

Refillable container. Refill this container with (this brand or brand name) pesticide only. Do not reuse this container for any other purpose.

Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

OR

Pressure rinsing the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

To clean the container prior to final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

(Note to Agency: Text appearing in parentheses is done to show optional text.)

ENVIRONMENTAL HAZARDS (for containers of 5 gallons or more)

This pesticide is toxic to fish and freshwater aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

DANGER: Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or clothing. Wear chemical splash-proof goggles or face shield, rubber gloves, and protective clothing. Harmful if swallowed or inhaled. Avoid breathing spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

EPA Reg. No. 70627-15
EPA Est. No.
(Lot code letters indicate manufacturing location)

MSDS Ref. No. XXXXXXXX

© 2010 Diversey, Inc., 8310 16th Street, Sturtevant, Wisconsin 53177-1964 U.S.A. All Rights Reserved.





JOHNSON BLUE CHIP® GERMICIDAL CLEANER FOR HOSPITALS REFERENCE SHEET

When used as directed at a 1:64 dilution (2 oz. per gallon of water) (16 mL/L), this product contains 609 ppm of active quaternary germicide making it highly effective against a wide variety (broad-spectrum) of pathogenic microorganisms (including bacteria, antibiotic resistant bacteria, viruses, fungi, mold and mildew. See reference sheet (enclosed in each case) for a complete list of organisms.)

Using approved AOAC test methods (under Good Laboratory Practices, [GLP's]), in the presence of 500 ppm hard water, 10% serum load and 10 minutes contact time this product kills the following on hard non-porous inanimate surfaces:

Bacteria (Bactericidal Activity):

| | | |
|---|--|--|
| <i>Pseudomonas aeruginosa</i> , (ATCC 15442) | <i>Flavobacterium meningosepticum</i> , (ATCC 13253) | <i>Salmonella gallinarum</i> , (ATCC 9184) |
| <i>Staphylococcus aureus</i> , (ATCC 6538) | <i>Haemophilus influenza</i> , (ATCC 10211) | <i>Salmonella schottmuelleri</i> , (ATCC 10719) |
| <i>Salmonella enterica</i> , (ATCC 10708) formerly known as <i>Salmonella choleraesuis</i> | <i>Hafnia alvei</i> , (ATCC 13337) | <i>Salmonella typhi</i> , (ATCC 6539) |
| <i>Acinetobacter baumannii</i> (ATCC 19606) | <i>Klebsiella oxytoca</i> , (ATCC 13182) | <i>Salmonella typhimurium</i> , (ATCC 13311) |
| <i>Bordetella bronchiseptica</i> , (ATCC 10580) | <i>Klebsiella pneumoniae</i> , (ATCC 13883) | <i>Shigella dysenteriae</i> , (ATCC 29026) |
| <i>Burkholderia cepacia</i> , (ATCC 25416) formerly known as <i>Pseudomonas cepacia</i> | <i>Legionella pneumophila</i> , (ATCC 33153) | <i>Shigella flexneri</i> , (ATCC 25875) |
| <i>Campylobacter fetus</i> , (ATCC 27374) | <i>Listeria monocytogenes</i> , (ATCC 15313) | <i>Shigella sonnei</i> , (ATCC 25931) |
| <i>Citrobacter freundii</i> , (ATCC 8090) | <i>Micrococcus luteus</i> , (ATCC 4698) | <i>Staphylococcus aureus</i> , (ATCC 25923) |
| <i>Enterobacter agglomerans</i> , (ATCC 27155) | <i>Micrococcus luteus</i> , (ATCC 14452), | <i>Staphylococcus aureus</i> (Toxic Shock), (ATCC 33586) |
| <i>Enterobacter cloacae</i> , (ATCC 23355) | <i>Micrococcus sedentarius</i> , (ATCC 27573) | <i>Staphylococcus epidermidis</i> , (ATCC 14990) |
| <i>Enterobacter liquefaciens</i> , (ATCC 14460) formerly known as <i>Serratia grimesii</i> and <i>Serratia liquefaciens</i> | <i>Morganella morganii</i> , (ATCC 25830) | <i>Staphylococcus haemolyticus</i> , (ATCC 29970) |
| <i>Enterococcus faecalis</i> , (ATCC 19433) formerly known as <i>Streptococcus faecalis</i> | <i>Neisseria gonorrhoeae</i> , (ATCC 43069) | <i>Staphylococcus species</i> , (ATCC 12715) |
| <i>Enterococcus hirae</i> , (ATCC 10541) | <i>Pasteurella multocida</i> , (ATCC 43137) | <i>Streptococcus agalactiae</i> , (ATCC 13813) |
| <i>Escherichia coli</i> , (ATCC 11229) | <i>Proteus mirabilis</i> , (ATCC 9240) | <i>Streptococcus mutans</i> , (ATCC 25175) |
| <i>Escherichia coli</i> O157:H7, (ATCC 43890) | <i>Proteus vulgaris</i> , (ATCC 13315) | <i>Streptococcus pyogenes</i> , (ATCC 19615) |
| | <i>Pseudomonas diminuta</i> , (ATCC 11568) | <i>Streptococcus pyogenes</i> ("Strep A" - Flesh Eating Strain), (clinical isolate) |
| | <i>Pseudomonas fluorescens</i> , (ATCC 13525) | <i>Vibrio cholera</i> , (ATCC 11623) |
| | <i>Pseudomonas putida</i> , (ATCC 12633) | <i>Yersinia enterocolitica</i> , (ATCC 9610) |
| | <i>Pseudomonas stutzeri</i> , (ATCC 17588) | |
| | <i>Salmonella enteritidis</i> , (ATCC 13076) | |

Antibiotic-Resistant (Strains of) Bacteria (Antibiotic-Resistant Bactericidal Activity):

| | | |
|---|---|--|
| <i>Acinetobacter baumannii</i> (ATCC 19606); (MDR) (Resistant to Ampicillin, Gentamicin and Trimethoprim/sulfa) | <i>Enterococcus faecium</i> , (ATCC 51559); (Resistant to Vancomycin (VRE)) | <i>Staphylococcus aureus</i> , (ATCC 14154); (Resistant to Erythromycin, Penicillin, Streptomycin, Tetracycline) |
| <i>Escherichia coli</i> , (ATCC 55244); (Resistant to Kanamycin) | <i>Klebsiella oxytoca</i> , (ATCC 15764); (Resistant to Ampicillin, Dihydrostreptomycin) | <i>Staphylococcus aureus</i> , (ATCC 33592); (Resistant to Methicillin (MRSA), Gentamicin (GRSA)) |
| <i>Escherichia coli</i> , (ATCC 47041); (Resistant to Tetracycline) | <i>Micrococcus sedentarius</i> , (ATCC 27573); (Resistant to Methicillin) | <i>Staphylococcus aureus</i> , (NRS 123) (Genotype USA400) Community Associated Methicillin Resistant (CA-MRSA)) |
| <i>Escherichia coli</i> , (ATCC BAA-196); (Extended Beta-Lactamase Resistance (ESBL)) | <i>Staphylococcus aureus</i> , (CDC HIP 5836); (Resistant to intermediate Vancomycin strain (VISA)) | <i>Streptococcus pneumoniae</i> , (ATCC 51915); (Resistant to Penicillin (PRSP)) |

*Viruses (*Virucidal Activity):

| | | |
|--|--|--|
| *Cytomegalovirus, (VR-538) | *Herpes Simplex virus Type 2, (VR-734) | *Respiratory syncytial virus, (VR-26) |
| *Herpes Simplex virus Type 1, (VR-733) | *Parainfluenza virus Type 3, (VR-93) | *Vaccinia virus (smallpox vaccine virus), (VR-119) |

Kills *HIV-1 (Human Immunodeficiency Virus Type 1) (AIDS virus) (HTLV-III_B) when used as directed on hard, non-porous inanimate surfaces with a 1 minute contact time.

Kills *Hepatitis B Virus (HBV) when used as directed on hard, non-porous inanimate surfaces with a 5 minute contact time.

(Note to Agency: Text appearing in parenthesis is done to show optional text.)

(*Veterinary viruses:)

*Avian Infectious bronchitis virus (IBV), (VR-22)
*Avian Influenza virus, (VR-2072)

*Feline Rhinotracheitis virus, (VR-636)
*Infectious bovine rhinotracheitis virus, (VR-188)
*New Castle disease virus, (VR-108)

*Pseudorabies virus, (VR-135)
*Transmissible gastroenteritis virus (TGE), (U of Minn. Strain)

*Canine distemper virus, (VR-128)

Fungi/Yeast (Fungicidal and Yeast Activity):

Geotrichum candidum, (ATCC 18301)

Trichophyton mentagrophytes (athlete's foot fungus), (ATCC 9533)

Mold/Mildew Mildewstatic Activity - controls and prevents (inhibits) the growth of mold and mildew: *Aspergillus niger* (ATCC 6275) (and the odors caused by them when applied to hard, non-porous environmental surfaces).

Malodor(s) (Activity) (Counteractancy) – eliminates (destroys) odors and odor-causing bacteria on hard, nonporous surfaces in restroom areas, behind and under sinks and counters, and storage areas (and other places where bacterial growth can cause malodors).

(Sanitizer) - When used as directed as a non-food contact sanitizer at a 1:64 dilution (2 oz. of product per gallon of water) (16 mL/L) using approved ASTM test methods (under Good Laboratory Practices, [GLP's]), in the presence of 500 ppm hard water, 10% serum load and 1 minute contact time this product kills 99.9% of the following on hard non-porous inanimate surfaces:

Acinetobacter baumannii (ATCC 19606);
(MDR) (Resistant to Ampicillin,
Gentamicin and Trimethoprim/sulfa)
Escherichia coli O157:H7, (ATCC 35150)
Escherichia coli, (ATCC BAA-196);
(Extended Beta-Lactamase Resistance
(ESBL))

Enterococcus faecalis, (ATCC 51575);
(Resistant to Vancomycin (VRE))
Haemophilus influenza, (ATCC 10211)
Klebsiella pneumoniae, (ATCC 4352)
Pseudomonas aeruginosa, (ATCC 15442)

Salmonella enterica (ATCC 10708)
Shigella dysenteriae, (ATCC 11835)
Staphylococcus aureus, (ATCC 6538)
Staphylococcus aureus, (ATCC 33592)
(CA-MRSA)

(Note to reviewer: We will choose one or more of these statements depending on available space on the product label.)

- *Respiratory illnesses attributable to Pandemic 2009 H1N1 are caused by Influenza A virus. (This product or product name) is a broad-spectrum hard surface disinfectant that has been shown to be effective against Avian Influenza, (VR-2072), and is expected to inactivate all Influenza A viruses including Pandemic 2009 H1N1 (formerly called swine flu).
- *This product has demonstrated effectiveness against Influenza A virus and is expected to inactivate all Influenza A viruses including Pandemic 2009 H1N1 Influenza A virus.
- *This product has demonstrated effectiveness against Avian Influenza, (VR-2072) and is expected to inactivate all Influenza A viruses including Pandemic 2009 H1N1 (formerly called swine flu).
- *Kills Pandemic 2009 H1N1 Influenza A virus (formerly called swine flu).
- *Kills Pandemic 2009 H1N1 Influenza A virus.

EPA Reg. No. 70627-15

© 2010 Diversey, Inc., 8310 16th Street, Sturtevant, Wisconsin 53177-1964 U.S.A. All Rights Reserved.