

VANISH LIQUID DISINFECTANT TOILET BOWL CLEANER

FOR INSTITUTIONAL (HOSPITAL) AND COMMERCIAL (INDUSTRIAL) USE (ONLY)
OFFICE BUILDINGS • NURSING HOMES • SCHOOLS • FOOD SERVICE • HOTELS •
MOTELS • HOSPITALS • RESTAURANTS

ONE STEP CLEANER/DISINFECTANT. DISINFECTANT BOWL CLEANER. DISINFECTS IN 1 MINUTE. DEODORANT. VIRUCIDAL. BACTERICIDAL. GERMICIDAL. PSEUDOMONACIDAL. STAPHYLOCIDAL. CLEANS. DISINFECTS. DEODORIZES. REMOVES STAINS. KILLS DANGEROUS (TROUBLESOME) BACTERIAL IN 1 MINUTE. KILLS HIV. KILLS HAV. KILLS HSV-1. KILLS HSV-2. KILLS MRSA. KILLS E. coli.

Recommended for use in commercial and industrial buildings, schools, hospitals, nursing homes, manufacturing plants, office buildings, day care centers, hotels and motels. VANISH Liquid Disinfectant Toilet Bowl Cleaner quickly eliminates rust, lime & uric acid deposits and will not harm the bacterial action of septic tanks. Dissolves porous lime deposits and urine stains. Used as directed, this is a powerful cleaner, deodorizer and killer of dangerous (troublesome) bacteria. Kills these bacteria: *Staphylococcus aureus*, *Salmonella choleraesuis*, *Pseudomonas aeruginosa*, *Escherichia coli* (0157:H7) (*E. coli* 0157:H7), Methicillin Resistant *Staphylococcus aureus* (MRSA), HIV-1 (AIDS virus)*, Hepatitis A virus (HAV), Herpes Simplex 1 (and 2) ((HSV-1) and HSV-2), Herpes Simplex 2 (HSV-2).


Active Ingredients	
Hydrogen Chloride	9.25%
n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl ammonium chloride	0.30%
n-Alkyl (50% C12, 30% C14, 17% C16, 3% C18) dimethyl ethylbenzyl ammonium chloride.....	0.30%
Inert ingredients.....	90.15%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

SEE FIRST AID STATEMENT AND OTHER PRECAUTIONS ON BACK PANEL

NET CONTENTS 16 – 128 FL. OZ. (1 – 8 PT.) (473 – 3,785ml)

TO OPEN CHILD RESISTANT CAP: (Use fingernail or coin to) Pull back and push down rearmost ridge of spout. Push spout down following use.



DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

URINALS:

- 1. Apply directly to vertical surfaces.
- 2. Apply 1 ounce to applicator. Scrub all surfaces thoroughly.
- 3. Remove screen trap to deodorize drain, and apply 1 ounce directly on edge and into drain.
- 4. Wait 1 minute, then flush. Rinse applicator.

TOILET BOWLS

- 1. Remove water from bowl (by forcing water over the trap with applicator).
- 2. Remove excess water from applicator by pressing it against side of bowl.
- 3. Apply under rim.
- 4. Apply 1 ounce to applicator, scrub all areas thoroughly.
- 5. Wait 1 minute, then flush. Rinse applicator.

"Kills HIV-1 (AIDS virus) on toilets previously soiled with blood/body fluids in settings mentioned on this label in which there is an expected likelihood of soiling of toilets with blood or body fluids, and in which the toilets likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS) ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

Personal Protection: Disposable latex or vinyl gloves, gowns, face masks, or eye coverings as appropriate, must be worn during all cleaning of body fluids, blood, and decontamination procedures.

Cleaning Procedures: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of disinfectant.

Contact Time: Allow surface to remain wet for 1 minute.

Disposal of Infectious Materials: Blood and other body fluids should be autoclaved and disposed of according to Federal, state and local regulations for infectious waste disposal.

TO REMOVE STUBBORN STAINS (URINE STAINS), (POROUS LIME DEPOSITS), (OR SCALE) ON TOILETS: Apply directly on stain, let sit 15 minutes. Scrub and flush. Repeat if necessary.

IF SPILLED, WIPE UP AT ONCE. Rinse well. Never use on enameled surfaces, in wash sinks or bathtubs. Read the precautionary statements carefully.

STORAGE AND DISPOSAL: Store out of reach of children. Clean up spills right away. Do not reuse empty container. Rinse empty container thoroughly with water and place in trash collection.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: CORROSIVE.

Causes irreversible eye damage or skin burns. Harmful if swallowed or absorbed through skin or inhaled. Do not get in eyes, on skin or on clothing. Avoid breathing spray mist. Wear goggles or face shield. Wear protective clothing and rubber gloves. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

CHEMICAL HAZARDS: NEVER USE WITH CHLORINE PRODUCTS ... can react to give chlorine gas. If this occurs, flush toilet to remove chemicals and leave area. Do not return for half hour... ventilate if possible. Never use or mix with other cleaners or chemicals.

FIRST AID: IMMEDIATELY

IF SWALLOWED: Call a physician or Poison Control Center. Do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatin solution, or these are not available drink large quantities of water. Avoid alcohol. If person is unconscious, do not give anything by mouth.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

IF IN EYES: Hold eyelids open and flush with steady, gentle stream of water for 15 minutes. Get medical attention.

EPA Reg. No. 70627-25

EPA Est. No.

For more information call 1-800-242-1677

(Drackett Professional, a Division of) ©1999 S.C. Johnson Commercial Markets, Inc., Sturtevant, WI 53177-0902. Made in USA Used under authority of S.C. Johnson & Son, Inc., Racine, Wisconsin, USA.

