UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Ms. Lisa Amadio S.C. Johnson Commercial Markets, Inc. 8310 16th Street, MS 675 Sturtevant, WI 53177-0902

FEB 1 4 2002

Subject: Envy Foaming Disinfectant Cleaner EPA Registration No. 70627-35 Amendment Date: August 15, 2001 EPA Receipt Date: August 20, 2001

Dear Ms. Amadio:

70627·

The following amendment, submitted in connection with registration under section 3(c)(7)(A) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable with the conditions listed below:

Update First Aid Statements per IR Notice 2001-1

Add additional organisms to the label: Acinetobacter calcoaceticus var lwoffi, Enterococcial faectum (VRE), Holloophilus influenza, Legionella pneumonphilus, Neisseria gonorrhae, Vibro cholera, Streptococcus pyogenes (Flesh eating), Bordetella bronchispeptica, Hepatitis B Virus (DHBV), Poliovirus type 1, Rhinovirus 39, and Rotavirus.

Conditions

(

The submitted data in MRID 454182-01 did not demonstrate this product's effectiveness as a disinfectant against *Streptococcus pyogenes* (Flesh eating) and *Bordetella bronchiseptica* (ATCC 10580) in the presence of 10% fetal bovine serum for 3 minutes.

Acceptable Data

		Den Requirement	and the second	N	leans of Support		Status	
	Germicidal Spray Product on Multiple Organisms			Submitte	Submitted study MRID 454182-01		Partially Acceptable	1.
ļ	AOAC Germici	dal Test Method or	E. faecalis VRE	Submitte	d study MRID 45418	2-02	Acceptable	
. ·	Virucidal Effectiveness Test Using Poliovirus, type 1		Submitte	Submitted study MRID 454182-03		Acceptable		
				CONCURREN	CES		•	
FYNBOL,				********				•
SURNAME			1913 1913		919-5-			
DATE				***	·			

vage 1711

617

	Monos of Summers	Statue
Virucidal Effectiveness Test Using Rhinovirus type 39	Submitted study MRID 454182-04	Acceptable
Virucidal Effectiveness Test Using Rotavirus	Submitted study MRID 454182-05	Acceptable
Virucidal Effectiveness Test Using Duck Hepatitis B Virus	Submitted study, MRID 454182-06	Acceptable
Confirmatory Virucidal Test using Duck Hepatitis B Virus	Submitted study, MRID 454182-07	Acceptable

General Comments

A stamped copy of the labeling accepted with conditions is enclosed. Submit three (3) copies of your final printed labeling before distributing or selling the product bearing the revised labeling.

Submit and/or cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

If the above conditions are not compiled with, the registration will be subject to cancellation in accordance with the section 6(e). Your release for shipment of the product bearing the amended labeling content is acceptance of these conditions.

If you should have any questions or comments concerning this letter, please contact Jacqueline McFarlane at (703) 308-6416.

Sincerely

Velma Noble Product Manager (31) Regulatory Management Branch I Antimicrobials Division (7510C)



ENVY[™] FOAMING DISINFECTANT CLEANER Foaming Disinfectant Cleaner

Ready-To-Use (RTU) - Just Spray and Wipe

Spray On • No Rinsing • No Abrasives • One-Step Formula; Foams Away Dirt; Disinfects (Kills) in 3 Minutes!; Will not (Won't) Scratch or Dull Surfaces; Cleans & Disinfects In One Step; Dissolves Soap Scum; Leaves (Toilet) Bowls Sparkling (Clean); Leaves (Bathroom) Surfaces (Sparkling) Clean (and Fresh); Cleans Without (Acids) (Abrasives) Fumes; For Effective Mold and Mildew Control; (Non-Abrasive) No Rinse Formula; The Fast & Easy Way to Clean and Disinfect (Surfaces); Contains No Abrasives (Non-Abrasive (Formula)); The Fast & Easy Way to Clean and Disinfect (Surfaces); Contains No Abrasives (Non-Abrasive (Formula)); The Fast & Easy Way to Clean and Disinfect (Surfaces); Contains No Abrasives (Non-Abrasive (Formula)); The Fast & Easy Way to Clean and Disinfect (Surfaces); Contains No Abrasives (Non-Abrasive (Formula)); The Fast & Easy Way to Clean and Disinfect (Surfaces); Contains No Abrasives (Non-Abrasive (Formula)); The Fast & Easy Way to Clean and Disinfect (Surfaces); Contains No Abrasives (Non-Abrasive (Formula)); The Fast & Easy Way to Clean and Disinfect (Surfaces); Contains No Abrasives (Non-Abrasive (Formula)); The Fast & Easy Way to Clean and Disinfect (Surfaces); Contains No Abrasives (Non-Abrasive (Formula)); The Fast & Easy Way to Clean and Disinfect (Surfaces); Contains No Abrasives (Non-Abrasive (Formula)); The Fast & Easy Way to Clean and Disinfect (Surfaces); Contains No Abrasives (Non-Abrasive (Formula)); The Fast & Easy Way to Clean (Surfaces); Contains (S

>sh (Pleasant) (Apple) (Citrus) (Lemon) (Floral) (Outdoor Fresh) (Country Breeze) (Spring Orchard) Fragrance (Scent)

Bactericidal • *Virucidal • Mildewstatic • Fungicidal • Deodorizer (Odor Counteractant) (Odor Neutralizer) • Ready-To-Use (RTU)

For (Hospital,) (Foodservice,) (Food Plant), (Commercial), Industrial & Institutional Use (Only)

ACTIVE INGREDIENTS:	
n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl ammonium chloride	0.106%
n-Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chloride	
INERT (OTHER) INGREDIENTS:	
TOTAL	

KEEP OUT OF REACH OF CHILDREN CAUTION:

See directions and additional precautionary statements on back (side) (left) (right) (of) (panel) (label) (below).

See reference sheet (enclosed in each case) for (a complete list of pathogenic organisms) (additional features, claims, direction for use) (claimed for this product).

Net Contents:

Product of USA

Contains no CFC's or other known ozone depleting substances. Federal Regulations Prohibit CFC Propellants in Aerosols.

> ACCEPTED with COMMENTS in EPA Letter Dated:

FEB 1 4 2002

Under the Federal Insecticide, Fungicide, and Rodenduide Act as amended, for the periode. registered under EPA Reg. No. 20627-35 5-15-01 Page 1 of 9 70627-35

(FEATURES, CLAIMS & USES:)

(General Uses:)

ENVY™ FOAMING DISINFECTANT CLEANER cleans and disinfects surfaces with a simple spray and wipe. No mixing, no buckets, no rinsing required (other than food contact surfaces). Foam dissolves dirt, grime, mold, mildew and other common soils and even stains found in hospitals, nursing homes, schools and colleges, (day care centers), (medical) offices, funeral homes, veterinary clinics, pet shops, (equine farms), animal life science laboratories, hotels, motels, public restrooms, food processing plants, and food service establishments (restaurants). Use it on all hard, non-porous environmental (restroom) surfaces.

Its non-abrasive formula is designed for use on (Use daily on) (the following) (hard, non-porous environmental surfaces:) vinyl, painted surfaces, plastic (surfaces), glazed ceramic, glazed porcelain, chrome, stainless steel, aluminum, laminated surfaces and baked enamel surfaces associated with walls, ceilings, tables, chairs, countertops, microwave ovens, kitchen areas, telephones, fixtures, glazed tile, toilets, urinals, sinks, shower rooms and locker rooms areas - any washable (food and non-food contact) surface where disinfection is required. A potable water rinse is required for all food contact surfaces. This product must not be used to clean the following surfaces: utensils, glassware, and dishes. It (also) eliminates odors leaving (restroom) surfaces smelling clean and fresh. Use where odors are a problem.

ospitals/Health Care Facilities:)

ENVY[™] FOAMING DISINFECTANT CLEANER is a one-step (hospital-use) germicidal (disinfectant) cleaner and deodorant (odor-counteractant) (odor neutralizer) designed for general cleaning, (and) disinfecting (deodorizing) (and controlling mold and mildew on) hard, non-porous environmental surfaces. Foam quickly dissolves dirt, grime, mold, mildew, food residue, blood and other organic matter commonly found in hospitals (in health care facilities) (on medical surfaces). It (also) eliminates odors leaving (restroom) surfaces smelling clean and fresh. Use where odors are a problem.

ENVY™ FOAMING DISINFECTANT CLEANER cleans, disinfects and deodorizes hard, non-porous environmental hospital (medical) surfaces in one step (with no rinsing required). Use daily on the following hard, non-porous environmental surfaces: vinyl, painted surfaces, plastic (surfaces), glazed ceramic, glazed porcelain, chrome, stainless steel, laminated surfaces and baked enamel surfaces associated with walls, ceilings, tables, chairs, countertops, telephones, fixtures, glazed tile, toilets, urinals, sinks found in (health care facilities [hospitals],) patient rooms, operating rooms, ICU areas, shower rooms, and locker rooms. (It can also be used to pre-clean and disinfect hospital items such as wheelchairs, [hospital] [patient] bed rails and linings, wash basins, bed pans, medical equipment surfaces) - any washable (food and non-food contact) surface (where disinfection is required). A potable water rinse is required for all food contact "rfaces. This product must not be used to clean the following surfaces: utensils, glassware, and dishes.

(Food Service:)

ENVY™ FOAMING DISINFECTANT CLEANER can be used to clean food contact surfaces as well as the restroom and general areas. It cleans by foaming away dirt, grime and food soils in food preparation and processing areas. Its non-abrasive formula will not harm (scratch) surfaces. It cleans, disinfects and eliminates odors leaving surfaces smelling clean and fresh. Use where odors are a problem. A potable water rinse is required for all food contact surfaces.

Its non-abrasive formula is designed for use on (Use daily on) the following hard, non-porous environmental surfaces: vinyl, painted surfaces, plastic (surfaces), glazed ceramic, glazed porcelain, chrome, aluminum, stainless steel, brass, copper, laminated surfaces and baked enamel surfaces associated with walls, ceilings, tables, chairs, countertops, nonporous cutting boards, fixtures, glazed tile, toilets, (toilet bowls), urinals, sinks found in food establishments, (restaurants), (commercial kitchens) & restrooms. A potable water rinse is required for all food contact surfaces. This product must not be used to clean the following surfaces: utensils, glassware, and dishes.

-

ACCEPTED with COMMENTS in EPA Letter Dated:

FEB 1 4 2002

Under the Federal Insecticide, Fangicide, and Rodenticide Act as amended, for the pecificide, registered under EPA Reg. No. 706 2 7-35 5-15-01 Page 2 of 9 70627-35

4 7 11

(Animal Housing Facilities:)

ENVY™ FOAMING DISINFECTANT CLEANER cleans by foaming away dirt, grime, mold, mildew, blood, urine, fecal matter and other common soils found in animal housing facilities, livestock, swine or poultry facilities, grooming facilities, farms, kennels, pet stores, veterinary clinics, laboratories or other small animal facilities. It (also) eliminates odors leaving surfaces smelling clean and fresh.

It cleans, disinfects and deodorizes hard, non-porous environmental surfaces in one step. Its non-abrasive formula is designed for use on (Use daily on) (Use daily to clean and disinfect) (hard, non-porous environmental surfaces[®] plated or stainless steel, aluminum, chrome, glazed porcelain, glazed tile, laminated surfaces (associated with floors, walls, countertops, cages, kennels, animal equipment) found in (barns, pens and stalls) animal housing facilities.

(Public Restrooms:)

ENVY™ FOAMING DISINFECTANT CLEANER is a one-step disinfectant cleaner and deodorant (odor-counteractant) (odor-neutralizer) designed for general cleaning, (and) (disinfecting) (deodorizing) (and controlling mold and mildew on) hard, non-porous environmental surfaces.

Powerful foam cleans, disinfects and deodorizes surfaces by killing odor-causing germs and prevents (inhibits) (controls) the growth of mold and mildew. Its non-abrasive formula is designed for use on (restroom surfaces such as:), glazed ramic (restroom) tile, glazed porcelain, chrome, stainless steel and plastic surfaces associated with floors, walls, fixtures, toilets, urinals, sinks, shower rooms and locker rooms.

(Non-Acid Bowl [& Bathroom] Disinfectant Cleaner:)

ENVY™ FOAMING DISINFECTANT CLEANER is (also) a (ready-to-use) non-acid (bowl and) bathroom cleaner which cleans, disinfects and deodorizes in one easy step. Simply apply it like you would a non-acid bowl cleaner. It cleans, disinfects and deodorizes toilet bowls, urinals, rims, sinks, sink basins, faucets, tubs, glazed tiles, glazed ceramic, glazed porcelain, chrome, stainless steel, and all non-porous environmental surfaces found in the bathroom (restroom) (in the presence of organic soil).

It eliminates odors leaving bathrooms (restrooms) smelling clean and fresh. Use where odors are a problem. It cleans, disinfects and deodorizes surfaces by killing odor-causing germs and prevents (inhibits) (controls) the growth of mold and mildew. Its non-abrasive formula is designed for use (Use it daily) on (restroom surfaces such as:) glass, glazed ceramic (restroom) tile, glazed porcelain, chrome, stainless steel, and plastic surfaces associated with floors, walls, fixtures, toilets, urinals, sinks, shower rooms and locker rooms.

ĺ

ACCEPTED with COMMENTS in EPA Letter Dated:

FEB 1 4 2002

Under the Federal Insecticide. Fungicide, and Rodenticide Act as amended, for the politicide, registered under EPA Reg. No. 706 2 7-35

> 5-15-01 Page 3 of 9 70627-35

(CLAIMS:)

ENVY™ FOAMING DISINFECTANT CLEANER is highly effective against a wide variety (broad-spectrum) of pathogenic microorganisms (including bacteria, antibiotic resistant bacteria, viruses, fungi, mold and mildew. See reference sheet enclosed (in each case) for a complete list of organisms.). Using the Germicidal Spray Test Method (under Good Laboratory Practices [GLPs]), 10% organic soil load and a 3 minute contact time (unless otherwise noted), this product kills the following on hard, non-porous environmental surfaces:

Bacteria (Bactericidal Activity) - kills on hard non-porous environmental surfaces:

Pseudomonas aeruginosa, (ATCC 15442) Staphylococcus aureus, (ATCC 6538) Salmonella choleraesuis, (ATCC 10708) Acinetobacter calcoaceticus, (ATCC 9957) Brevibacterium ammoniagenes, (ATCC 6872) Burkholderia cepacia, (ATCC 25416) (formerty known as Pseudomonas cepacia) Campylobacter fetus, (ATCC 27374) Citrobacter freundii, (ATCC 8090) Chlamydia psittaci, (VR-125) Enterobacter aerogenes, (ATCC 13048) Enterobacter agglomerans, (ATCC 27155) Enterobacter cloacae, (ATCC 23355) erobacter gergoviae, (ATCC 33028) ...terobacter liquefaciens, (ATCC 14460) Enterococcus faecalis, (ATCC 19433) (formerly known as Streptococcus faecalis) Enterococcus hirae, (ATCC 10541) Escherichia coli, (ATCC 11229) Escherichia coli 0157:H7, (ATCC 43890) Flavobacterium meningosepticum, (ATCC 13253) Haemophilus influenza, (ATCC 10211) Hafnia alvei, (ATCC 13337) Klebsiella oxytoca, (ATCC 13182) Klebsiella pneumoniae, (ATCC 13883) Legionella pneumophila, (ATCC 33153) Listeria monocytogenes, (ATCC 15313) Micrococcus luteus, (ATCC 4698) Micrococcus luteus, (ATCC 14452) Micrococcus sedentarius, (ATCC 27573) Morganella morganii, (ATCC 25830) Neisseria gonorrhae, (ATCC 43069) Pasteurella multocida, (ATCC 43137) Proteus marabilis, (ATCC 9240) Proteus vulgaris, (ATCC 13315) Pseudomonas diminuta, (ATCC 11568) Pseudomonas fluorescens, (ATCC 13525) Pseudomonas putida, (ATCC 12633) Pseudomonas stutzeri, (ATCC 17588) Salmonella choleraesuis pullorum, (ATCC 19945) Salmonella enteritidis, (ATCC 13076) Salmonella gallinarum, (ATCC 9184)

Salmonella schottmuelleri, (ATCC 10719) Salmonella typhi, (ATCC 6539) Salmonella typhimurium, (ATCC 13311) Serratia grimesii, (ATCC 14460) Serratia liquefaciens, (ATCC 14460) Shigella dysenteriae, (ATCC 29026) Shigella flexneri, (ATCC 25875) Shigella sonnei, (ATCC 25931) Staphylococcus aureus, (ATCC 25923) Staphylococcus aureus (Toxic Shock), (ATCC 33586)

211

Staphylococcus epidermidis, (ATCC 14990) Staphylococcus haemolyticus, (ATCC 29970) Staphylococcus saprophyticus, (ATCC 15305) Staphylococcus species, (ATCC 12715) Streptococcus agalactiae, (ATCC 13813) Streptococcus mutans, (ATCC 25175) Streptococcus pyogenes, (ATCC 19615) Vibrio cholera, (ATCC 11623) Yersinia enterocolitica, (ATCC 9610)

Antibiotic-Resistant (Strains of) Bacteria (Antibiotic-Resistant Bactericidal Activity) - kills on hard non-porous environmental surfaces:

E. coli, (ATCC 55244, 47041 & 29181) (Resistant to Kanamycin, Tetracycline, Trimethoprim, Streptomycin)

1000

Enterococcus Enterni, (ATCC 51559) Resistant to Vancomycin (VRE), Ampicillin, profloxacin, Gentamicin, Risampin, reicoplanin)

Klebsiella oxytoca, (ATCC 15764) (Resistant to Ampicillin, Dihydrostreptomycin) Micrococcus sedentarius, (ATCC 27573) (Resistant to Methicillin)

Staphylococcus aureus, (CDC HIP-5836) (Intermediate resistance to Vancomycin (VISA))

Staphylococcus aureus, (ATCC 14154) (Resistant to Erythromycin, Penicillin, Streptomycin, Tetracycline) Staphylococcus aureus, (ATCC 33592) (Resistant to Methicillin (MRSA), Gentamicin (GRSA)) Streptococcus pneumoniae, (ATCC 51915) (Resistant to Penicillin (PRSP))

Viruses ("Virucidal Activity) - kills on hard non-porous environmental surfaces:

Adenovirus Type 2, (VR-846) Herpes simplex Type 2, (VR-734) Cytomegalovirus, (VR-538) Influenza Type A₂ (Hong Kong), (VR-544) Hepatitis A virus (HAV), (VR-1073) Parainfluenza Type 3, (VR-93) 10月21日2月11日2月2日日月 Herpes simplex Type 1, (VR-733)

Respiratory syncytial virus, (VR-26) Rhinovins (Tronger (VR-340) Rolavins, (Star ava) Vaccinia virus, (VR-119)

Kills HIV-1 (AIDS virus) (HTLV-III_n) when used as directed on hard, non-porous inanimate surfaces with a 1 minute contact time.

Fungi (Fungicidal Activity) - kills on hard non-porous environmental surfaces:

Geotrichum candidum, (ATCC 18301)

Kills Trichophyton mentagrophytes, (ATCC 9533) (athlete's foot fungus) in 10 minutes when applied to areas as: shower and locker room floors, benches, and floor mats and other hard, not every environmental surfaces where Trichophyton with COMMENTS mentagrophytes, (athlete's foot fungus) may be found.

in EPA Letter Dated: FEB 1 4 2002

5-15-01 Page 4 of 9 70627-35

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the peticide, registered under EPA Reg. No 70627-35

Mold/Mildew Control (Mildewstatic Activity) – controls and prevents (inhibits) the growth of mold and mildew (such as Aspergillus niger (ATCC 6275)) (and the odors caused by them) when applied to previously cleaned hard, non-porous environmental surfaces.

Malodor(s) Control (Activity) (Counteractancy) – eliminates (destroys) odors and odor-causing bacteria in restroom areas, behind and under sinks and counters, garbage cans and storage areas (and other places where bacterial growth can cause malodors).

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the blood stream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

ENVY^T FOAMING DISINFECTANT CLEANER can be applied by cloth, sponge, paper towel or sprayed directly on surface. Change cloth, sponges or towels frequently to avoid redeposition of soil.

For General Cleaning and/or Deodorizing:

Hold can upright. Spray foam evenly over surface. Wipe with clean cloth, sponge or paper towel. For heavily soiled areas or stubborn spots, let (foam) solution stay on the surface longer before wiping.

For One-Step Cleaning/Disinfecting:

- 1. Spray foam evenly over surface. Be sure to wet all surfaces thoroughly.
- 2. Let ENVY™ FOAMING DISINFECTANT CLEANER remain on surface for three (3) minutes.
- 3. Wipe with clean cloth, sponge or paper towel.
- 4. A potable water rinse is required for all food contact surfaces.

Note: All food contact surfaces such as appliances and kitchen countertops must be rinsed with potable water. Do not use on glassware, utensils, and dishes.

Non-Acid Cleaning and Disinfecting Toilet Bowls and Urinals:

- 1. With swab applicator, remove water from bowl by forcing water over trap.
- Press swab applicator against side of bowl to remove excess water.
- Apply ENVY™ FOAMING DISINFECTANT CLEANER foam to swab applicator, cloth, mop, sponge or directly to surface.
- 4. Swab entire surface area especially under the rim. Be sure to wet all surfaces thoroughly.
- 5. Allow entire surface to remain wet for three (3) minutes.
- 6. Flush toilet or urinal and rinse swab applicator thoroughly.

Fungi:

- 1. Spray foam evenly over surface. Be sure to wet all surfaces thoroughly.
- 2. Let ENVY™ FOAMING DISINFECTANT CLEANER remain on surface for three (3) minutes. For Trichophyton mentagrophytes (athlete's foot fungus) let remain on surface for ten (10) minutes.
- 3. Wipe with clean cloth, sponge or paper towel.

To Prevent Mold and Mildew:

- 1. Thoroughly clean surface prior to treatment.
- 2. Spray foam evenly over surface. Be sure to wet all surfaces thoroughly.
- 3. Let ENVY™ FOAMING DISINFECTANT CLEANER remain on surface for three (3) minutes.
- 4. Allow to air dry.
- 5. Repeat application weekly or when growth reappears.

ACCEPTED with COMMENTS in EPA Letter Dated:

FEB 1 4 2002

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pessicide, registered under EPA Reg. No. 70627-35 5-15-01 Page 5 of 9 70627-35

For Use in Food Processing Plants:

- 1. Before using this product, food products and packaging materials must be removed from the room or carefully protected.
- 2. Spray foam evenly over surface. Be sure to wet all surfaces thoroughly.
- 3. Let ENVY™ FOAMING DISINFECTANT CLEANER remain on surface for three (3) minutes.
- 4. Wipe with clean cloth, sponge or paper towel.
- 5. A potable water rinse is required for all food contact surfaces.

For Use For Treatment of Animal Housing Facilities:

- 1. Remove all animals and feed from areas being treated.
- 2. Remove all litter and manure from floors, walls and surfaces of barns, pens, stalls, chutes, and other facilities occupied or traversed by animals.
- 3. Empty or cover all troughs, racks and other feeding and watering appliances.
- 4. Thoroughly clean all surfaces with soap and rinse with water.
- 5. Spray foam evenly over floors, walls, cages and other washable hard, non-porous environmental surfaces until all surfaces are wet. To disinfect, all surfaces must remain wet for three (3) minutes.
- 6. Do not house animals or employ equipment until product has dried.
- 7. For disinfection of feed racks, troughs, automatic feeders, fountains and watering appliances spray foam evenly over surfaces, let stand three (3) minutes. Then thoroughly scrub all treated surfaces with soap or detergent and rinse with
- potable water before reuse.

*ENVY™ FOAMING DISINFECTANT CLEANER kills **Statistic** HIV-1 in one minute on pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids in health care settings (Hospitals, Nursing Homes) and other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of **Base strategy and the surfaces**/objects likely to be soiled with blood or Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST

OBJECTS SOILED WITH BLOOD/BODY FLUIDS:

Personal Protection: Disposable latex or vinyl gloves, gowns, face masks, or eye coverings as appropriate, must be worn during all cleaning of body fluids, blood, and decontamination procedures.

Cleaning Procedures: Blood and body fluids must be thoroughly cleaned from surfaces and objects before application of ENVY[™] FOAMING DISINFECTANT CLEANER.

Contact Time: Allow surface to remain wet for 1 minute to kill **HIV-1**. Allow 10 minutes for Trichophyton mentagrophytes and 3 minutes to kill all other organisms cited on the label. **Disposal of Infectious Material:** Blood and other body fluids should be autoclaved and disposed of according to Federal, State, and local regulations for infectious waste disposal.

STORAGE AND DISPOSAL:

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: Store away from heat or flame.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL:

This container may be recycled in aerosol recycling centers. Before offering for recycling, empty the can by using the product according to the label (DO NOT PUNCTURE!). If recycling is not available, wrap the container in newspaper and discard in trash. ACCEPTED

ACCEPTED with COMMENTS in EPA Letter Dated:

FEB 1 4 2002

Under the Folderal Insecticide, Fungicide and Rodendeide Act as amended, for the period de registered and the Period de 5-15-01 Page 6 of 9 70627-35

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling.

PHYSICAL AND CHEMICAL HAZARDS: Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IN CASE OF EMERGENCY, CALL A POISON CONTROL CENTER OR DOCTOR FOR TREATMENT ADVICE. 1-800-851-7145

Have the product container or label with you when calling a Poison Control Center or doctor or going in for treatment.

ADVERTENCIA: Si no puede leer en ingles, pregunte a su supervisor por el modo de empleo apropiado antes trabajar con este producto.

EPA Reg. No. 70627-35 EPA Est. No. Lot number suffix (A) or (B) indicates appropriate establishment number.)

(MSDS Ref. No.xxxxxxxxxxxxxx)

© 2001 S.C. Johnson Commercial Markets, Inc., Sturtevant, WI 53177-0902 U.S.A.

(`

ACCEPTED with COMMENTS in EPA Letter Dated:

FEB 1 4 2002

Under the Federal Insecticide, Fungicido, and Rodenticide Act as amendeo, for the pedicide, registered under EPA Reg. No. 70627-35

5-15-01 Page 7 of 9 70627-35



ENVYTM FOAMING DISINFECTANT CLEANER REFERENCE SHEET

ENVY™ FOAMING DISINFECTANT CLEANER is highly effective against a wide variety (broad-spectrum) of pathogenic microorganisms. Using the Germicidal Spray Test Method (under Good Laboratory Practices [GLPs]), 10% organic soil load and a 3 minute contact time (unless otherwise noted), this product kills the following on hard, non-porous environmental surfaces:

Bacteria (Bactericidal Activity) - kills on hard non-porous environmental surfaces:

Pseudomonas aeruginosa, (ATCC 15442) Staphylococcus aureus, (ATCC 6538) Salmonella choleraesuis, (ATCC 10708) Acinetobacter calcoaceticus, (ATCC 9957) Brevibacterium ammoniagenes, (ATCC 6872) Burkholderia cepacia, (ATCC 25416) (formerly wn as Pseudomonas cepacie) .mpylobacter fetus, (ATCC 27374) Citrobacter freundii, (ATCC 8090) Chlamydia psittaci, (VR-125) Enterobacter aerogenes, (ATCC 13048) Enterobacter aggiomerans, (ATCC 27155) Enterobacter cloacae, (ATCC 23355) Enterobacter gergoviae, (ATCC 33028) Enterobacter liquefacians, (ATCC 14460) Enterococcus faecalis, (ATCC 19433) (formerly known as Streptococcus faecalis) Enterococcus hirae, (ATCC 10541) Escherichia coli, (ATCC 11229) Escherichia coli 0157:H7, (ATCC 43890) Flavobacterium meningosepticum, (ATCC 13253) Haemophilus influenza, (ATCC 10211) Hafnia alvei, (ATCC 13337) Klebsiella oxytoca, (ATCC 13182) Klebsiella pneumoniae, (ATCC 13883) Legionella pneumophila, (ATCC 33153) Listeria monocytogenes, (ATCC 15313) Micrococcus luteus, (ATCC 4698) Micrococcus luteus, (ATCC 14452) Micrococcus sedentarius, (ATCC 27573) Morganella morganii, (ATCC 25830) Neisseria gonorrhae, (ATCC 43069) Pasteurella multocida, (ATCC 43137) Proteus marabilis, (ATCC 9240) Proteus vulgaris, (ATCC 13315) Pseudomonas diminuta, (ATCC 11568) Pseudomonas fluorescens, (ATCC 13525) Pseudomonas putida, (ATCC 12633) Pseudomonas stutzeri, (ATCC 17588) Salmonella choleraesuis pullorum, (ATCC 19945) Salmonella enteritidis, (ATCC 13076) Salmonella gallinarum, (ATCC 9184)

Saimonella schottmuelleri, (ATCC 10719) Salmonella typhi, (ATCC 6539) Salmonella typhimurium, (ATCC 13311) Serratia grimesii, (ATCC 14460) Serratia liquefaciens, (ATCC 14460) Shigella dysenteriae, (ATCC 29026) Shigella flexneri, (ATCC 25875) Shigella sonnei, (ATCC 25931) Staphylococcus aureus, (ATCC 25923) Staphylococcus aureus (Toxic Shock), (ATCC 33586) Staphylococcus epidermidis, (ATCC 14990) Staphylococcus haemolyticus, (ATCC 29970) Staphylococcus saprophylicus, (ATCC 15305) Staphylococcus species, (ATCC 12715) Streptococcus agalactiae, (ATCC 13813) Streptococcus mutans, (ATCC 25175) Streptococcus pyogenes, (ATCC 19615) Vibrio cholera, (ATCC 11623) Yersinia enterocolitica, (ATCC 9610)

17

Antibiotic-Resistant (Strains of) Bacteria (Antibiotic-Resistant Bactericidal Activity) - kills on hard non-porous environmental surfaces:

E. coli, (ATCC 55244, 47041 & 29181) *** sistant to Kanamycin, Tetracycline, tethoprim, Streptomycin)

ne neve in terme 19. generation


Enterococcus (ATCC 51559) (Resistant to Vancomycin (VRE), Ampicillin, Ceprofloxacin, Gentamicin, Risampin, Teicoplanin) Klebsiella oxytoca, (ATCC 15764) (Resistant to Ampicillin, Dihydrostreptomycin) *Micrococcus sedentarius,* (ATCC 27573) (Resistant to Methicillin)

Staphylococcus aureus, (CDC HIP-5836) (Intermediate resistance to Vancorrycin (VISA)) Staphylococcus aureus, (ATCC 14154) (Resistant to Erythromycin, Penicillin, Streptomycin, Tetracycline) Staphylococcus aureus, (ATCC 33592) (Resistant to Methicillin (MRSA), Gentamicin (GRSA)) Streptococcus pneumoniae, (ATCC 51915) (Resistant to Penicillin (PRSP))

Viruses (*Virucidal Activity) - kills on hard non-porous environmental surfaces:

Adenovirus Type 2, (VR-846) Cytomegalovirus, (VR-538) Hepatitis A virus (HAV), (VR-1073) Herpes simplex Type 1, (VR-733) Herpes simplex Type 2, (VR-734) Influenza Type A₂ (Hong Kong), (VR-544) Parainfluenza Type 3, (VR-93) Respiratory syncytial virus, (VR-26) Reprint (VR-26) Recently Acticle (VR-20) Vaccinia virus, (VR-119)

Kills HBV and HIV-1 (AIDS virus) (HTLV-III_B) when used as directed on hard, non-porous inanimate surfaces with a 1 minute contact time.



FEB 1 4 2002

5-15-01 Page 8 of 9 70627-35

Under the Federal Insecticide, Pungicide, and Rodenticide Act as amended, for the periode. registered under FPI too v. 706 27-35

Fungi (Fungicidal Activity) - kills on hard non-porous environmental surfaces:

Geotrichum candidum, (ATCC 18301)

Kills Trichophyton mentagrophytes, (ATCC 9533) (athlete's foot fungus) in 10 minutes when applied to areas as: shower and locker room floors, benches, and floor mats and other hard, non-porous environmental surfaces where Trichophyton mentagrophytes, (athlete's foot fungus) may be found.

Mold/Mildew Control (Mildewstatic Activity) – controls and prevents (inhibits) the growth of mold and mildew (such as Aspergillus niger (ATCC 6275)) (and the odors caused by them) when applied to previously cleaned hard, non-porous environmental surfaces.

Malodor(s) Control (Activity) (Counteractancy) – eliminates (destroys) odors and odor-causing bacteria in restroom areas, behind and under sinks and counters, garbage cans and storage areas (and other places where bacterial growth can cause malodors).

EPA Reg. No. 70627-35

(

© 2001 S.C. Johnson Commercial Markets, Inc., Sturtevant, WI 53177-0902 U.S.A.

ACCEPTED with COMMENTS in EPA Letter Dated:

FEB 1 4 2002

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the petiticide, registered under EPA Reg. No 7006 27 - 35

> 5-15-01 Page 9 of 9 70627-35

11