


70627-39

1/25/2001

1/8

 <p>U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 401 M St., S.W. Washington, D.C. 20460</p> <p><b>NOTICE OF PESTICIDE Registration</b></p> <p>(under FIFRA, as amended)</p>	EPA Reg. Number: <b>70627-39</b>	Date of Issuance: <b>JAN 25 2001</b>
	Term of Issuance: <b>Conditional Registration</b>	
	Name of Pesticide Product: <b>Johnson Wax Professional Contact Insecticide</b>	
Name and Address of Registrant (include ZIP Code): <b>S.C. Johnson Commercial Markets, Inc. 8310 16th. St. Sturtevant, WI 53177-0902</b>		
<p>Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.</p>		
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p>		


This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

2. Make the following label changes:

- a. Revise the EPA Registration Number to read, EPA Reg. No. 70627-39
- b. Upon reviewing S.C. Johnson Commercial Markets, Inc. source supplier, the Agency was unable to find adequate efficacy data to satisfy the requirements for the Public Health Pests listed on your label, or for the source supplier. You must submit or cite (with MRID numbers) acceptable data for all public health pests with your final printed label, or remove them. You may wish to contact your source supplier for specific studies to reference for satisfying these data requirements. In the event your source supplier is unable to furnish this information, or provide Agency acceptable data, you will be required to remove these pests from your label.
- c. The statement "Authorized by USDA in Federally inspected meat and poultry plants." must be removed. The Compounds and Packaging Review Branch (CPRB), in the USDA, was responsible for authorizing nonfood compounds (cleaners, lubricants, pesticides, etc.) for use in Federally inspected meat and poultry plants. However, this authorization program no longer exists. The CPRB was eliminated on September 30, 1998. Therefore, it is no longer possible to obtain an USDA authorization letter for a nonfood compound. All authorization letters that were issued by USDA are now void.

Under the new Hazard Analysis and Critical Control Points (HACCP) approach to inspection, the USDA inspected meat and poultry establishments are now responsible for ensuring that they:

Signature of Approving Official: 	Date: <b>JAN 25 2001</b>
---	-----------------------------

do not use chemical compounds in a manner that will result in the adulteration of food products. Non-food compounds may be used provided the establishment has documentation on file to certify that the non-food compound is safe and suitable when used as directed. In the case of EPA registered products we require that the establishment have a copy of the EPA registered label on file. In addition, In Federally inspected meat and poultry establishments a pesticide may not be applied while food is being processed.

c. PR Notice 2001-1 entitled "First Aid Statements on Pesticide Product Labels" Within the "FIRST AID" section, the text should read as follows:

<b>FIRST AID</b>	
<b>IF SWALLOWED</b>	<ul style="list-style-type: none"> <li>-Call a poison control center or doctor immediately for treatment advice.</li> <li>-Have person sip a glass of water if able to swallow.</li> <li>-Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>-Do not give anything by mouth to an unconscious person.</li> </ul>
<b>IF INHALED</b>	<ul style="list-style-type: none"> <li>-Move person to fresh air.</li> <li>-If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li> </ul>
<b>IF ON SKIN OR CLOTHING</b>	<ul style="list-style-type: none"> <li>-Take off contaminated clothing.</li> <li>-Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>-Call a poison control center or doctor for treatment advice.</li> </ul>
<b>IF IN EYES</b>	<ul style="list-style-type: none"> <li>-Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>-Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>-Call a poison control center or doctor for treatment advice."</li> </ul>
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-xxx-xxxx for emergency medical treatment information.</p>	

The "xxx-xxxx" should be replaced with the appropriate phone number (company or Poison Control.

Signature of Approving Official:	Date: JAN 25 2001
----------------------------------	-------------------

3/8


A full copy of PR Notice 2001-1 may be found at the following Agency internet site:  
[http://www.epa.gov/opppmsd1/PR\\_Notices/pr2001-1.pdf](http://www.epa.gov/opppmsd1/PR_Notices/pr2001-1.pdf)

3. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,



Ann Sibold  
Acting Product Manager 10  
Insecticide Branch  
Registration Division (7505C)

enclosure

Signature of Approving Official:	Date: JAN 25 2001
----------------------------------	-------------------

4/8



SC Johnson Commercial Markets, Inc.

### Johnson Wax Professional Contact Insecticide

**KILLS:** Angoumois Grain Moths, Ants, Bed Bugs, Bees, Booklice, Carpet Beetles, Centipedes, Chocolate Moths, Cigarette Beetles, Cloyer Mites, Cluster Flies, Cockroaches, Confused Flour Beetles, Crickets, Drug Store Beetles, Fleas, Flies, Fruit Flies, Gnats, Grain Mites, Granary Weevils, Horn Flies, House Flies, Indian Meal Moths, Mediterranean Flour Moths, Millipedes, Mosquitoes, Mud Daubers, Red Flour Beetles, Rice Weevils, Sawtoothed Grain Beetles, Silverfish, Small Flying Moths, Sowbugs, Spiders, Stable Flies, Ticks and Wasps.

**FOR USE IN AND AROUND:** Apartments, Campgrounds, Food Storage Areas, Homes, Hospitals, Hotels, Meat Packing and Food Processing Plants, Motels, Nursing Homes, Resorts, Restaurants and other Food Handling Establishments, Schools, Supermarkets, Transportation Equipment (Buses, Boats, Ships, Trains, Trucks, Planes†), Utilities, Warehouses, and other Commercial and Industrial Buildings.

† Do not use in aircraft cabins.

Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.

Authorized by USDA for use in Federally inspected meat and poultry plants.

**ACTIVE INGREDIENTS:**

Pyrethrins .....	0.25%
d-trans Allethrin .....	0.25%
*Piperonyl Butoxide, Technical .....	1.00%
n-Octyl Bicycloheptene Dicarboximide .....	1.00%

**INERT INGREDIENTS:** ..... 97.50%

\*Equivalent to 0.8% (Butylcarbityl)(6-Propylpiperonyl) Ether and 0.2% Related Compounds

EPA Reg. No. 70627-

EPA Est. No. 499-MO-1

### KEEP OUT OF REACH OF CHILDREN

## CAUTION

#### FIRST AID

**IF SWALLOWED:** Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. Do not induce vomiting. Vomiting may cause aspiration pneumonia.

**IF INHALED:** Remove patient to fresh air. Apply artificial respiration if indicated.

**IF ON SKIN:** Remove contaminated clothing and wash affected skin areas with soap and water. Get medical attention if irritation persists.

**IF IN EYES:** Flush eyes with plenty of water. Get medical attention if irritation persists.

See side panel for additional precautionary statements.

#### NET WEIGHT:

ACCEPTED  
with COMMENT  
In EPA Letter

JAN 25 2001

Under the Federal  
Fungicide, and Rodenticide  
is amended, for the per-  
registration under EPA Reg. 1

70627-39

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

How to use the Johnson Wax Professional Crack and Crevice® Injection System

Use Johnson Wax Professional Contact Insecticide only with the supplied actuator and injection tubes or other Johnson Wax Professional equipment. Inject Johnson Wax Professional Contact Insecticide into cracks and crevices or void spaces where insects may be harboring, living and breeding. Place injector tip into cracks, crevices, holes and other small openings. Release approximately one-second of product. For light infestations move injector tip along cracks while treating at the rate of three linear feet per second. For heavy infestations move injector tip along at one linear foot per second. For closed voids calculate the void's cubic area and treat at the rate of five to ten seconds per three cubic feet. Several holes may be required in long-running voids. Repeat as necessary.

Flying Insects - Cluster Flies, Flies, Fruit Flies, Gnats, Mosquitoes, Small Flying Moths: GENERAL VOLUMETRIC TREATMENT: Close all windows and doors and direct fog upward at a rate of 1 to 3 seconds per 1000 cu. ft. Disperse in all locations. Keep area closed for 15 min. Open and ventilate before reoccupying. Repeat treatment as necessary.

Ants, Booklice, Centipedes, Clover Mites, Crickets, Millipedes, Roaches, Silverfish, Sowbugs, and Spiders: Inject into cracks and crevices in all hiding places behind baseboards, sinks, cabinets, meter boxes, door frames, windows. GENERAL VOLUMETRIC TREATMENT: Open cabinets and doors in area to be treated. Turn off air conditioners and fans and close doors and windows before treating. Apply at the rate of 20 seconds per 1000 cu. ft. of space. Disperse toward area suspected of harboring the greatest insect infestations. Disperse in all locations contacting as many insects as possible. Keep area closed for 15 minutes. Open and ventilate the treated area before reoccupying. Repeat treatment as necessary.

Bed Bugs: Take bed apart and treat cracks, joints and interior of framework. Treat mattresses and box springs; especially tufts, folds, and edges. Also treat picture frames, moldings and all cracks and crevices in the room. Do not use in hospital patient rooms.

Lice and Lice eggs: Not for use on humans or animals. Treat an inconspicuous area to test for possible staining or discoloration. Inspect after drying, then treat entire area. Hold container upright with actuator opening directed away from you and apply from a distance of 18 inches. Treat at the rate of 1 second per square foot. Treat all mattresses, furniture or similar objects that cannot be laundered or dry cleaned. Do not use article until treated area is dry. Repeat treatment as necessary.

Clothes Moths and Carpet Beetles" Locate source of infestation. Treat nearby cracks and crevices and perform general volumetric treatment of infested area. To protect wools and other keratin containing materials, brush clean, then air out. Before treating entire article, treat a small hidden area of fabric to determine if staining will occur. Treat thoroughly by holding dispenser at least 18 inches from garment. Treated articles should be put into a darkened closet or other darkened storage such as cedar chests, storage drawers, or sealable plastic fabric bags. For best protection clean and treat inside of closets or storage areas by treating one second per 10 sq. ft. before putting treated materials away. Treatment should be repeated every six months or as needed. Dry clean treated clothes before wearing.

Wasps and bees: For treatment of these pests inside structural voids, locate all insect entrances. Close all but one opening. Determine size of void. Inject 5 to 10 seconds per three cubic feet of void into remaining opening. For best results, treat at dusk or later.

Mud Dauber and Wasp Nests: Apply mist directly on insects and their nest from approximately 18 inches. Contacted insects will fly away from fog. Applications should be made in late evening when insects are at rest. Disperse into hiding and breeding places contacting as many insects as possible.

For exposed adult and larval stages of Carpet Beetles, Cigarette Beetles, Confused Flour Beetles, Drug Store Beetles, Grain Mites, Granary Weevils, Red Flour Beetles, Rice Weevils, and Sawtoothed Grain Beetles: Contact as many insects as possible. Inject into cracks and crevices of pantries, cabinets, food processing and handling equipment and other places where insects harbor. Apply around cartons, and containers, and other areas where these insects tend to congregate. GENERAL VOLUMETRIC TREATMENT: Apply 20 seconds per 1000 cu. ft. of space. Repeat treatment weekly or as insects appear. Infested stored products should be fumigated or treated by other effective methods using an approved product intended for this purpose.

Angoumois Grain Moth, Chocolate Moth, Indian Meal Moth, Mediterranean Flour Moth: Close all doors and windows. Direct into all parts of room, especially around stored product containers, pallets, and darkened areas. Apply 5 to 10 seconds for each 1000 cu. ft. of space. Keep area closed for 15 minutes following treatment. Open and ventilate before reoccupying. Repeat treatment weekly or as necessary. Infested stored products should be fumigated or treated by other effective methods using an approved product intended for this purpose.

Fleas in buildings: GENERAL VOLUMETRIC TREATMENT: Hold product 36" above floor and direct toward floor and lower walls at a rate of 10 seconds per 100 sq. ft. making sure that all floor, sofa and chair surfaces are contacted. Keep area closed for 15 minutes. Open and ventilate before reoccupying. Repeat treatment after 7 days or as necessary.

Ticks: Holding container 36" above the floor, direct this product toward pet beds and resting quarters. Treat adjacent cracks and crevices such as behind baseboards and edges of carpet and floor covers. Treat higher cracks such as upper door jams and window framing, behind pictures and other areas where females may crawl to lay eggs. Repeat treatment as necessary.

#### Volumetric Treatment for Void Areas

(Attics, false ceilings, crawl spaces, wall and equipment voids.) For application with Johnson Wax Professional Crack & Crevice® actuator, injection tubes or other Johnson Wax Professional equipment.

For exposed stages of ants, beetles, centipedes, cockroaches, crickets, millipedes, silverfish, sowbugs and spiders harboring in voids, calculate void volume and treat at a rate of 20 seconds per 1000 cu. ft. Repeat treatment as necessary.

#### Outdoor Ground Application

Flies, Gnats and Mosquitoes in open areas near buildings and in campgrounds. Best results are obtained when wind speed is five (5) MPH or less. Apply at a rate of 1.5 to 2 seconds per thousand square feet. Apply in wide swaths across area to be treated. Allow treatment to penetrate dense foliage. Repeat treatment as necessary.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**Storage:** Store in a cool area away from heat or open flame.

**Pesticide Disposal:** Waste resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal:** This container may be recycled in the few but growing number of communities where steel aerosol can recycling is available. Before offering for recycling, empty the can by using the product according to the label. (DO NOT PUNCTURE!) If recycling is not available, wrap the container and discard in the trash.

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed or absorbed through skin. Do not remain in treated area and ventilate the area after treatment is completed. Avoid breathing of vapor. Avoid contact with skin, eyes, or clothing. Wash thoroughly after using and before smoking or eating. Do not contaminate water, food, or foodstuffs. Remove all pets and birds. Cover fish tanks or remove before treatment. In hospitals, patients should be removed from room prior to treatment. Room should be ventilated for two hours after spraying. Do not return patients to room until after ventilation.

### FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS

Foods should be removed or covered during treatment. All food processing surfaces and equipment should be covered during treatment or thoroughly washed with an effective cleaning compound followed by a potable water rinse before using. When using this product, apply only when plant is not in operation.

### NOTICE TO APPLICATOR

During any general volumetric treatment, wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute of Occupational Safety and Health under the provisions of 30 CFR Part 11.

### ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift from treated areas may be hazardous to organisms in adjacent aquatic sites.

### PHYSICAL OR CHEMICAL HAZARDS

Extremely Flammable. Contents under pressure. Keep away from heat, sparks and open flame. Do not use this product in electrical equipment (where there is exposed wiring or contact points) due to possibility of short circuits and shock hazard. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting. Do not spray on plastic, painted, or varnished surfaces or directly into any electronic equipment such as radios, televisions, computers, etc. Product should only be used when can temperature is above 60° F. If can temperature is below 60° F, store at room temperature until a temperature above 60° F is reached.

Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.

8/8

Sold by:  
SC Johnson Commercial Markets, Inc.  
8310 16<sup>th</sup> Street, PO Box 902  
Sturtevant, WI 53177-0902

©2000 S.C. Johnson Commercial Markets, Inc., Sturtevant, WI 53177-0902 U.S.A.  
All Rights Reserved