

70627-54

10/18/2006

111

(Note to Agency: Text appearing in parenthesis or brackets is done to show optional text.)

JohnsonDiversey



ALPHA HP

ACCEPTED  
OCT 18 2006  
Under The Federal Insecticide, Fungicide & Rodenticide Act, as amended, for the purposes mentioned above  
70627-54

**(MULTI-SURFACE) ((ONE-STEP) DISINFECTANT)  
(SANITIZER) • (CLEANER) • (\*VIRUCIDAL) • (DEODORIZER)**

(Fragrance Free Formula), (Unscented),  
((Fresh) (Citrus) (Lemon) (Orange) (Scent) (Fragrance))

(Bathroom Cleaner Disinfectant) (Multi-Surface Cleaner Disinfectant) (Cleans and Deodorizes in **One Step**)  
(Cleans Grout) (Cleans all water washable surfaces!)  
(Pre-treatment prior to carpet cleaning) (Carpet Spotter) (Degreaser)  
(Use Daily to Prevent the Build up of Dirt and Grime.)

For (Commercial) & (Industrial) Use (Only)

<b>ACTIVE INGREDIENT:</b>	
Hydrogen Peroxide.....	4.25%
<b>INERT (OTHER) INGREDIENTS:</b> .....	95.75%
<b>TOTAL:</b>	100.00%

**KEEP OUT OF REACH OF CHILDREN  
DANGER**

**FIRST AID**

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**IN CASE OF EMERGENCY, CALL A POISON CONTROL CENTER OR DOCTOR FOR TREATMENT  
ADVICE.**

**1-800-851-7145**

Have the product container or label with you when calling a Poison Control Center or doctor or going in for treatment.

**Note to Physician:** Probable mucosal damage may contraindicate the use of gastric lavage.

See additional precautionary statements on (back) (side) (left) (right) (panel) of label (below).

**Net Contents:**

(Product of USA)

2/11

(Note to Agency: Text appearing in parenthesis or brackets is done to show optional text.)

**(MARKETING CLAIMS):** (Note to EPA - This text will only appear on the appropriate container.)

**SOLUTIONS CENTER™** (64 oz. containers) - For use with (JOHNSON WAX PROFESSIONAL™) (SOLUTIONS CENTER™) Brand Dispensing Equipment. Dispense with cold water. Eliminates Mixing. The Accurate Solution To Cleaner Dilution. Disinfectant Cleaning With The Convenience Of (SOLUTIONS CENTER™). (SOLUTIONS CENTER™) (This) packaging offers Reduced Exposure To Concentrate Due To Closed Transfer System. Solutions To Go!

**J-FILL™ DISPENSING SYSTEMS** (84.5 oz. containers) - For use with (JOHNSON WAX PROFESSIONAL™) (J-FILL™) Brand Dispensing Equipment. Dispense with cold water. Eliminates Mixing. The Accurate Solution To Cleaner Dilution. Disinfectant Cleaning With The Convenience Of J-FILL™. J-FILL™ (This) packaging offers Reduced Exposure To Concentrate Due To Closed Transfer System. Solutions To Go!

**RTD™ DISPENSING SYSTEMS** (1.5L & 5L containers) - RTD. Very Simple. Very Smart. Ready-To-Dispense. Dispense with cold water. Out of the box. Provides accuracy. No chemical connections, sealed bottle. Proven dilution control concentrate.

**OUTPOST™ (SINGLE SOLUTION™) DISPENSING SYSTEMS** (2 L containers) - For use with (BUTCHER™) (RAMSEY™) (OUTPOST™) (SINGLE SOLUTION™) Brand Dispensing Equipment. Dispense with cold water. Eliminates Mixing. The Accurate Solution To Cleaner Dilution. (OUTPOST™) (SINGLE SOLUTION™) (This) packaging offers Reduced Exposure To Concentrate Due To Closed Transfer System.

**PRACTICAL SOLUTIONS™** (1 gal. containers) - For use with (BUTCHER™) (RAMSEY™) (PRACTICAL SOLUTIONS™) Brand Dispensing Equipment. Dispense with cold water. Eliminates Mixing. The Accurate Solution To Cleaner Dilution. PRACTICAL SOLUTIONS™ (This) packaging offers Reduced Exposure To Concentrate Due To Closed Transfer System.

**COMMAND CENTER™** (1.5 gal. containers) - For use with (BUTCHER™) (COMMAND CENTER™) Brand Dispensing Equipment. Dispense with cold water. Eliminates Mixing. The Accurate Solution To Cleaner Dilution. COMMAND CENTER™ (This) packaging offers Reduced Exposure To Concentrate Due To Closed Transfer System.

**(General Uses)**

ALPHA HP cleans by removing dirt, grime, body oils and other common soils. This product is for use in schools and colleges (universities), (day care centers), offices (office buildings), hotels, motels, restrooms, gym and locker rooms, food service establishments (restaurants), retail facilities, airports, cruise ships, casinos, warehouses, (industrial) and commercial buildings.

Use daily on the following hard, non-porous environmental (inanimate) surfaces: vinyl, painted surfaces, plastic (surfaces), mirrors, glass, windows, glazed ceramic, glazed porcelain, chrome, stainless steel, aluminum, laminated surfaces and baked enamel surfaces associated with floors, walls, ceilings, tables, chairs, countertops, telephones, fixtures, glazed tile, sinks, shower rooms and locker rooms areas – non-food contact surfaces where disinfection or sanitizing is required. Not recommended for use on brass.

ALPHA HP eliminates odors leaving bathrooms (restrooms) smelling clean and fresh. Use where odors are a problem. It cleans, disinfects and deodorizes surfaces by killing odor-causing microorganisms.

**((Bathroom) (Restroom) Disinfectant Cleaner:)**

ALPHA HP is a (concentrated) bathroom cleaner which cleans, disinfects and deodorizes in one easy step. It cleans, disinfects and deodorizes mirrors, glass, sinks, sink basins, faucets, tubs, glazed tiles, glazed ceramic, glazed porcelain, chrome, stainless steel, and all hard non-porous, washable surfaces found in the bathroom (restroom) (in the presence of organic soil). Not recommended for use on brass.

ALPHA HP eliminates odors leaving bathrooms (restrooms) smelling clean and fresh. Use where odors are a problem. It cleans, disinfects and deodorizes surfaces by killing odor-causing microorganisms. Its non-abrasive formula is designed for use (Use it daily) on ([hard, non-porous environmental] restroom surfaces): mirrors, glazed ceramic (restroom) tile, glazed porcelain, chrome, stainless steel and plastic surfaces associated with floors, walls, fixtures, toilets, urinals, sinks, shower rooms and locker rooms.

RECEIVED  
OCT 18 2006  
Under The Federal Insecticide, Fungicide and  
Rodenticide Act, as amended, for the  
products registered under  
EPA Reg. No. 70627-54

(Note to Agency: Text appearing in parenthesis or brackets is done to show optional text.)

3/11

**(CLAIMS:)**

**(Disinfectant)** – This product when used as directed at 1:64 dilution (2 oz. of product per gallon of water) is effective against *Staphylococcus aureus* and *Salmonella choleraesuis* using approved AOAC test methods (under Good Laboratory Practices, [GLPs]), in the presence of 200 ppm hard water, 5% serum load and a 10 minute contact time on hard non-porous inanimate surfaces.

**(Virucidal)**- When used as directed at a 1:64 - 1:128 dilution (1 - 2 oz. of product per gallon of water), ALPHA HP is effective against Herpes simplex Type 2, (VR-734) and Influenza Type A<sub>2</sub> (Hong Kong), (VR-544) using approved ASTM test methods (under Good Laboratory Practices, [GLPs]), in the presence of 200 ppm hard water, 5% serum load and 5 minutes contact time.

Kills HIV-1 (AIDS virus)(HTLV-III<sub>B</sub>) when used as directed on hard non-porous inanimate surfaces with a 1 minute contact time.

**(Sanitizing)** - When used as a non-food contact sanitizer at a 1:64 - 1:128 dilution (1 - 2 oz. of product per gallon of water) using approved AOAC test methods (under Good Laboratory Practices, [GLPs]), in the presence of 200 ppm hard water, 5% serum load, Alpha HP, reduces *E. coli*, *Enterococcus faecalis*, *Klebsiella pneumoniae*, *Pseudomonas aeruginosa* and *Salmonella choleraesuis*, *Staphylococcus aureus* by 99.9% with a 3 minute contact time on hard non-porous inanimate surfaces.

**Bactericidal Stability of Use-Solution** - Tests show Alpha HP as a disinfectant, when diluted in 200 ppm hard water using approved AOAC test methods (under Good Laboratory Practices, [GLPs]), in the presence of 5% serum, remains effective against *Staphylococcus aureus* and *Salmonella choleraesuis* for up to 10 days in storage as long as the bottle remains sealed. If the use-solution becomes visibly dirty or contaminated, it must be discarded and a fresh product prepared. Always use clean, dry containers when diluting this product.

Tests show Alpha HP as a non-food contact sanitizer, when diluted in 200 ppm hard water using approved AOAC test methods (under Good Laboratory Practices, [GLPs]), in the presence of 5% serum, remains effective against *Staphylococcus aureus* and *Klebsiella pneumoniae* for up to 10 days in storage as long as the bottle remains sealed. If the use-solution becomes visibly dirty or contaminated, it must be discarded and a fresh product prepared. Always use clean, dry containers when diluting this product.

**Malodor(s) (Activity) (Counteractancy)** – eliminates (destroys) odors and odor-causing bacteria in restroom areas, behind and under sinks and counters, and storage areas (and other places where bacterial growth can cause malodors).

ACCEPTED  
OCT 18 2006  
Under The Federal Insecticide, Fungicide or  
Rodenticide Act, as amended, for the  
pesticides registered under  
70627-54

4/11

(Note to Agency: Text appearing in parenthesis or brackets is done to show optional text.)

**DIRECTIONS FOR USE:**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

ALPHA HP can be applied by mop, sponge, cloth, paper towel, (hand pump) trigger sprayer, auto-scrubber or foam gun (device). Change cloth, sponges or towels frequently to avoid redeposition of soil.

1:64 Dilution

**To Prepare Use Solution:** Add the product at 2 oz. of product per gallon of water (1:64).

(Note to EPA: The directions that appear for specific container sizes will be substituted for the sentence above only on that container size.)

**(GENERAL DISPENSER INSTRUCTIONS)** [These instructions may be substituted for any dispensing device to prepare the use solution] : Remove cap and insert cartridge into dispenser. Note: See dispenser instructions for proper cartridge placement. Once cartridge is properly inserted into dispenser, follow dispenser use instructions to dispense a 1:64 solution into a bucket, bottle, scrubber or other container.

**SOLUTIONS CENTER™** (64 oz. containers) - Remove cap and insert cartridge into dispenser. Note: See dispenser instructions for proper cartridge placement. Once cartridge is in place, (squeeze the handle) (or) (press the button) to dispense a 1:64 solution into a bucket, bottle, scrubber or other container.

**J-FILL™ DISPENSING SYSTEMS** (84.5 oz. containers) - Remove cap and insert cartridge into dispenser. Note: See dispenser instructions for proper cartridge placement. Once cartridge is in place, (squeeze the handle) (or) (press the button) to dispense a 1:64 solution into a bucket, bottle, scrubber or other container.

**RTD™ DISPENSING SYSTEMS** (1.5L and/or 5L containers) -Turn off water to connect unit. Attach to water source. Rotate control knob to fill bottle or bucket. Squeeze handle to dispense a 1:64 solution into a bottle (bucket) (or other container). See device instruction manual for more information.

**OUTPOST™ (SINGLE SOLUTION™) DISPENSING SYSTEMS** (2 L containers) - Remove cap and insert cartridge into dispenser. Note: See dispenser instructions for proper cartridge placement. Once cartridge is in place turn the knob to dispense a 1:64 solution into a bucket, bottle, scrubber or other container.


**PRACTICAL SOLUTIONS™** (1 gal. containers) - Remove cap and insert cartridge into dispenser. Note: See dispenser instructions for proper cartridge placement. Once cartridge is in place, press the button to dispense a 1:64 solution into a bucket, bottle, scrubber or other container.

**COMMAND CENTER™** (1.5 gal. containers) - Remove cap and insert cartridge into dispenser. Note: See dispenser instructions for proper cartridge placement. Once cartridge is in place, press the button to dispense a 1:64 solution into a bucket, bottle, scrubber or other container.

**For Use as Daily (One-Step) Cleaner/Disinfectant:**

1. Pre-clean heavily soiled areas.
2. Apply Use Solution by (hand pump) coarse trigger sprayer to hard, non-porous environmental surfaces. Spray 6 -8 inches from surface; making sure to wet surfaces thoroughly.
3. All surfaces must remain wet for ten (10) minutes.
4. Wipe surfaces (and let air dry).

Note - Rinsing is not necessary unless floors are to be coated with finish or restorer. All food contact surfaces such as appliances and kitchen countertops must be rinsed with potable water. Do not use on glassware, utensils, or dishes.



5/11

(Note to Agency: Text appearing in parenthesis or brackets is done to show optional text.)

**For Use as (Daily) Bathroom (Restroom) (One-Step) Cleaner/Disinfectant:**

1. Pre-clean heavily soiled areas.
2. Apply Use Solution by (hand pump) coarse trigger sprayer to hard, non-porous environmental surfaces. Spray 6-8 inches from surface; making sure to wet surfaces thoroughly.
3. All surfaces must remain wet for ten (10) minutes.
4. Wipe surfaces (and let air dry).

Note - Rinsing is not necessary unless floors are to be coated with finish or restorer.

**For Use in Cleaning and Disinfecting Toilet Bowls and Urinals:**

1. With swab applicator, remove water from bowl by forcing water over trap.
2. Press swab applicator against side of bowl to remove excess water.
3. Apply Use Solution to swab applicator, cloth, mop, sponge or directly to surface.
4. Swab entire surface area especially under the rim. Be sure to wet all surfaces thoroughly.
5. Allow entire surface to remain wet for ten (10) minutes.
6. Flush toilet or urinal and rinse swab applicator thoroughly.

**For Use To Clean and Disinfect Shower Rooms, Locker Rooms and Other Large, Open Areas with Floor Drains:**

1. Pre-clean heavily soiled areas.
2. Apply Use Solution to floors, walls and ceilings making sure not to over spray. To disinfect, all surfaces must remain wet for ten (10) minutes.  
*Special instructions for foam guns: Pour concentrate into foam gun bottle and attach bottle to spray nozzle and ensure gun is attached to hose. Note: See foam gun instructions for more information. Make sure setting is set for a 1:64 dilution. Once in place, squeeze the handle to dispense foam solution. To disinfect, all surfaces must remain wet for ten (10) minutes.*
3. Scrub using a deck brush or other coarse material as necessary.
4. Rinse surfaces thoroughly and let air dry.

**For use a Virucide:**

1. Pre-clean heavily soiled areas.
2. Apply Use Solution (1:64 dilution) until thoroughly wet.
3. Let stand for five (5) minutes.
4. Then wipe (or allow to air dry).

**\*Alpha HP kills HIV-1 in one minute on pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids in settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS).**

**SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS:**

**Personal Protection:** Disposable latex or vinyl gloves, gowns, face masks, or eye coverings as appropriate, must be worn during all cleaning of body fluids, blood, and decontamination procedures.

**Cleaning Procedures:** Blood and body fluids must be thoroughly cleaned from surfaces and objects before application of this product.

**Contact Time:** Allow surface to remain wet for 1 minute to kill HIV-1 and 5 minutes for other listed viruses. Allow 10 minutes to disinfect bacteria and 3 minutes to sanitize non-food contact surfaces.

**Disposal of Infectious Material:** Blood and other body fluids should be autoclaved and disposed of according to Federal, State, and local regulations for infectious waste disposal.

ACCEPTED

OCT 18 2006

Under The Federal Insecticide, Fungicide and  
Herbicide Act, as amended, for the  
products registered under  
EPA Reg. No. 70627-54

6/11

(Note to Agency: Text appearing in parenthesis or brackets is done to show optional text.)

**To Sanitize Non-Food Contact Surfaces:**

1. Pre-clean heavily soiled hard non-porous surfaces.
2. Apply Use Solution (1:64 dilution) until thoroughly wet.
3. Let stand for three (3) minutes.
4. Then wipe (or allow to air dry).
5. Not for use on food contact surfaces or on food preparation areas.

1:128 Dilution

**To Prepare Use Solution:** Add the product at 1 oz. per gallon of water (1:128).

(Note to EPA: The directions that appear for specific container sizes will be substituted for the sentence above only on that container size.)

**(GENERAL DISPENSER INSTRUCTIONS)** [These instructions may be substituted for any dispensing device to prepare the use solution] : Remove cap and insert cartridge into dispenser. Note: See dispenser instructions for proper cartridge placement. Once cartridge is properly inserted into dispenser, follow dispenser use instructions to dispense a 1:128 solution into a bucket, bottle, scrubber or other container.

**SOLUTIONS CENTER™** (64 oz. containers) - Remove cap and insert cartridge into dispenser. Note: See dispenser instructions for proper cartridge placement. Once cartridge is in place, (squeeze the handle) (or) (press the button) to dispense a 1:128 solution into a bucket, bottle, scrubber or other container.

**J-FILL™ DISPENSING SYSTEMS** (84.5 oz. containers) - Remove cap and insert cartridge into dispenser. Note: See dispenser instructions for proper cartridge placement. Once cartridge is in place, (squeeze the handle) (or) (press the button) to dispense a 1:128 solution into a bucket, bottle, scrubber or other container.

**RTD™ DISPENSING SYSTEMS** (1.5L and/or 5L containers) - Turn off water to connect unit. Attach to water source. Rotate control knob to fill bottle or bucket. Squeeze handle to dispense a 1:128 solution into a bottle (bucket) (or other container). See device instruction manual for more information.

**OUTPOST™ (SINGLE SOLUTION™) DISPENSING SYSTEMS** (2 L containers) - Remove cap and insert cartridge into dispenser. Note: See dispenser instructions for proper cartridge placement. Once cartridge is in place turn the knob to dispense a 1:128 solution into a bucket, bottle, scrubber or other container.

**PRACTICAL SOLUTIONS™** (1 gal. containers) - Remove cap and insert cartridge into dispenser. Note: See dispenser instructions for proper cartridge placement. Once cartridge is in place, press the button to dispense a 1:128 solution into a bucket, bottle, scrubber or other container.

**COMMAND CENTER™** (1.5 gal. containers) - Remove cap and insert cartridge into dispenser. Note: See dispenser instructions for proper cartridge placement. Once cartridge is in place, press the button to dispense a 1:128 solution into a bucket, bottle, scrubber or other container.

**To Sanitize Non-Food Contact Surfaces:**

1. Pre-clean heavily soiled hard non-porous surfaces.
2. Apply Use Solution (1:128 dilution) until thoroughly wet.
3. Let stand for three (3) minutes.
4. Then wipe (or allow to air dry).
5. Not for use on food contact surfaces or on food preparation areas.

ACCEPTED

OCT 18 2006

Under The Federal Insecticide, Fungicide & Rodenticide Act, as amended, for the pesticides registered under EPA Reg. No. 70627-54

70627-54

7/11

(Note to Agency: Text appearing in parenthesis or brackets is done to show optional text.)

**For use a Virucide:**

1. Pre-clean heavily soiled areas.
2. Apply Use Solution (1:128 dilution) until thoroughly wet.
3. Let stand for five (5) minutes.
4. Then wipe (or allow to air dry).

**\*Alpha HP kills HIV-1 in one minute on pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids** in settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS).

**SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS:**

**Personal Protection:** Disposable latex or vinyl gloves, gowns, face masks, or eye coverings as appropriate, must be worn during all cleaning of body fluids, blood, and decontamination procedures.

**Cleaning Procedures:** Blood and body fluids must be thoroughly cleaned from surfaces and objects before application of this product.

**Contact Time:** Allow surface to remain wet for 1 minute to kill HIV-1 and 5 minutes for other listed viruses. Allow 10 minutes to disinfect bacteria and 3 minutes to sanitize non-food contact surfaces.

**Disposal of Infectious Material:** Blood and other body fluids should be autoclaved and disposed of according to Federal, State, and local regulations for infectious waste disposal.

**ACCEPTED**  
 OCT 18 2006  
 Under The Federal Insecticide, Fungicide and  
 Herbicide Act, as amended, for the  
 products registered under  
 EPA Reg. No.

70627-54

(Note to Agency: Text appearing in parenthesis or brackets is done to show optional text.)

For Multiple Dilution Labels

To Prepare Use Solution:


Add the product at 1/2 - 2 oz. per gallon water.

(Note to EPA: The directions that appear for specific container sizes will be substituted for the sentence above only on that container size.)

(GENERAL DISPENSER INSTRUCTIONS) [These instructions may be substituted for any dispensing device to prepare the use solution] : Remove cap and insert cartridge into dispenser. Note: See dispenser instructions for proper cartridge placement. Once cartridge is properly inserted into dispenser, follow dispenser use instructions to dispense a 1:64 or 1:128 or 1:256 solution into a bucket, bottle, scrubber or other container.


J-FILL™ DISPENSING SYSTEMS (84.5 oz. containers) - Remove cap and insert cartridge into dispenser. Note: See dispenser instructions for proper cartridge placement. Once cartridge is in place, (squeeze the handle) (or) (press the button) to dispense a 1:64 or 1:256 solution into a bucket, bottle, scrubber or other container.

RTD™ SYSTEMS (1.5 or 5 L containers) - Using the RTD unit, dispense product into a (trigger sprayer), (auto scrubber,) (or) bucket.



For Cleaning (and Disinfection) (or Carpet Spotter) set the control knob to the (

or



For Virucidal and Non-Food Contact Sanitization set the control knob to the (

or

or



) setting which provides 1 oz. of product per gallon of water dilution (1:128).



For Use as a Cleaner/Deodorizer/Degreaser set the control knob to the (

or

or

) setting

ACCEPTED  
OCT 18 2006  
Under The Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the products registered under EPA Reg. No.



9/11

(Note to Agency: Text appearing in parenthesis or brackets is done to show optional text.)

**For Use as Daily (One-Step) Cleaner/Disinfectant:**

1. Pre-clean heavily soiled areas.
2. Apply Use Solution (2 oz. of product per gallon of water or 1:64 dilution) by (hand pump) coarse trigger sprayer to hard, non-porous environmental surfaces. Spray 6 -8 inches from surface; making sure to wet surfaces thoroughly.
3. All surfaces must remain wet for ten (10) minutes.
4. Wipe surfaces (and let air dry).

Note - Rinsing is not necessary unless floors are to be coated with finish or restorer. All food contact surfaces such as appliances and kitchen countertops must be rinsed with potable water. Do not use on glassware, utensils, or dishes.

**For Use as (Daily) Bathroom (Restroom) (One-Step) Cleaner/Disinfectant:**

1. Pre-clean heavily soiled areas.
2. Apply Use Solution (2 oz. of product per gallon of water or 1:64 dilution) by (hand pump) coarse trigger sprayer to hard, non-porous environmental surfaces. Spray 6 -8 inches from surface; making sure to wet surfaces thoroughly.
3. All surfaces must remain wet for ten (10) minutes.
4. Wipe surfaces (and let air dry).

Note - Rinsing is not necessary unless floors are to be coated with finish or restorer.

**For Use in Cleaning and Disinfecting Toilet Bowls and Urinals:**


7. With swab applicator, remove water from bowl by forcing water over trap.
8. Press swab applicator against side of bowl to remove excess water.
9. Apply Use Solution (2 oz. of product per gallon of water or 1:64 dilution) to swab applicator, cloth, mop, sponge or directly to surface.
10. Swab entire surface area especially under the rim. Be sure to wet all surfaces thoroughly.
11. Allow entire surface to remain wet for ten (10) minutes.
12. Flush toilet or urinal and rinse swab applicator thoroughly.

**For Use To Clean and Disinfect Shower Rooms, Locker Rooms and Other Large, Open Areas with Floor Drains:**

1. Pre-clean heavily soiled areas.
2. Apply Use Solution (2 oz. of product per gallon of water or 1:64 dilution) to floors, walls and ceilings making sure not to over spray. To disinfect, all surfaces must remain wet for ten (10) minutes.
3. *Special instructions for foam guns: Pour concentrate into foam gun bottle and attach bottle to spray nozzle and ensure gun is attached to hose. Note: See foam gun instructions for more information. Make sure setting is set for a 1:64 dilution. Once in place, squeeze the handle to dispense foam solution. To disinfect, all surfaces must remain wet for ten (10) minutes.*
4. Scrub using a deck brush or other coarse material as necessary.
5. Rinse surfaces thoroughly and let air dry.

**For use as a Virucide:**

1. Pre-clean heavily soiled areas.
2. Apply Use Solution (1 - 2 oz. of product per gallon of water or 1:64 - 1:128 dilution) until thoroughly wet.
3. Let stand for five (5) minutes.
4. Then wipe (or allow to air dry).



70627-54

10/11

(Note to Agency: Text appearing in parenthesis or brackets is done to show optional text.)

**\*Alpha HP kills HIV-1 in one minute on pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids in settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS).**

**SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS:**

**Personal Protection:** Disposable latex or vinyl gloves, gowns, face masks, or eye coverings as appropriate, must be worn during all cleaning of body fluids, blood, and decontamination procedures.

**Cleaning Procedures:** Blood and body fluids must be thoroughly cleaned from surfaces and objects before application of this product.

**Contact Time:** Allow surface to remain wet for 1 minute to kill HIV-1 and 5 minutes for other listed viruses. Allow 10 minutes to disinfect bacteria and 3 minutes to sanitize non-food contact surfaces.

**Disposal of Infectious Material:** Blood and other body fluids should be autoclaved and disposed of according to Federal, State, and local regulations for infectious waste disposal.

**To Sanitize Non-Food Contact Surfaces:**

1. Pre-clean heavily soiled hard non-porous surfaces.
2. Apply Use Solution (1 - 2 oz. of product per gallon of water or 1:64 - 1:128 dilution) until thoroughly wet.
3. Let stand for three (3) minutes.
4. Then wipe (or allow to air dry).

**For Use as a Cleaner/Deodorizer/Degreaser:** Dilute product at 0.5 - 1.0 oz. of product per gallon of water (1:256 to 1:128). Apply to surfaces. Wipe surfaces (and let air dry).

**For Carpet Pre-Spray:** Dilute at 1.0 oz. of product per gallon of water (1:128), apply with coarse trigger sprayer or mechanical sprayer to entire surface to be cleaned. Allow product to dwell for an appropriate time to enhance soil removal. Then conduct normal carpet extraction cleaning procedure.

**For Use as a Carpet Spotter:** Dilute at 2 oz. of product per gallon of water (1:64). Apply with coarse trigger sprayer to spot. Allow product to dwell for an appropriate amount of time to enhance spot removal. Then conduct normal extraction procedures for spot removal.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:**

Do not reuse empty container. (Keep from freezing.)

**PESTICIDE DISPOSAL:**

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:**

(Plastic Containers:)

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

(Sealed Dispenser Cartridges)

Do not reuse, wrap empty container and put in trash. [Note to Agency: Please note that neither dispenser cartridges can be triple rinsed because they are closed sealed containers designed to reduce worker exposure to the concentrate.]

**ACCEPTED**

OCT 18 2006

Under The Federal Insecticide, Fungicide, and Rodenticide Act, as amended, this product is registered under...

(Note to Agency: Text appearing in parenthesis or brackets is done to show optional text.)

1111

**ENVIRONMENTAL HAZARDS** (for containers of 5 gallons or more)

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

**PRECAUTIONARY STATEMENTS**

**HAZARD TO HUMANS AND DOMESTIC ANIMALS**

**DANGER: Corrosive.** Causes irreversible eye damage. Do not get in eyes, on skin or on clothing. Wear chemical splash-proof goggles or face shield, chemical resistant gloves and protective clothing. Harmful if swallowed, inhaled or absorbed through skin. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse.

Si no puede leer en ingles, pregunte a su supervisor sobre las instrucciones de uso apropiadas antes de trabajar con este producto.

EPA Reg. No. 70627-54  
EPA Est. No.

MSDS No. XXXXXXX  
© 2006 JohnsonDiversey, Inc., Sturtevant, Wisconsin 53177-0902 U.S.A.

**ACCEPTED**  
OCT 18 2006  
Under The Federal Insecticide, Fungicide & Rodenticide Act, as amended, for the pesticides registered under EPA Reg. No. 70627-54

70627-54