

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

March 4, 2022

Sara Seltzer Senior Registration Specialist Diversey, Inc. P.O. Box 19747 Charlotte, NC 28219-0747

Subject: PRIA Label Amendment – SARS-CoV-2 claim addition and reduced contact time

Product Name: Oxivir<sup>TM</sup> Wipes

EPA Registration Number: 70627-60

Received Date: 10/14/2021 Action Case Number: 00331666

### Dear Sara Seltzer:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. Pursuant to 40 CFR 156.10(a)(6), you must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. See FIFRA section 2(p)(2). If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process, FIFRA section 12(a)(1)(B). Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Assurance.

Page 2 of 2 EPA Reg. No. 70627-60 Action Case No. 00331666

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact Aidan Fife by phone at 202-566-0822, or via email at <a href="fife.aidan@epa.gov">fife.aidan@epa.gov</a>.

Sincerely,

Steven Snyderman, Product Manager 33 Regulatory Management Branch II

Antimicrobials Division (7510P)

Office of Pesticide Programs

Steven Inydornan

Enclosure: Stamped Final Label

## **OXIVIR®** Wipes

### • [Bactericide] • [\*Virucide] • [Fungicide] • [Mildewcide] • [Disinfectant] • [Cleaner]

Active Ingredient:	
Hydrogen Peroxide	0.5%
[Inert] [Other] Ingredients	99.5%
Total	100.0%

### **KEEP OUT OF REACH OF CHILDREN**

DO NOT FLUSH

## IN CASE OF EMERGENCY, CALL A POISON CONTROL CENTER OR DOCTOR FOR TREATMENT ADVICE. (1-800-851-7145)

Have the product container or label with you when calling a Poison Control Center or doctor or going in for treatment

EPA Reg. No. 70627-60

EPA Est. No. {Insert EPA Est. No.}
Net Contents: {Insert package contents}

Manufactured [By] [For]:

Diversey, Inc. PO Box 19747, Charlotte, NC 28219-0747 U.S.A. All Rights Reserved.

[Manufactured in: {insert country}

Accelerated Hydrogen Peroxide® and AHP® are trademarks of Diversey Inc.

[See reference sheet [enclosed in each case] for [a complete list of pathogenic organisms] [additional] [features] [and] [claims] [directions for use] [claimed for this product (or *product name*)].]

### ACCEPTED

03/04/2022

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 70007 00

70627-60

### {Features, Claims and Uses}

### {Product Descriptors}

- Active Ingredient is an Oxidizing Agent
- Bactericide
- Broad-Spectrum Disinfectant
- Cleaner
- Cleans, Deodorizes and Brightens in One Step1
- Cleans, Disinfects, & Deodorizes (with Hydrogen Peroxide)
- Cleans Grout
- · Cleans Hard, Non-porous Water Washable Surfaces!
- Deodorizer
- Disinfectant
- Easy to Use
- For (Industrial), (Institutional) & (Residential) Use
- Fungicide
- Fungicidal disinfectant against C. auris
- Hospital Disinfectant Cleaner
- Hydrogen Peroxide
- Meets Surface Recommendations from OSHA's Bloodborne Pathogens Standard for \*HBV, \*HCV & \*HIV-1
- Mildewcide

- Multi-Surface
- Multi-surface Disinfectant Cleaner
- Multi-surface [One-Step¹] Disinfectant
- Non-Dulling
- No Gloves Required, unless directed
- Odor Counteractant
- Odor Neutralizer
- One-step<sup>1</sup> when used according to disinfection directions
- One-step¹ Disinfectant (Cleaner) (& Deodorizer) (Wipes)
- Oxidizer
- Ready to Use
- Sanitizer
- Sanitizes
- Tuberculocide
- Towelette
- (Restroom) (&) (Bathroom) (Disinfectant Cleaner)
- Use Daily to Prevent the Buildup of Dirt and Grime.
- \*Virucide
- Wipe

### (Marketing Statements)

1 Step Cleaning and Disinfection<sup>1</sup> in 1 minute

1 Minute bactericidal, virucidal, (and 3 minute fungicidal)

A disinfectant and cleaner (that cleans, disinfects and deodorizes in one labor saving step) when used according to disinfection directions for use.

Alcohol Free

All-in-one Disinfecting Wipe1

An effective sanitizer-cleaner on hard nonporous surfaces when used according to directions for use as a non-food contact sanitizer

An effective one-step<sup>1</sup> disinfectant cleaner for hard, nonporous surfaces

Approved for Use in Home

Breaks down (removes) (eliminates 99.9% of) (removes) (the most common) allergens (found in dust)++

Broad-spectrum (Multi-purpose) (Multi-surface) (Bactericidal) (\*Virucidal) (Tuberculocidal) (Fungicidal) (Sanitizer) (Disinfectant) (activity)

Cleaning and disinfection in 1 minute

Cleans (tough) grease and grime (and) (institutional) (soils)

Cleans (and) disinfects (and deodorizes) hard, non-porous surfaces

Cleans grout

Cleans hard, non-porous water washable surfaces!

Cleans, deodorizes and brightens in one step1

Cleans (tough) soap scum

Cleans while it kills germs<sup>1</sup>

(Cleans) (Removes) (Eliminates 99.9% of) (Destroys) stains

Compatible with microfiber (cloths)

Contains no phosphates

Contains no VOC-emitting ingredients

Controls (Eliminates 99.9% of) odor-causing bacteria

Convenient, pre-wetted wipes on demand

Deodorizer (Odor Counteractant)

Deodorizes odor-causing bacteria

Disinfects as it cleans when used according to disinfection directions for use

Disinfects surfaces by killing [99.9%] SARS-Related Coronavirus 2 [SARS-CoV-2] [USA-WA1/2020] (the cause of COVID-19) [in one step¹] on hard non-porous surfaces

Dual action formulation providing broad spectrum activity against; fungi, mycobacteria, \*viruses, and bacteria

Easy to use

Effective - Cleans soap scum

Effective cleaner

Effective against Bloodborne Pathogens \*HBV, \*HCV & \*HIV-1

Effective against SARS-Related Coronavirus 2 [SARS-CoV-2] [USA-WA1/2020] [in 1 minute] on hard non-porous surfaces

[Effective against] [Disinfects] [Kills] [99.9%] SARS-CoV-2 [virus] (the cause of COVID-19) on hard non-porous surfaces

(Eliminates) (Kills) 99.9% of (odor-causing) bacteria (from surfaces)

Eliminates 99.9% of odors (caused by bacteria), (mold), (and) (mildew)

Effective

For (a) cleaner, fresher {insert use sites/surfaces from lists below} (or any hard, non-porous washable surface where disinfection is required.)

For any non-food contact hard, non-porous surface where germs are a concern.

For everyday use (in institutional (and) (industrial) facilities)

For multiple cleaning tasks

For non-scratch cleaning of showers and tubs, shower doors and curtains<sup>†</sup>, fixtures and toilet bowls

For use (in) (Hospitals), (and) (Health Care) (settings) (as a multi-purpose disinfectant cleaner)

For terminal cleaning

Formula powered by AHP.

Formulated with patented hydrogen peroxide technology

Fragrance Free Formula (Unscented)

Gentle on eyes, skin, and nose

Good for most indoor cleaning tasks

(Highly) compatible (formula) for most surfaces

High (Frequently) touch[ed] surface(s) [disinfectant] [and] [cleaner]

Intense cleaning action

Keeps day care centers clean

Kills (99.9% of) germs in 1 minute

Kills (99.9% of) the cold and flu viruses

(Kills) (Destroys) (Eliminates 99.9% of) (household<sup>2</sup>) germs while it cleans

(Kills) (Effective against) (the) cold (and) (flu) virus(es) (on hard, nonporous surfaces)

Kills germs including: SARS-CoV-2, Salmonella, E. coli, MRSA, Rhinovirus, Strept and Norovirus on hard non-porous surfaces Kills bacteria and sanitizes

Kills SARS-CoV-2 that causes COVID-19 on hard non-porous surfaces (in 15 seconds)

[Kills] [Effective against] the virus that causes COVID-19 on hard non-porous surfaces

[Kills] [Eliminates] 99.9% SARS-Related Coronavirus [SARS-CoV-2] [USA-WA1/2020] [causative agent of COVID-19] [the virus that causes COVID-19] on hard non-porous surfaces

Kills the virus (SARS-CoV-2) that causes COVID-19 on hard non-porous surfaces

Kills [99.9% of] SARS-CoV-2, which causes COVID-19 on hard non-porous surfaces

Kills \*viruses

Kills bacteria and \*viruses on (common household2) hard, non-porous surfaces in 15 seconds (1 minute)

Kills bacteria (in 1 minute)

Kills odor-causing bacteria

Leaves (insert use sites/surfaces from lists below) smelling clean (with a clean fresh scent)

Leaves a fresh, clean scent

Leaves no (dull) (sticky) residue.

Leaves surfaces virtually streak-free

Lift the Cap, Pull Wipe, Wipe Surface

No fragrance added

No harsh (chemical) fumes

No rinse required

No streaking (or) (filming) (sticky residue) (formula)

Non-corrosive (to eyes) (and) (skin)

Non-tainting (leaves no unsightly residues)

Not a skin (dermal) sensitizer

Non-irritating to eyes

Non-irritating to skin

Non-irritating to respiratory tracts

Not for use on skin

Odor Neutralizer

Odor control (odor neutralizer) (deodorizer) (odor-counteractant) formula (on hard non-porous surfaces)

One-step<sup>1</sup> Cleaning and Disinfection in 1 minute

Oxivir® Clean

Patented (Technology)

Remove (dried) (stuck on) dirt (grime) (food) (spills) (grease) (greasy messes)

Proven "one-step1" disinfectant/cleaner/fungicide/mildewcide/virucide that is effective for hard, non-porous surfaces

Category IV Tox(icity) Rating (in all 6 toxicity categories)

Quickly (eliminates 99.9% of) (removes) odors

Reduces allergens++

Sanitizes

Specially designed to dissolve (penetrate) the toughest (stubborn) soils

(Step-saving), (Labor-saving,) (Time-saving,) (Cost-saving) formula

Suitable for everyday use

Surface cleaner with antibacterial formula

This product kills germs and removes allergens\*\* while cleaning hard, nonporous surfaces

\*\*This product removes the following (non-living) allergens\*\*: (cat dander), (cockroach matter), (cockroach debris), (cockroach particles), (dog dander), (dust mite debris), (pet dander), (pollen particles)

To be used in sanitizing and disinfecting of hard, non-porous non-food contact surfaces and non-critical equipment which may harbor or spread germs

Tough on germs (pathogens)

Use daily to prevent the build-up of dirt and grime

Use only one product to get a streak-free shine plus antimicrobial action

(Uses) (Harnesses) the cleaning power of hydrogen peroxide

Versatile, Fast-acting, Convenient formula

Will not leave grit or soap scum

(FUNGICIDAL: 3 MIN(UTES).)

(\*\*FUNGICIDAL AGAINST C. AURIS: 5 MIN(UTES).)

(\*VIRUCIDAL: 1 MIN(UTES)) (BACTERICIDAL: 1 MIN(UTES)) (TUBERCULOCIDAL: 5 MIN(UTES))

### (General Uses:)

For Use in Health Care, Veterinary, Animal Housing, Dental, (Life Science) Laboratory, Medical, Educational, Retail, Fitness, Household, Hospitality, Industrial & Institutional Facilities, Food Processing Establishments, and Hospitals.

This product is a one-step¹ (hospital-use) germicidal disinfectant (and) (deodorant) (odor-counteractant) (odor neutralizer) designed for general cleaning, (and) disinfecting (deodorizing) (of) hard, non-porous inanimate surfaces. It cleans by removing dirt, grime, and other common soils found (in) (on) {insert use sites/surfaces from lists below} (or any hard, non-porous washable surface where disinfection is required.)

(It is designed for use on) (Use daily on) (the following) (hard, non-porous inanimate surfaces): {insert surfaces from lists below} (where disinfection is required). A potable water rinse is required for food contact surfaces. Do not use on glassware, dishes and utensils.

[It is designed for use on] [Use daily on] (the following) (hard, non-porous inanimate surfaces): {insert use sites/surfaces from lists below} – (where disinfection is required). A potable water rinse is required for food contact surfaces. Do not use on glasses, dishes and utensils.

(This product [or product name] (Oxivir Tb Wipes) (This product) [or These] (are) (is a) non-woven, disposable (towelette(s)) (wipe(s)), pre-saturated with Hydrogen Peroxide (based) disinfectant cleaner.

(This product [or product name] (Oxivir Tb Wipes) (This product) is a one-step<sup>1</sup> (hospital-use) germicidal (disinfectant) cleaner and deodorant (odor-counteractant) (odor neutralizer) (towelette) designed for general cleaning, (and) disinfecting, (and) (deodorizing) (of) hard, non-porous environmental surfaces.

(This product's [or product name] (Oxivir Tb Wipes) (This product) (Its) (non-dulling) (cleaning) (convenient) (easy-to-use) (effective) formula eliminates the time and labor normally required for rinsing.

(This product's [or product name] (Oxivir Tb Wipes) (This product) (Its) (non-dulling) (cleaning) (convenient) (easy-to-use) (effective) formula is designed for use on (Use daily on) (Use daily to clean and disinfect) (insert use sites/surfaces from lists below)

(Oxivir Tb Wipes') (This product's) (Its) non-abrasive formula is designed for use on (Use daily on) (the following) [insert use sites/surfaces from lists below]

(Oxivir Tb Wipes') (This product's) (Its) non-abrasive formula is designed for use on (Use daily on) hard, non-porous environmental surfaces.

(Oxivir Tb Wipes) (This product) (It) cleans by removing dirt, grime, dead skin, blood, urine, fecal matter, body oils and other (organic matter) (common soils) found in [insert use sites/surfaces from lists below] (or – any hard, non-porous washable surface where disinfection is required.)

(Oxivir Tb Wipes) (This product) (It) also eliminates odors, leaving (restroom) surfaces smelling clean and fresh. Use where odors are a problem.

(Oxivir Tb Wipes) (This product) cleans, disinfects and deodorizes hard, non-porous environmental (hospital) (medical) (dental) (laboratory) [insert use sites/surfaces from lists below] surfaces in one step<sup>1</sup> (with no rinsing required).

(Oxivir Tb Wipes) (This product) cleans, disinfects and deodorizes surfaces by killing odor-causing microorganisms. Its (non-dulling) (advanced) (efficient cleaning) (convenient) (easy-to-use) (effective) formula is designed for use on (Use it daily) on) [insert use sites/surfaces from lists below]

(Oxivir Tb Wipes) (This product) (It) (is designed for use on) (Use daily on) (the following) (hard, non-porous environmental (inanimate) surfaces): (insert use sites/surfaces from lists below) or – any hard, non-porous washable surface where disinfection is required.

### (CLAIMS & USES:)

(This product) (Oxivir Tb Wipes) {marketed product name} cleans and disinfects {insert organism name(s) from list in Efficacy Claims section} including ESKAPE pathogens - Enterococcus faecium, Staphylococcus aureus, Klebsiella pneumonia, Acinetobacter baumannii, Pseudomonas aeruginosa, and Enterobacter aerogenes

(This product) (Oxivir Tb Wipes) {marketed product name} kills ESKAPE organisms with a 1 minute kill time.

(This product) (Oxivir Tb Wipes) {marketed product name} cleans and disinfects, killing ESKAPE organisms with a 1-minute dwell time.

Kills ESKAPE bacteria in 1 minute

### (Hospitals/Health Care Facilities/Dental Offices/Life Science Laboratories:)

[This product is a one-step¹ (hospital-use) (laboratory-use) germicidal disinfectant and deodorant (odor-counteractant) (odor neutralizer) designed for cleaning, (and) disinfecting, (deodorizing) (of) hard, non-porous inanimate surfaces. This product cleans by removing dirt, grime, food residue; dead skin, blood and other organic matter commonly found in {insert use sites/surfaces from lists below}. It also eliminates odors, leaving (restroom) surfaces smelling clean and fresh. Use where odors are a problem.]

[This product cleans, disinfects and deodorizes hard, non-porous inanimate (hospital) (medical) (dental) (laboratory) surfaces in one step¹ (with no rinsing required). [Its non-abrasive formula is designed for use on] [Use daily on] [(the following) (hard, non-porous inanimate surfaces:) {insert use sites/surfaces from lists below}] (or any hard, non-porous washable surface where disinfection is required.) (found in) {insert use sites/surfaces from lists below} (It can be used to pre-clean and disinfect hospital items: {insert use sites/surfaces from lists below} (where disinfection is required). A potable water rinse is required when disinfecting food contact surfaces. Do not use on glasses, dishes and utensils.]

[This product can be used against bacteria, \*viruses, fungi, mycobacteria and mildew on hard non-porous surfaces found in: {insert use sites from list below}]

{or}

[(Oxivir Tb Wipes) (This product) can be used (in) (on) hard non-porous surfaces (of the following items) or (in the following areas): {insert use sites/surfaces from lists below}]

(or

[This product has been developed to aid in the reduction of cross-contamination between treated surfaces (not only in hospitals (and healthcare facilities), but also) in: {insert use sites from list below}]

### (Animal Housing Facilities:)

[This product cleans by removing dirt, grime, blood, urine, fecal matter and other common soils found in animal housing facilities, grooming facilities, farms, kennels, pet stores, veterinary clinics, laboratories or other small animal facilities. It (also) eliminates odors leaving surfaces smelling clean and fresh.]

[This product cleans, disinfects and deodorizes hard, non-porous environmental surfaces in one step1. [Its non-abrasive

formula is designed for use on] [Use daily on] [Use daily to clean and disinfect] (hard, non-porous surfaces (of):) finsert use sites/surfaces from lists below) (where disinfection is required.) found in (barns, pens and stalls) animal housing facilities.]

### {Areas} (Areas) (Use Sites)

### [(This product) (can be) use(d) (on) (hard non-porous surfaces of the following areas))]

- Airplanes
- **Airports**
- Ambulances [Emergency Medical] Transport Vehicles
- **Ambulatory Surgical Centers** [(ASC)]
- **Amusement Parks**
- [Animal] (and) [Pet] Housing
- [Animal] (and) [Pet] Grooming **Facilities**
- **Animal Care Facilities**
- **Animal Holding Areas**
- **Animal Housing Facilities**
- Animal Life Science Laboratories
- **Animal Transportation** Vehicles
- Anesthesia Rooms or Areas
- [Assisted Living] (and) [Full Care] Nursing Homes
- [Athletic] (and) [Recreational] **Facilities**
- **Banquet Halls**
- **Barber Shops**
- Bars
- **Basements**
- **Bathrooms**
- **Beauty Salons**
- **Bedrooms**
- **Bowling Alleys**
- **Breeding Establishments**
- **Buses**
- **Butcher Shops**
- Cafeterias
- **Changing Areas**
- Colleges
- Convenience Stores

- **Convention Centers**
- **Correctional Facilities**
- Cruise Ships
- Cafeterias
- CAT Lab[oratories]
- Central Service Areas
- Central Supply [Rooms] (and) [Areas]
- Colleges
- Commercial (and) [Institutional] Kitchens
- C[ritical] C[are] U[nits]
- **Dairy Farms**
- Day Care [Centers]
- Deli[catessen]s
- **Dental Operatories**
- [Dental] [Dentist's] Offices
- **Dining Halls**
- **Dialysis Clinics**
- Doctors' Offices
- Dorm[itories]
- Elevators
- E[mergency] R[oom]s
- **Emergency Vehicles**
- Eye Surgical Centers
- Exam[ination] Rooms
- **Factories**
- **Farms**
- Food Preparation and **Processing Areas**
- [Food] Processing Plants
- Food Service Establishments
- [Food Serving] (and) [Storage Areasl
- Front of Restaurants
- **Funeral Homes**
- Garages

- **Gas Stations**
- General Merchandise Stores
- Greenhouses
- **Grocery Stores**
- Gym[nasium]s
- Health Clubs
- Health Care [Settings] [Facilities]
- Home Centers
- Home Health Care Settings
- Homes
- Hospices
- Hospitals
- Hotels
- Industrial Facilities
- Institutional Kitchens (and) [Bathrooms]
- [Institutional] Laundromats
- Institutions
- I[ntensive] C[are] U[nits] [areas]
- **Isolation Areas**
- Kennels
- Kitchens
- Laboratories
- Laundromats
- Laundry Rooms
- Lab[oratories]
- Lavatories
- Libraries
- Locker Room[s] [Facilities]
- Lodging Establishments
- Long Term Care Facilities
- Lounges
- Malls
- Manufacturing [Plants] [Facilities]

- Markets
- [Medical] Clinics
- Medical Facilities
- [Medical] [Doctor's] Offices
- [Newborn] [Neonatal] [Nursery] [Intensive] [Care] Units [NICU]
- Nurses' Stations
- **Nursing Homes**
- Nurseries
- Offices
- Office Buildings
- O[perating] R[oom]s
- Orthopedics
- Patient Rooms
- Pediatric Intensive Care Units [PICU]
- Pet Animal Quarters
- Pet Shops
- **Pharmacies**
- Physical Therapy Rooms
- Physicians' Offices

- Play [Areas] (and) [Rooms]
- [Police] (and) [Fire] Vehicles
- **Psychiatric Facilities**
- Public [Areas] (and) [Places]
- **Public Facilities**
- [Public] Restrooms
- Public [Tele]phone [Booths]
- Radiology
- Reception areas
- Recovery Rooms
- **Recreational Facilities**
- Rehabilitation Centers
- Rental Cars
- Respiratory Therapy Rooms
- Rest Stops
- Restaurants
- Restroom Areas
- Retail Businesses
- School Buses
- Schools
- Shelters

- Shops
- **Shower Rooms**
- Sports Stadiums
- Storage [Rooms] (and) [Areas]
- Subways
- Surgery Rooms [Centers]
- **Tattoo Parlors**
- **Toilet Areas**
- **Transportation Terminals**
- **Trains**
- **Trolleys**
- Universities
- **Urgent Care [Centers]** [Facilities]
- Veterinary [Offices] [Waiting Rooms1
- Waiting [Rooms] (and) [Areas]
- Work Stations
- X-Ray Rooms
- Zoos

### {Surface Materials} (Surfaces)

[This Product (Product Name) can be used on the following hard, nonporous surfaces:]

- **Amalgamators**
- Anesthesia machines
- Animal equipment
- Apex locators
- Apheresis machines
- Appliance exterior(s) [surfaces][
- Appliance -or- cabinet knobs
- Autoclaves
- Automatic feeders
- Bathroom doorknobs
- Baked enamel surfaces
- **Bassinets**
- [Bathroom] fixtures
- [Bathroom] (and) [Kitchen] faucets (and) [handles]
- Bathrooms sinks and faucets
- Bathroom surfaces
- [Bath]tubs
- Bed frames
- **Bedpans**

- **Bedrails**
- Commodes
- Bedside tables
- Blood pressure cuffs and monitors
- Booster chairs
- Bottoms of pots and pans
- Burner trays
- Cabinets
- Cages
- Call boxes
- Car interiors
- Chairs
- Changing tables
- Charging stations
- Chemotherapy hoods
- Furniture
- Closets
- [Common] hard, nonporous [household] surfaces

- Compactors
- Computers
- [Computer] keyboards
- [Computer] monitors
- Computer mouse
- Computer screens
- Cooler exteriors
- Cords
- Counter[top]s
- [Crash] (and) [emergency] carts
- Cupboards
- Cribs
- Dental countertops
- Dental operatory surfaces
- Dental surfaces
- [Dentists'] [Dental] chairs
- Dental unit instrument trays
- Desk [tops]
- Diagnostic equipment

- Dialysis machines
- Dictating equipment [surfaces]
- Docking stations
- Door [handles] (and) [frames]
- Doorknobs
- Drainboards
- Drawers
- Dryers
- Dressing carts
- Elevator buttons
- Endodontic equipment
- [Exam] [Examination] tables
- Exercise] (and) [athletic] equipment
- Exercise mats
- Exhaust fans
- Exterior surfaces of air vents
- External surfaces of [medical] equipment
- [External surfaces of]
   [Ultrasound transducers] (and)
   [probes]
- Exterior (of) [toilet] (and) [urinal] surfaces
- External surfaces of [veterinary] equipment
- Exterior surfaces of watering appliances
- Faucets
- Fax machine [handles]
- Feed racks
- [Filing] (and) [medicine] cabinets
- Finished hardwood
- [Finished] (and) [painted] walls
- Finished windowsills
- Fixtures
- Flower buckets
- Food cases
- Food trays
- Footboards
- Freezer exteriors
- Furniture
- Garage surfaces
- [Garbage] disposals
- Garbage -or- trash cans

- Germ-prone [hard, nonporous] surfaces
- Glucometers
- [Grocery] carts
- Gurneys
- Gym[nastic] equipment
- Hampers
- Handheld [electronic] devices
- [Hand] rail[ing]s
- High touch surfaces
- Headboards
- Headsets
- High chairs [(non-food contact)]
- High touch surfaces
- Hoods
- [Hospital] [Medical] surfaces
- [Hospital] [Patient] bed (springs) (railings) (frames)
- Common Household Surfaces
- Hydrotherapy Tubs
- Infant incubators and care cribs
- Infant warmers
- [Instrument] Stands
- Isolettes
- IV [stands] [pumps] [poles]
- Keyboards
- Kid's play [structures] [equipment]
- [Kitchen] appliance exteriors
- Kitchen surfaces
- Laminated surfaces
- Lamps
- Laptops
- Light [fixtures] [switches] [panels]
- Light lens covers
- Lockers
- Mammography equipment
- [Medicine] (and) [filing] cabinets
- Medication carts
- Mirrors
- Mobile devices
- Mobile electronic equipment
- Mobile workstations

- M[agnetic] R[esonance]
   I[maging] equipment
- Nurse-call devices] (and) [buttons]
- Office machinery
- Operating room lights
- Operating Room Tables (Surfaces) (Positioning Pads)
- Operatory light switches
- Outside of appliances
- Oxygen hoods
- Oven exteriors at room temperature
- Overbed tables
- Packing benches
- Paddles
- Pagers
- Painted surfaces
- Patient monitoring equipment
- Patient support and delivery equipment
- Pens
- Phlebotomy trays
- Physical therapy [(PT)] equipment surfaces
- Phone cradles
- Piano keys
- Plastic and painted surfaces
- Plastic laundry [hampers] [baskets]
- Plastic salad bar sneeze quards
- Plastic surfaces
- Playpens
- [plastic] [vinyl] Privacy screens
- Portable toilets
- Power cords
- Pulse oximeters
- PVC tubing
- Range hoods
- Reception [counters] [desks]
- Recycling bins
- Refrigerator exteriors
- Respirators
- Respiratory therapy equipment
- Restroom fixtures

- Scales
- Seats
- Sequential compression devices
- Shelves
- Shower(s) [curtains] [doors] [stalls] [walls]
- Shower fixtures
- Side rails
- Signs
- Sink [basins]
- Spine backboards
- Sports equipment
- Stainless steel surfaces
- Stall doors
- Staplers
- Stereo consoles
- Stethoscopes

- Stools
- Storage bins
- Stove[top]s at room temperature
- Stretchers
- Support bars
- Strollers
- Table[top]s
- Tablet PCs
- Telephones
- Tiled walls
- T[omography] equipment
- Tools
- Towel dispensers
- Toys
- Traction devices
- Trash cans
- Tray tables

- Troughs
- Vanity tops
- Vending machine surfaces
- Veterinary [care] surfaces
- Vinyl tile
- Walkers
- Walls
- Wash basins
- Washable kitchen surfaces
- Washable walls
- Wastebaskets
- Wheelchairs
- Window blinds
- WindowsWindshields
- Work benches
- X-ray equipment

Note: Prior to use on electronic equipment or components, (please) refer to the manufacturer's instructions (for appropriate use).

(It is) (Designed) For (daily) (use) (cleaning) (disinfecting) (on) (of) (medical) (hard, nonporous inanimate (environmental) surface(s) (materials)) (Compatible with):

- Acrylic,
- baked enamel surfaces,
- Corian®,
- · Chrome.
- non-food contact crystal,
- finished terrazzo,
- glass,
- glazed ceramic (tile),
- glazed porcelain,

- glazed tile,
- laminated surfaces,
- linoleum,
- metal (except copper and brass),
- painted surfaces,
- plastic (surfaces),
- glazed quarry tiles,
- rubber,

- sealed fiberglass,
- sealed granite,
- sealed marble,
- sealed mirror stone,
- stainless steel,
- synthetic marble,
- vinyl,

[Not recommended for use on] {or} [avoid contact with]: brass or copper.

Note: This product is compatible with the listed materials. If product is intended to be used on other surfaces, it is recommended to test product by applying to a small discrete area to determine compatibility before proceeding with its use.

[This product] [{product name}] is formulated to be used against the following soils and stains:

- Beverage stains
- Blood
- Body oils
- Body Fluids
- Coffee [stains]
- Cosmetics
- Dead skin

- Dirt
- Fecal matter
- Fingerprints
- Food spills
- Food residues
- Food stains
- Fruit [stains]

- Grease
- Grime
- Heel [marks] [scuffs]
- Juice stains
- Laboratory stains
- Mold (and) [mildew] stains
- Mud

Common [soils] [stains]

Organic matter

Ink [marks]Pet stains

Rust

Smudges

Soap Scum

Tea [stains]

Tough soils

Urine [stains]

Wine stains

### {New and Improved Claims}

{Note to the reviewer: the following short claims might be inserted on the container label only for the period of 6 months after the launch}

- [Better] [Improved] [New] [New and improved] [packaging]
- [New and improved]
- [New Claims]
- [New Claims and Faster Contact Times]
- [New Kill Claims]
- [New Saves Time]

### **DIRECTIONS FOR USE:**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Not for personal cleansing. This is <u>not</u> a baby wipe. Do not flush in toilet.

{Note to reviewer: The following paragraph will be used on labels that list medical devices as defined by the FDA, and is manufactured accordingly.]

(This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the blood stream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.)

{or}

This product is not for use on critical and semi-critical medical device surfaces

### (CLAIMS AND ORGANISMS:)

When used as directed, this product is effective against a wide variety (broad-spectrum) of pathogenic microorganisms (including bacteria, antibiotic resistant bacteria, [list of antibiotic resistant organisms is below, in Efficacy Claims section, under subheading Antibiotic-Resistant (Strains of) Bacteria], viruses, and fungi). (See reference sheet (enclosed in each case) for a complete list of organisms.)

### (HOSPITAL DISINFECTANT:)

BACTERICIDAL: {Note to reviewer: Only one of the following statements will be on the product label}

(in the presence of 5% serum load and 1-minute contact time at 20°C (68°F) on hard, non-porous environmental surfaces.)

{or} (1-minute contact time)

{or} (1 minute)

(Organism)	(ATCC Number)	(Contact Time)
Staphylococcus aureus	(ATCC 6538)	1 minute
Pseudomonas aeruginosa	(ATCC 15442)	1 minute
Salmonella enterica, formerly known as Salmonella choleraesuis	(ATCC 10708)	1 minute
Acinetobacter baumannii	(ATCC 19606)	1 minute
Enterococcus faecium	(ATCC 51559)	1 minute
Escherichia coli O157:H7	(ATCC 35150)	1 minute
Klebsiella aerogenes, (formerly Enterobacter aerogenes)	(ATCC 13048)	1 minute
Klebsiella pneumonia	(ATCC 4352)	1 minute
Legionella pneumophila	(ATCC 33153)	1 minute
Listeria monocytogenes	(ATCC 19111)	1 minute
Shigella dysenteriae	(ATCC 11835)	1 minute
(Antibiotic-Resistant (Strains of) Bacteria):		
Enterococcus faecalis (Resistant to Vancomycin (VRE))	(ATCC 51575)	1 minute
Escherichia coli, carbapenum resistant (CRE)	(ATCC BAA-2469)	1 minute
Escherichia coli with extended beta-lactamase resistance (ESBL)	(ATCC BAA-196)	1 minute
Klebsiella aerogenes, (formerly Enterobacter aerogenes), Multi-Drug Resistant (BEI UCI15)	(ATCC BAA-2356)	1 minute
Klebsiella pneumoniae, carbapenum resistant (CRKP)	(ATCC BAA-1705)	1 minute
Extended spectrum beta-lactamase Klebsiella pneumoniae (NDM-1)	(ATCC 700603)	1 minute
Streptococcus pneumoniae, Penicillin-resistant (PRSP)	(ATCC 700677)	1 minute
Multidrug-resistant (MDR) Pseudomonas aeruginosa	(ATCC BAA-2108)	1 minute
Staphylococcus aureus (Resistant to Methicillin (MRSA))	(ATCC 33592)	1 minute
Staphylococcus aureus (CA-MRSA), (Community Associated Methicillin Resistant) (NARSA NRS 384)(Genotype USA300)		1 minute
Staphylococcus aureus (CA-MRSA), (Community Associated Methicillin Resistant) (NARSA NRS 123)(Genotype USA400)		1 minute

\*VIRUCIDAL: {Note to reviewer: Only one of the following statements will be on the product label}

(in the presence of 5% serum load and 1-minute contact time at 20°C (68°F) on hard, non-porous environmental surfaces.)

{or} (1-minute contact time)

{or} (1 minute)

(\*Viruses (\*Virucidal Activity)): (Organism) (ATCC Number) (Contact Time) Adenovirus type 8 (ATCC VR-1368) 1 minute Hepatitis B Virus (HBV) (Acquired from Hepadnavirus Testing) 1 minute Hepatitis C Virus (HCV) (Acquired from National Veterinary Services Laboratories) 1 minute Herpes Simplex Virus, Type 1 (HSV-1) (ATCC VR-733) 1 minute Herpes Simplex Virus, Type 2 (HSV-2) (ATCC VR-734) 1 minute HIV-1 (AIDS Virus), Strain HTLV-IIIB (HIV-1) (Acquired from Adv. Biotechnologies, Inc.) 1 minute **Human Coronavirus** (ATCC VR-740) 1 minute Influenza A Virus (ATCC VR-544) 1 minute Middle Eastern Respiratory Syndrome Coronavirus (MERS-CoV) (Strain EMC/2012) 1 minute (ATCC VR-782) Norovirus, (Feline Calicivirus as the surrogate) 1 minute (ATCC VR-1000) Poliovirus Type 1, Strain Brunhilde 1 minute Respiratory Syncytial virus (RSV) (ATCC VR-26) 1 minute Rhinovirus Type 14 (ATCC VR-284) 1 minute Rotavirus WA (Acquired from University of Ottawa) 1 minute SARS-Related Coronavirus 2 (SARS-CoV-2) (cause of COVID-19) (USA-WA1/2020) 1 minute (15 seconds) Vaccinia Virus (ATCC VR-156) 1 minute (\*Veterinary Viruses:)

Avian Influenza A Virus (H3N2)	(ATCC VR-2072)	1 minute
Feline Calicivirus, Strain F9	(ATCC VR-782)	1 minute

\*VIRUCIDAL: {Note to reviewer: Only one of the following statements will be on the product label}

(in the presence of 5% serum load and 15-second contact time at 20°C (68°F) on hard, non-porous environmental surfaces.)

{or}

(15-second contact time on hard non-porous surfaces)

{or}

(15 seconds on hard non-porous surfaces)

SARS-Related Coronavirus 2 (SARS-CoV-2) (cause of COVID-19) (USA-WA1/2020)

15 seconds

**Non-Food Contact Surface Sanitizer for hard non-porous surfaces:** {Note to reviewer: Only one of the following statements will be on the product label}

(in the presence of 5% serum load and 30-second contact time at 20°C (68°F) on hard, non-porous environmental surfaces.)

{or}

(in the presence of a 5% serum load and 30-second contact time (at 20°C (68°F)) on hard, non-porous environmental surfaces.)

{or}

(30-second contact time on hard, non-porous environmental surfaces.))

{or

(30 seconds on hard, non-porous environmental surfaces.)

(Organism)	(ATCC Number)	(Contact Time)
Enterococcus faecalis, (Resistant to Vancomycin [VRE])	(ATCC 51575)	30 seconds
Escherichia coli O157:H7, (ATCC 35150)	(ATCC 35150)	30 seconds
Klebsiella pneumoniae,	(ATCC 4352)	30 seconds
Pseudomonas aeruginosa,	(ATCC 15442)	30 seconds
Salmonella enterica, (formerly known as Salmonella choleraesuis)	(ATCC 10708)	30 seconds
Staphylococcus aureus,	(ATCC 6538)	30 seconds
Staphylococcus aureus, (Resistant to Methicillin [MRSA])	(ATCC 33592)	30 seconds

### **TUBERCULOCIDAL:**

(in the presence of 5% serum load and 5-minute contact time at 20°C (68°F) on hard, non-porous environmental surfaces.)

(Organism)	(ATCC Number)	(Contact Time)
Mycobacterium bovis (Tb) (OT 451C150)		5 minutes

**FUNGICIDAL:** {Note to reviewer: Only one of the following statements will be on the product label}

*Trichophyton interdigitale* (ATCC 9533) (formerly *Trichophyton mentagrophytes*) (the fungus which causes Athlete's Foot) and *Candida albicans* (ATCC 10321) in the presence of a 5% serum load and 3-minute contact time at 20°C (68°F) when used as directed on hard, non-porous surfaces found in bathrooms, shower stalls, locker rooms, or other clean, hard, non-porous, surfaces commonly contacted by bare feet.)

{or}

(This product is fungicidal against the pathogenic fungi, *Trichophyton interdigitale* (ATCC 9533) (formerly *Trichophyton mentagrophytes*) (the fungus which causes Athlete's Foot) and *Candida albicans* (ATCC 10321) when used as directed on hard, non-porous surfaces found in bathrooms, shower stalls, locker rooms, or other clean, hard, non-porous, surfaces commonly contacted by bare feet.)

{or}

(This product is fungicidal against the pathogenic fungi, *Trichophyton interdigitale* (ATCC 9533) (formerly *Trichophyton mentagrophytes*) (the fungus which causes Athlete's Foot) and *Candida albicans* (ATCC 10321) when used as directed on hard, non-porous surfaces.)

{or}

(in the presence of 5% serum load and 3-minute contact time at 20°C (68°F) on hard, non-porous environmental surfaces.)

{or}

(3-minute contact time on hard non-porous surfaces)

{or}

(3 minutes on hard non-porous surfaces)

(Organism)	(ATCC Number)	(Contact Time)
Trichophyton interdigitale (formerly Trichophyton mentagrophytes)	(ATCC 9533)	3 minutes
Candida albicans	(ATCC 10231)	3 minutes

<sup>\*\*</sup>FUNGICIDAL: {Note to reviewer: Only one of the following statements will be on the product label}

(This product is fungicidal against Candida auris (CDC AR-0381) with a 5-minute contact time.)

{or

(5-minute contact time on hard non-porous surfaces)

{or

(5 minutes on hard non-porous surfaces)

(Organism)	(ATCC Number)	(Contact Time)
Candida auris	(CDC AR-0381)	5 minutes

**Malodor(s) (Activity) (Counteractancy)** – eliminates (destroys) odors and odor-causing bacteria on hard, nonporous surfaces in restroom areas, behind and under sinks and counters, and storage areas (and other places where bacterial growth can cause malodors).

### {Claims against Emerging Viral Pathogens}

This product qualifies for emerging viral pathogen claims per the EPA's 'Guidance to Registrants: Process for Making Claims Against Emerging Viral Pathogens not on EPA-Registered Disinfectant Labels' when used in accordance with the appropriate use directions indicated below.

This product meets the criteria to make claims against certain emerging viral pathogens from the following viral categories:

- Enveloped viruses
- Large, non-enveloped viruses
- Small, non-enveloped viruses

For an emerging viral pathogen that is a/an	follow the directions for use for the following organisms on the label:
Enveloped virus	Poliovirus type 1 (ATCC VR-1000), (Strain Brunhilde)
Large, Non-Enveloped Viruses	Feline Calicivirus (ATCC VR-782) / Norovirus
Small, Non-Enveloped Viruses	Poliovirus type 1 (ATCC VR-1000), Strain Brunhilde

{The statements shall be made only through the following communications outlets: technical literature distributed exclusively to health care facilities, physicians, nurses and public health officials, "1-800" consumer information services, social media sites and company websites (non-label related). These statements shall not appear on marketed (final print) product labels.}

### {Acceptable claim language:}

{Product name} has demonstrated effectiveness against viruses similar to {name of emerging virus} on hard, non-porous surfaces. Therefore, (this product) ({Product name}) can be used against {name of emerging virus} when used in accordance with the directions for use against {insert name of supporting virus(es) from list above} on hard, non-porous surfaces. Refer to the [CDC or OIE] website at {pathogen-specific website address} for additional information.

{or}

{Name of illness/outbreak} is caused by {name of emerging virus}. {Product name} kills similar viruses and therefore can be used against {name of emerging virus}. when used in accordance with the directions for use against [Poliovirus type 1] [Feline Calicivirus] on hard, non-porous surfaces. Refer to the [CDC or OIE] website at {website address} for additional information.

### For Use as a (One-Step<sup>1</sup>) (Cleaner)/(Disinfectant):

- 1. Pre-clean visibly soiled areas.
- 2. Pull towelette from dispenser (canister) (bucket) and wipe hard, non-porous environmental surfaces.
- 1. All surfaces must remain visibly wet for 1 minute. ({Only include following directions when these claims appear on product label} Use a 5-minute contact time for Tuberculosis. Use a 3-minute contact time for fungi and 5-minute contact time for Candida auris.) (Use a 15-second contact time for SARS-CoV-2 on hard non-porous surfaces)
- 3. Allow to air dry (or rinse (with potable water if necessary)).

Note: All food contact surfaces must be rinsed with potable water. Do not use on glassware, utensils, or dishes.

## For Use as (Daily) (Bathroom) (Restroom) (Shower Rooms) (Locker Rooms) (Athletic Equipment) (One-Step<sup>1</sup>) Cleaner/Disinfectant:

- 2. Pre-clean visibly soiled areas.
- 3. Pull towelette from dispenser (canister) (bucket) and wipe hard, non-porous environmental surfaces.
- 4. To disinfect, all surfaces must remain visibly wet for one (1) minute. ({Only include following directions when these claims appear on product label} Use a 5-minute contact time for Tuberculosis. Use a 3-minute contact time for fungi

and 5-minute contact time for *Candida auris.*) (Use a 15-second contact time for SARS-CoV-2 on hard non-porous surfaces)

5. Wipe surfaces dry (or rinse) (or allow to air dry).

### \*KILLS HIV AND HCV and HBV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS

**PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings (Hospitals, Nursing Homes) and other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood/body fluids, and in which the surfaces/objects likely to be soiled with blood/body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS) Hepatitis B Virus (HBV), or Hepatitis C Virus (HCV).

## SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATING AGAINST HIV-1 (AIDS Virus), HBV OR HCV OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS:

**Personal Protection:** Disposable latex or vinyl gloves, gowns, face masks, and eye coverings must be worn during all cleaning of body fluids, blood, and decontamination procedures.

**Cleaning Procedures:** Blood/body fluids must be thoroughly cleaned from surfaces/objects before application of this product.

**Contact Time**: Allow surface to remain visibly wet for 1-minute to kill HIV-1, HBV and HCV. ({Only include following directions when these claims appear on product label} Use a 5-minute contact time for Tuberculosis and a 3-minute contact for fungi and 5-minute contact time for Candida auris.)

**Disposal of Infectious Material:** Blood/body fluids must be autoclaved and disposed according to Federal, State and local regulations for infectious waste disposal.

### For Use as a Tuberculocide at 20°C (68°F):

- 1. Pre-clean visibly soiled areas.
- 2. Pull towelette from dispenser (canister) and wipe hard, non-porous environmental surfaces.
- 3. Allow the surface to remain visibly wet for 5 minutes. Use additional towelettes if needed to ensure the correct wet contact time.
- 4. Wipe surfaces dry (or rinse) (or allow to air dry).
- 5. Change towelette after each use (application).

### To Kill Fungi:

For Candida auris, please see special instructions.

- 1. Pre-clean visibly soiled areas.
- 2. Pull towelette from dispenser (canister) and wipe hard, non-porous environmental surfaces.
- 3. All surfaces must remain visibly wet for 3 minutes. Use additional towelettes if needed to ensure the correct wet contact time.
- 4. Wipe surfaces dry (or rinse) (or allow to air dry).

### \*\*Special Instructions for Cleaning Prior to Disinfection against Candida auris

Personal Protection: Wear appropriate barrier protection such as gloves, gowns, masks or eye covering.

Cleaning Procedure: Fecal matter/waste must be thoroughly cleaned from surfaces/objects before disinfection by application with a clean cloth, mop, and/or sponge saturated with the product. Pre-cleaning is to include vigorous wiping and/or scrubbing and all visible soil is removed. Surfaces in patient rooms are to be cleaned in an appropriate manner, such as from right to left or left to right, on horizontal surfaces, and top to bottom, on vertical surfaces, to minimize spreading the organism. Restrooms are to be cleaned last. Do not reuse soiled cloths.

**Infectious Materials Disposal:** Materials used in the cleaning process that may contain feces/wastes are to be disposed of immediately in accordance with local regulations for infectious materials disposal.

**Disinfection Procedure:** Pre-clean visibly soiled areas. Wipe hard, non-porous environmental surfaces with towelette. Allow the surface to remain visibly wet for 5 minutes. Use additional towelettes if needed to ensure the correct wet contact time. Wipe surfaces or let air dry.

### For use as a Non-Food Contact Sanitizer:

- 1. Pre-clean visibly soiled areas.
- 2. Pull towelette from dispenser (canister) and wipe hard, non-porous environmental surfaces.

- 3. Allow the surface to remain visibly wet for 30 seconds.
- 4. Wipe surfaces dry (or rinse) (or allow to air dry).
- 5. Change towelette after each use (application).

#### For Use as a Cleaner and/or Deodorizer:

Pull towelette from dispenser (canister) and wipe hard, non-porous environmental surfaces. Allow to air dry (or rinse (with potable water if necessary)).

Animal Housing Facilities (Including Veterinary Clinics, (Equine) Farms, Livestock, Swine and Poultry Houses): For cleaning and disinfecting the following hard, non-porous surfaces: feeding and watering equipment, utensils, instruments, cages, kennels, stables, catteries, etc.

- 1. Remove all animals and feeds from premises, animal transportation vehicles, crates, etc.
- 2. Remove all litter, droppings and manure from floors, walls and surfaces of facilities (including pens, chutes, and barns) occupied or traversed by animals.
- 3. Empty all troughs, racks, and other feeding or watering appliances.
- 4. Thoroughly clean all surfaces with soap or detergent and rinse with potable water. Pull towelette from dispenser (canister) and wipe hard, non-porous environmental surfaces.
- 5. All surfaces must remain visibly wet for 1 minute.
- 6. Allow to air dry (or rinse (with potable water if necessary)).
- 7. Ventilate buildings and other closed spaces.
- 8. Do not house animals or employ equipment until treatment has been set or dried.

NOTE: Not for use on handling and restraining equipment such as leashes, muzzles, halters or ropes, as well as forks, shovels, and scrapers used for removing litter and manure.

### (Allergen Destruction)

**To Clean and Destroy Specified Allergens:** Spray [Spray/Apply], wait 1 minute, and wipe excess. (Allow to air dry) (or) (rinse). (If streaking is observed, wipe with a clean, damp (cloth or) paper towel.)

Allergens:

- Cockroach matter -or- particles
- Dust mite matter -or- particles
- · Pet dander -or- dog and cat dander

### (Packaging Opening Instructions:)

### (Rigid Can with EZ-Open Lid)

Dispenser Directions: Do Not Remove Lid. Lift lid to expose dispenser and seal film. Using finger, push through film at vent hole and remove film. Pull wipe up from center of roll and pull towards you to insert in single wipe dispenser. Simply pull wipe at angle towards you to dispense one wipe at a time. To dispense multiple wipes, pull wipe away from you, out of single wipe dispenser and pull up. Separate wipe at perforation. When finished, close lid to retain moisture.

To Open New Package: No Need to Remove Lid. Lift lid to expose dispenser and seal film, which covers wipe roll. Simply puncture and tear film at the vent holes and remove film from canister.

To Open Package: Open lid/flap and pull out wipe at an angle from center of roll. When finished, close lid to retain moisture.

### (Rigid Can with Traditional-Open Lid)

Dispenser Directions: Remove lid to expose dispenser and seal film. Remove film. Pull wipe up from center of roll and thread through lid. Replace lid. Pull wipe at angle towards you to dispense one wipe at a time. Separate wipe at perforation. When finished, close lid to retain moisture.

To Open New Package: Remove lid to expose dispenser and seal film, which covers wipe roll. Remove film. Thread wipe

through lid. Replace lid.

To Open Package: Open lid/flap and pull out wipe at an angle from center of roll. When finished, close lid to retain moisture.

### (Stand Up Pouch)

Dispenser Directions: Remove film seal from wipe access port. Pull first wipe from center of roll. Insert first wipe in to easy thread dispenser. Insert easy thread dispenser into port and make a 1/4 turn clockwise to lock in place. Pull wipes at an angle to dispense. Dispense as many as required for job and break off at perforation. After use, store next wipe in easy thread dispenser cavity and snap lid closed to retain moisture.

To Open New Package: Remove film seal (from orifice) (over/from cap). Twist dispenser counterclockwise and remove to access wipe roll. Grab first wipe from center of roll. Insert wipe in dispenser orifice. Insert dispenser, twist clockwise until it locks.

To Open Package: Open lid/flap and pull out wipe at an angle from center of roll. When finished, close (click) (snap) lid/flap (closed) to retain moisture.

#### (FlatPack)

[For re-sealable flatpack, transport pack or softpack, flexible package:] [To Open Package:]

- 1. Open [click-lock] [closure] and peel back [or] [remove] seal.
- 2. Pull out [one] wipe [sheet] [at a time][, use as directed].
- 3. [When finished,] [firmly] close [click-lock] [closure] to retain moisture [to prevent drying between uses].

### (Re-sealable soft pack:)

- 1. Remove the seal (from the place shown on the label).
- 2. Remove one sheet at a time.
- 3. Close the seal (to prevent drying between uses).

### [Storage and Disposal for Institutional Use Products]

### Storage and Disposal

Do not contaminate water, food or feed by storage or disposal. Store in original container in areas inaccessible to small children. Keep securely closed. Do not allow product to freeze.

#### **PESTICIDE STORAGE**

Store in a dry, well-ventilated area away from chemicals, direct light, heat or open flame. Do not mix with other cleaning or disinfecting products.

### **Pesticide Disposal:**

Store in original container in areas inaccessible to small children. Keep securely closed.

### **Container Handling:**

NONREFILLABLE READY-TO-USE FORMULATIONS: {Note to reviewer: The following text will be used on nonrefillable RTU container labels:}

Nonrefillable container. Do not reuse or refill this container. Wrap empty container and put in trash(, or offer for recycling if available).

**REFILLABLE CONTAINERS**: {Note to reviewer: The following paragraph will be used on labels for refillable containers:}

Refillable container. Refill this container with [insert one of the following brand names: Oxivir Wipes, Oxivir Tb Wipes] only. Do not reuse this container for any other purpose.

Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

{Note to reviewer: One of the following statements will be used, depending on the type of container}

{For product supplied in refillable or non-refillable containers}

**Towelette Storage/Disposal:** Dispose of (wipe) (towelette) (cloth) in trash after use. Do not flush. Tightly close lid between uses to retain moisture.

{For product supplied in resealable packages:}

**Towelette Storage/Disposal:** Dispose of (wipe) (towelette) (cloth) in trash after use. Do not flush. Reseal container label between uses to retain moisture.

(To clean the container prior to final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.)

[Storage and Disposal for Residential Only Use Products]

### Storage and Disposal

**PESTICIDE [PRODUCT] STORAGE:** Store in original container in areas inaccessible to small children. Keep securely closed.

**PESTICIDE [PRODUCT] DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. 3 Wrap [container] and put in trash or offer for recycling if available.

**CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. Wrap [container] and put in trash or offer for recycling if available.

### **ENVIRONMENTAL HAZARDS** (for labels with veterinary use patterns)

This product is toxic to birds, fish and aquatic invertebrates. Caution should be used when applying indoors because pets may be at risk.

### {Graphics - May be placed anywhere on the label}





\*\*\* QRD and designs are trademarks of Allied Hygiene Systems, Ltd. used under license

\*\*\*\*A graphic or logo depicting any approved use site mentioned above on the Mast Llabel may appear on the product label











Not a baby wipe Not for personal use



One-step cleaning and disinfection



For hard, non-porous surfaces



















LIFT THE CAP, PULL WIPE, WIPE SURFACE

{Footnotes for Symbols Mentioned in Label}

- ++ Claims against non-living allergens
- \*\*Candida auris Use Directions

- \* Viruses
- <sup>1</sup> when used according to disinfection directions
- <sup>2</sup>Staphylococcus aureus, Pseudomonas aeruginosa

### REFERENCE SHEET

# **OXIVIR® TB Wipes**

{Insert verbatim any Claims statements from the Claims sections from above.}

### **DIRECTIONS FOR USE:**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

{Insert verbatim any set(s) of Directions for Use from above.}

See the container label for use directions and additional required information for, (First Aid,) (Precautionary Statements,) (Environmental Hazards) (and) (Storage and Disposal).

EPA Reg. No. 70627-60

[Manufactured for:] © 2020 Diversey, Inc., P.O. Box 19747, Charlotte, NC 28219-0747 U.S.A. All Rights Reserved.