



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

September 29, 2025

SENT BY EMAIL

Sara Seltzer
sara.seltzer@solenis.com
DIVERSEY, INC.

Subject: Non-PRIA (Pesticide Registration Improvement Act) Labeling and Formulation Amendment - Addition of several efficacy claims and correcting typos on the label. Updating commodity inert and alternate ingredient suppliers on the CSFs. Switching out an ingredient on an alternate CSF.
Product Name: Oxivir 1 Wipes
Admin Number: 70627-77
EPA Receipt Date: 03/09/2023
Action Case Number: 00439100

Dear Sara Seltzer:

The amended label and Confidential Statements of Formula (CSFs) referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, are acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. Pursuant to 40 CFR 156.10(a)(6) you must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Please note that the record for this product currently contains the following CSF(s):

- Basic CSF dated 09/24/2025
- Alternate CSF #1 dated 09/24/2025
- Alternate CSF #2 dated 09/24/2025

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. See FIFRA section 2(p)(2). If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process, FIFRA section 12(a)(1)(B). Therefore, should the Agency find or if it is brought to our attention that a website contains

false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Assurance.

Your release for shipment of this product constitutes acceptance of these terms. If these terms are not complied with, this registration will be subject to cancellation in accordance with FIFRA section 6.

If you have questions, please contact Katelyn Chambers via email at chambers.katelyn@epa.gov.

Sincerely,

A handwritten signature in black ink that reads "Steven Snyderman". The script is fluid and cursive, with the first letters of "Steven" and "Snyderman" being capitalized and prominent.

Steven Snyderman, Product Manager, Team 33
RMB 2, AD
Office of Pesticide Programs

{Note to Agency: Text appearing in [brackets] or (parenthesis) is done to show interchangeable or optional text. Commas may be added where needed. Any language which appears between {braces} and is italicized is for administrative purposes only and will NOT appear on final printed label. Listed uses and use sites can be used partially or in their entirety. }

OXIVIR® 1 Wipes

• [Bactericide] • [*Virucide] • [Fungicide] • [Mildewcide] • [Disinfectant] • [Cleaner]

Active Ingredient:

Hydrogen Peroxide	0.5%
[Inert] [Other] Ingredients.....	99.5%
Total.....	100.0%

KEEP OUT OF REACH OF CHILDREN

See additional precautionary statements on [back] [left] [right] [panel] [of] label].
DO NOT FLUSH

IN CASE OF EMERGENCY, CALL A POISON CONTROL CENTER OR DOCTOR FOR TREATMENT ADVICE.
(1-800-851-7145)

Have the product container or label with you when calling a Poison Control Center or doctor or going in for treatment

EPA Reg. No. 70627-77

EPA Est. No. {Insert EPA Est. No.}

Net Contents: {Insert package contents} [Small] [Medium] [Large] [XLarge] [XL] [Wipes]

Manufactured [By] [For]:

Diversey, Inc. PO Box 19747, Charlotte, NC 28219-0747 U.S.A. All Rights Reserved.

[Manufactured in: {insert country}]

Accelerated Hydrogen Peroxide® and AHP® are trademarks of Diversey Inc.

[See reference sheet [enclosed in each case] for [a complete list of pathogenic organisms] [additional] [features] [and] [claims] [directions for use] [claimed for this product (or *product name*)].]

ACCEPTED

09/29/2025

Under the Federal Insecticide, Fungicide
and Rodenticide Act as amended, for the
pesticide registered under
EPA Reg. No. 70627-77

{Features, Claims and Uses}

{Product Descriptors}

-
- | | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> • Active Ingredient is an Oxidizing Agent • Bactericide • Broad-Spectrum Disinfectant • Cleaner • Cleans, Deodorizes and Brightens in One Step¹ • Cleans, Disinfects, & Deodorizes (with Hydrogen Peroxide) • Cleans Grout • Cleans Hard, Non-porous Water Washable Surfaces! • Deodorizer • Disinfectant • Easy to Use • For (Industrial), (Institutional) & (Residential) Use • Fungicide • Fungicidal disinfectant against <i>C. auris</i> • Hospital Disinfectant Cleaner • Hydrogen Peroxide • Meets Surface Recommendations from OSHA's Bloodborne Pathogens Standard for *HBV, *HCV & *HIV-1 • Mildewcide | <ul style="list-style-type: none"> • Multi-Surface² • Multi-surface² Disinfectant Cleaner • Multi-surface² [One-Step¹] Disinfectant • Non-Dulling • No Gloves Required, unless directed • Odor Counteractant • Odor Neutralizer • One-step when used according to disinfection directions • One-step Disinfectant (Cleaner) (& Deodorizer) (Wipes) • Oxidizer • Ready to Use • Sanitizer • Sanitizes • Tuberculocide • Tough on Pathogens, Not on People • Towelette • (Restroom) (&) (Bathroom) (Disinfectant Cleaner) • Use Daily to Prevent the Buildup of Dirt and Grime. • *Virucide • Wipe |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

(Marketing Statements)

1 Minute bactericidal, *virucidal and fungicidal
A disinfectant and cleaner (that cleans, disinfects and deodorizes in one labor saving step) when used according to disinfection directions for use.
A Hydrogen Peroxide solution impregnated in a wiping cloth
Acute Oral Toxicity (LD50>5,000 mg/kg) (Category IV)
Acute Inhalation Toxicity (LC50>2.08 mg/L) (Category IV)
Acute Dermal Toxicity (LD50>5,050 mg/kg) (Category IV)
Always Ready to Use
An effective one-step¹ disinfectant cleaner for hard, nonporous surfaces
An effective one-step¹ sanitizer-cleaner on hard nonporous surfaces when used according to directions for use as a non-food contact sanitizer
Breaks down (removes) (eliminates 99.9% of) (removes) (the most common) allergens (found in dust)++
Broad-spectrum (Multi-surface²) (Bactericidal) (*Virucidal) (Tuberculocidal) (Fungicidal) (Sanitizer) (Disinfectant) (activity)
Cleaning and disinfection in 1 minute
Cleans (tough) grease and grime (and) (institutional) (soils) (fast)
Cleans (and) disinfects (and deodorizes) hard, non-porous surfaces
Cleans fast
Cleans grout
Cleans hard, non-porous water washable surfaces!
Cleans, deodorizes and brightens in one step¹
Cleans (tough) soap scum
(Cleans) (Removes) (Eliminates 99.9% of) (Destroys) stains
Compatible with microfiber (cloths)
Compatible with (most) (virtually all) surfaces
Contains no phosphates
Controls (Eliminates 99.9% of) odor-causing bacteria

{Note to Agency: Text appearing in [brackets] or (parenthesis) is done to show interchangeable or optional text. Commas may be added where needed. Any language which appears between {braces} and is italicized is for administrative purposes only and will NOT appear on final printed label. Listed uses and use sites can be used partially or in their entirety. }

Convenient, pre-wetted wipes on demand
Deodorizer (Odor Counteractant)
Deodorizes odor-causing bacteria
Disinfects as it cleans when used according to disinfection directions for use
Disinfects surfaces by killing [99.9%] SARS-Related Coronavirus 2 [SARS-CoV-2] [USA-WA1/2020] (the cause of COVID-19) [in one step¹] on hard non-porous surfaces
Dual action formulation providing broad spectrum activity against; fungi, mycobacteria, *viruses, and bacteria
Easy to use
Effective – Cleans soap scum
Effective cleaner
Effective against Bloodborne Pathogens *HBV, *HCV & *HIV-1
Effective against [SARS-Related Coronavirus 2] [SARS-CoV-2] [USA-WA1/2020] [in 1 minute] on hard non-porous surfaces
[Effective against] [Disinfects] [Kills] [99.9%] SARS-CoV-2 [virus] (the cause of COVID-19) on hard non-porous surfaces
(Eliminates) (Kills) 99.9% of (odor-causing) bacteria (from surfaces)
Eliminates 99.9% of odors (caused by bacteria), (mold), (and) (mildew)
Fast / Easy / Effective
For (a) cleaner, fresher *{insert use sites/surfaces from lists below}* (or hard, non-porous washable surface where disinfection is required.)
For non-food contact hard, non-porous surface where germs are a concern.
For everyday use (in institutional (and) (industrial) facilities)
For multiple cleaning tasks
For non-scratch cleaning of showers and tubs, shower doors and curtains[†], fixtures and toilet bowls
For use (in) (Hospitals), (and) (Health Care) (settings) (as a disinfectant cleaner)
For terminal cleaning
Formula utilizing by AHP.
Formulated with patented hydrogen peroxide technology
Fragrance Free Formula (Unscented)
Gentle Enough for Use in Home
Gentle on eyes, skin, and nose
Good for most indoor cleaning tasks
(Highly) compatible (formula) for most surfaces
High (Frequently) touch[ed] surface(s) [disinfectant] [and] [cleaner]
Intense cleaning action
Keeps day care centers clean
Kills (99.9% of) germs in 1 minute
Kills (99.9% of) the cold and flu viruses
(Kills) (Destroys) (Eliminates 99.9% of) (household) germs while it cleans
(Kills) (Effective against) (the) cold (and) (flu) virus(es) on hard, nonporous surfaces
Kills bacteria and sanitizes
Kills coronavirus that causes COVID-19 on hard non-porous surfaces
[Kills] [Effective against] the virus that causes COVID-19 on hard non-porous surfaces
[Kills] [Eliminates] 99.9% SARS-Related Coronavirus [SARS-CoV-2] [USA-WA1/2020] [causative agent of COVID-19] [the virus that causes COVID-19] on hard non-porous surfaces
Kills the virus (SARS-CoV-2) that causes COVID-19 on hard non-porous surfaces
Kills [99.9% of] SARS-CoV-2, which causes COVID-19 on hard non-porous surfaces
Kills *viruses on hard non-porous surfaces
Kills bacteria and *viruses on (household) hard, non-porous surfaces in 1 minute
Kills bacteria (in 1 minute)
Kills odor-causing bacteria
Leaves *{insert use sites/surfaces from lists below}*-smelling clean (with a clean fresh scent)
Leaves a fresh, clean scent
Leaves no (dull) (sticky) residue.

{Note to Agency: Text appearing in [brackets] or (parenthesis) is done to show interchangeable or optional text. Commas may be added where needed. Any language which appears between {braces} and is italicized is for administrative purposes only and will NOT appear on final printed label. Listed uses and use sites can be used partially or in their entirety. }

Leaves surfaces virtually streak-free
No fragrance added
No harsh (chemical) fumes
No rinse required
No streaking (or) (filming) (sticky residue) (formula)
Non-corrosive (to eyes) (and) (skin)
Non-tainting (leaves no unsightly residues)
Not a skin (dermal) sensitizer
Non-irritating to eyes
Non-irritating to skin
Non-irritating to respiratory tracts
Not for use on skin
Odor Neutralizer
Oxivir® Clean
Patented (Technology)
Powerful to remove (dried) (stuck on) dirt (grime) (food) (spills) (grease) (greasy messes)
Powerful cleaning
Powerful cleaning and disinfection in 1 minute.
Powerful odor control (odor neutralizer) (deodorizer) (odor-counteractant) formula on hard non-porous surfaces
Powers away tough stains (stuck on dirt)
Proven "one-step¹" disinfectant/cleaner/fungicide/mildewcide/ *virucide that is effective for hard, non-porous surfaces
Proven to kill *Candida auris* (*C. auris*) (in one minute)
Category IV Tox(icity) Rating (in all 6 toxicity categories)
Quickly (eliminates 99.9% of) (removes) odors
Reduces allergens++
Sanitizes
Specially designed to dissolve (penetrate) the toughest (stubborn) soils
(Step-saving), (Labor-saving,) (Time-saving,) (Cost-saving) formula
Suitable for everyday use
Surface cleaner with antibacterial formula
This product kills germs and removes allergens++ while cleaning hard, nonporous surfaces
++This product removes the following (non-living) allergens++: (cat dander), (cockroach matter), (cockroach debris), (cockroach particles), (dog dander), (dust mite debris), (pet dander), (pollen particles)
To be used in sanitizing and disinfecting of hard, non-porous non-food contact surfaces and non-critical equipment which may harbor or spread germs
Tough on germs (pathogens)
Use daily to prevent the build-up of dirt and grime
Use only one product to get a streak-free shine plus antimicrobial action
(Uses) (Harnesses) the cleaning power of hydrogen peroxide
Versatile, Fast-acting, Convenient formula
Will not leave grit or soap scum

BACTERICIDAL DISINFECTION: 1 MINUTE

***VIRUCIDAL DISINFECTION: 1 MINUTE**

(BROAD-SPECTRUM) NON-FOOD CONTACT SANITIZER: 10 SECONDS

FUNGICIDAL: 30 SECONDS

****FUNGICIDAL AGAINST C. AURIS: 1 MINUTE**

(General Uses:)

{Note to Agency: Text appearing in [brackets] or (parenthesis) is done to show interchangeable or optional text. Commas may be added where needed. Any language which appears between {braces} and is italicized is for administrative purposes only and will NOT appear on final printed label. Listed uses and use sites can be used partially or in their entirety. }

For Use in Health Care, Veterinary, Animal Housing, Dental, (Life Science) Laboratory, Medical, Educational, Retail, Fitness, Household, Hospitality, Industrial & Institutional Facilities, Food Processing Establishments, and Hospitals.

This product is a one-step¹ (hospital-use) germicidal disinfectant (and) (deodorant) (odor-counteractant) (odor neutralizer) designed for general cleaning, (and) disinfecting (deodorizing) (of) hard, non-porous inanimate surfaces. It cleans by removing dirt, grime, and other common soils found (in) (on) *{insert use sites/surfaces from lists below}* (or hard, non-porous washable surface where disinfection is required.)

(It is designed for use on) (Use daily on) (the following) (hard, non-porous inanimate surfaces): *{insert surfaces from lists below}* (where disinfection is required). A potable water rinse is required for food contact surfaces. Do not use on glassware, dishes and utensils.

[It is designed for use on] [Use daily on] (the following) (hard, non-porous inanimate surfaces): *{insert use sites/surfaces from lists below}* – (where disinfection is required). A potable water rinse is required for food contact surfaces. Do not use on glasses, dishes and utensils.

(This product [or product name] (Oxivir 1 Wipes) (This product) [or These] (are) (is a) non-woven, disposable (towelette(s)) (wipe(s)), pre-saturated with Hydrogen Peroxide (based) disinfectant cleaner.

(This product [or product name] (Oxivir 1 Wipes) (This product) is a one-step¹ (hospital-use) germicidal (disinfectant) cleaner and deodorant (odor-counteractant) (odor neutralizer) (towelette) designed for general cleaning, (and) disinfecting, (and) (deodorizing) (of) hard, non-porous environmental surfaces.

(This product's [or product name] (Oxivir 1 Wipes) (This product) (Its) (non-dulling) (cleaning) (convenient) (easy-to-use) (effective) formula eliminates the time and labor normally required for rinsing.

(This product's [or product name] (Oxivir 1 Wipes) (This product) (Its) (non-dulling) (cleaning) (convenient) (easy-to-use) (effective) formula is designed for use on (Use daily on) (Use daily to clean and disinfect) *{insert use sites/surfaces from lists below}*

(Oxivir 1 Wipes') (This product's) (Its) non-abrasive formula is designed for use on (Use daily on) (the following) *{insert use sites/surfaces from lists below}*

(Oxivir 1 Wipes') (This product's) (Its) non-abrasive formula is designed for use on (Use daily on) hard, non-porous environmental surfaces.

(Oxivir 1 Wipes) (This product) (It) cleans by removing dirt, grime, dead skin, blood, urine, fecal matter, body oils and other (organic matter) (common soils) found in *{insert use sites/surfaces from lists below}* (or – hard, non-porous washable surface where disinfection is required.)

(Oxivir 1 Wipes) (This product) (It) also eliminates odors, leaving (restroom) surfaces smelling clean and fresh. Use where odors are a problem.

(Oxivir 1 Wipes) (This product) cleans, disinfects and deodorizes hard, non-porous environmental (hospital) (medical) (dental) (laboratory) *{insert use sites/surfaces from lists below}* surfaces in one step (with no rinsing required).

(Oxivir 1 Wipes) (This product) cleans, disinfects and deodorizes surfaces by killing odor-causing microorganisms. Its (non-dulling) (advanced) (efficient cleaning) (convenient) (easy-to-use) (effective) formula is designed for use on (Use it daily) on) *{insert use sites/surfaces from lists below}*

(Oxivir 1 Wipes) (This product) (It) (is designed for use on) (Use daily on) (the following) (hard, non-porous environmental (inanimate) surfaces): *{insert use sites/surfaces from lists below}* or –hard, non-porous washable surface where disinfection is required.

(CLAIMS & USES:)

{Note to Agency: Text appearing in [brackets] or (parenthesis) is done to show interchangeable or optional text. Commas may be added where needed. Any language which appears between {braces} and is italicized is for administrative purposes only and will NOT appear on final printed label. Listed uses and use sites can be used partially or in their entirety. }

(This product) (Oxivir 1 Wipes) {*marketed product name*} cleans and disinfects {*insert organism name(s) from list in Efficacy Claims section*} including ESKAPE pathogens - Enterococcus faecium, Staphylococcus aureus, Klebsiella pneumonia, Acinetobacter baumannii, Pseudomonas aeruginosa, and Enterobacter aerogenes

(This product) (Oxivir 1 Wipes) {*marketed product name*} kills ESKAPE organisms with a 1 minute kill time.

(This product) (Oxivir 1 Wipes) {*marketed product name*} cleans and disinfects, killing ESKAPE organisms with a 1-minute dwell time.

Kills ESKAPE bacteria in 1 minute

(Hospitals/Health Care Facilities/Dental Offices/Life Science Laboratories:)

[This product is a one-step¹ (hospital-use) (laboratory-use) germicidal disinfectant and deodorant (odor-counteractant) (odor neutralizer) designed for cleaning, (and) disinfecting, (deodorizing) (of) hard, non-porous inanimate surfaces. This product cleans by removing dirt, grime, food residue; dead skin, blood and other organic matter commonly found in {*insert use sites/surfaces from lists below*}. It also eliminates odors, leaving (restroom) surfaces smelling clean and fresh. Use where odors are a problem.]

[This product cleans, disinfects and deodorizes hard, non-porous inanimate (hospital) (medical) (dental) (laboratory) surfaces in one step¹ (with no rinsing required). [Its non-abrasive formula is designed for use on] [Use daily on] [(the following) (hard, non-porous inanimate surfaces :) {*insert use sites/surfaces from lists below*}] (or hard, non-porous washable surface where disinfection is required.) (found in) {*insert use sites/surfaces from lists below*} (It can be used to pre-clean and disinfect hospital items: {*insert use sites/surfaces from lists below*} (where disinfection is required). A potable water rinse is required when disinfecting food contact surfaces. Do not use on glasses, dishes and utensils.]

[This product can be used against bacteria, *viruses, fungi, mycobacteria and mildew on hard non-porous surfaces found in: {*insert use sites from list below*}]

{or}

[(Oxivir 1 Wipes) (This product) can be used (in) (on) hard non-porous surfaces (of the following items) or (in the following areas): {*insert use sites/surfaces from lists below*}]

{or}

[This product has been developed to aid in the reduction of cross-contamination between treated surfaces (not only in hospitals (and healthcare facilities), but also) in: {*insert use sites from list below*}]

(Animal Housing Facilities :)

[This product cleans by removing dirt, grime, blood, urine, fecal matter and other common soils found in animal housing facilities, grooming facilities, farms, kennels, pet stores, veterinary clinics, laboratories or other small animal facilities. It (also) eliminates odors leaving surfaces smelling clean and fresh.]

[This product cleans, disinfects and deodorizes hard, non-porous environmental surfaces in one step¹. [Its non-abrasive formula is designed for use on] [Use daily on] [Use daily to clean and disinfect] (hard, non-porous surfaces (of):) {*insert use sites/surfaces from lists below*} (where disinfection is required.) found in (barns, pens and stalls) animal housing facilities.]

{Use Sites}

{Note to reviewer: Each entry below also represents a graphic depicting the corresponding type of surface. No people, animal or food will be depicted in graphics. Only exteriors of microwaves and refrigerators will be depicted. Toy graphics will be submitted to Agency for review.}

- | | | |
|-------------|-----------------------------|-------------------------------|
| • Airplanes | • Ambulances [Emergency | • Ambulatory Surgical Centers |
| • Airports | Medical] Transport Vehicles | [(ASC)] |
| | | • Amusement Parks |

{Note to Agency: Text appearing in [brackets] or (parenthesis) is done to show interchangeable or optional text. Commas may be added where needed. Any language which appears between {braces} and is italicized is for administrative purposes only and will NOT appear on final printed label. Listed uses and use sites can be used partially or in their entirety. }

- [Animal] (and) [Pet] Housing
- [Animal] (and) [Pet] Grooming Facilities
- Animal Care Facilities
- Animal Holding Areas
- Animal Housing Facilities
- Animal Life Science Laboratories
- Animal Transportation Vehicles
- Anesthesia Rooms or Areas
- [Assisted Living] (and) [Full Care] Nursing Homes
- [Athletic] (and) [Recreational] Facilities
- Banquet Halls
- Barber Shops
- Bars
- Basements
- Bathrooms
- Beauty Salons
- Bedrooms
- Bowling Alleys
- Breeding Establishments
- Buses
- Butcher Shops
- Cafeterias
- Changing Areas
- Colleges
- Convenience Stores
- Convention Centers
- Correctional Facilities
- Cruise Ships
- Cafeterias
- CAT Lab[oratories]
- Central Service Areas
- Central Supply [Rooms] (and) [Areas]
- Colleges
- Commercial (and) [Institutional] Kitchens
- C[ritical] C[are] U[nits]
- Dairy Farms
- Day Care [Centers]
- Deli[catessen]s
- Dental Operatories
- [Dental] [Dentist's] Offices
- Dining Halls
- Dialysis Clinics
- Doctors' Offices
- Dorm[itories]
- Elevators
- E[mergency] R[oom]s
- Emergency Vehicles
- Eye Surgical Centers
- Exam[ination] Rooms
- Factories
- Farms
- Food Preparation and Processing Areas
- [Food] Processing Plants
- Food Service Establishments
- [Food Serving] (and) [Storage Areas]
- Front of Restaurants
- Funeral Homes
- Garages
- Gas Stations
- General Merchandise Stores
- Greenhouses
- Grocery Stores
- Gym[nasium]s
- Health Clubs
- Health Care [Settings] [Facilities]
- Home Centers
- Home Health Care Settings
- Homes
- Hospices
- Hospitals
- Hotels
- Industrial Facilities
- Institutional Kitchens (and) [Bathrooms]
- [Institutional] Laundromats
- Institutions
- I[ntensive] C[are] U[nits] [areas]
- Isolation Areas
- Kennels
- Kitchens
- Laboratories
- Laundromats
- Laundry Rooms
- Lab[oratories]
- Lavatories
- Libraries
- Locker Room[s] [Facilities]
- Lodging Establishments
- Long Term Care Facilities
- Lounges
- Malls
- Manufacturing [Plants] [Facilities]
- Markets
- [Medical] Clinics
- Medical Facilities
- [Medical] [Doctor's] Offices
- [Newborn] [Neonatal] [Nursery] [Intensive] [Care] Units [NICU]
- Nurses' Stations
- Nursing Homes
- Nurseries
- Offices
- Office Buildings
- O[perating] R[oom]s
- Orthopedics
- Patient Rooms
- Pediatric Intensive Care Units [PICU]
- Pet Animal Quarters
- Pet Shops
- Pharmacies
- Physical Therapy Rooms
- Physicians' Offices
- Play [Areas] (and) [Rooms]
- [Police] (and) [Fire] Vehicles
- Psychiatric Facilities
- Public [Areas] (and) [Places]
- Public Facilities
- [Public] Restrooms
- Public [Tele]phone [Booths]
- Radiology
- Reception areas
- Recovery Rooms
- Recreational Facilities
- Rehabilitation Centers
- Rental Cars

{Note to Agency: Text appearing in [brackets] or (parenthesis) is done to show interchangeable or optional text. Commas may be added where needed. Any language which appears between {braces} and is italicized is for administrative purposes only and will NOT appear on final printed label. Listed uses and use sites can be used partially or in their entirety. }

- | | | |
|-----------------------------|---------------------------------|----------------------------------------|
| • Respiratory Therapy Rooms | • Sports Stadiums | • Urgent Care [Centers] [Facilities] |
| • Rest Stops | • Storage [Rooms] (and) [Areas] | • Veterinary [Offices] [Waiting Rooms] |
| • Restaurants | • Subways | • Waiting [Rooms] (and) [Areas] |
| • Restroom Areas | • Surgery Rooms [Centers] | • Work Stations |
| • Retail Businesses | • Tattoo Parlors | • X-Ray Rooms |
| • School Buses | • Toilet Areas | • Zoos |
| • Schools | • Transportation Terminals | |
| • Shelters | • Trains | |
| • Shops | • Trolleys | |
| • Shower Rooms | • Universities | |

{Surface Materials}

[This Product (Product Name) can be used on the following hard, nonporous surfaces:]

- | | | |
|------------------------------------------------------|-------------------------------------------------|------------------------------------------------------------------|
| • Amalgamators | • Car interiors | • Dialysis machines |
| • Anesthesia machines | • Chairs | • Dictating equipment [surfaces] |
| • Animal equipment | • Changing tables | • Docking stations |
| • Apex locators | • Charging stations | • Door [handles] (and) [frames] |
| • Apheresis machines | • Chemotherapy hoods | • Doorknobs |
| • Appliance exterior(s) [surfaces][| • Furniture | • Drainboards |
| • Appliance -or- cabinet knobs | • Closets | • Drawers |
| • Autoclaves ³ | • Coated mattresses | • Dryers |
| • Automatic feeders | • Coated pillows | • Dressing carts |
| • Bathroom doorknobs | • [Common] hard, nonporous [household] surfaces | • Elevator buttons |
| • Baked enamel surfaces | • Compactors | • Endodontic equipment |
| • Bassinets | • Computers | • [Exam] [Examination] tables |
| • [Bathroom] fixtures | • [Computer] keyboards | • Exercise] (and) [athletic] equipment |
| • [Bathroom] (and) [Kitchen] faucets (and) [handles] | • [Computer] monitors | • Exercise mats |
| • Bathrooms sinks and faucets | • Computer mouse | • Exhaust fans |
| • Bathroom surfaces | • Computer screens | • Exterior surfaces of air vents |
| • [Bath]tubs | • Cooler exteriors | • External surfaces of [medical] equipment |
| • Bed frames | • Cords | • [External surfaces of] [Ultrasound transducers] (and) [probes] |
| • Bedpans | • Counter[top]s | • Exterior (of) [toilet] (and) [urinal] surfaces |
| • Bedrails | • [Crash] (and) [emergency] carts | • External surfaces of [veterinary] equipment |
| • Commodes | • Cupboards | • Exterior surfaces of watering appliances |
| • Bedside tables | • Cribs | • Faucets |
| • Blood pressure cuffs and monitors | • Dental countertops | • Fax machine [handles] |
| • Booster chairs | • Dental operatory surfaces | • Feed racks |
| • Bottoms of pots and pans | • Dental surfaces | |
| • Burner trays | • [Dentists'] [Dental] chairs | |
| • Cabinets | • Dental unit instrument trays | |
| • Cages | • Desk [tops] | |
| • Call boxes | • Diagnostic equipment | |

{Note to Agency: Text appearing in [brackets] or (parenthesis) is done to show interchangeable or optional text. Commas may be added where needed. Any language which appears between {braces} and is italicized is for administrative purposes only and will NOT appear on final printed label. Listed uses and use sites can be used partially or in their entirety. }

- [Filing] (and) [medicine] cabinets
- Finished hardwood
- [Finished] (and) [painted] walls
- Finished windowsills
- Fixtures
- Flower buckets
- Food cases
- Food trays
- Footboards
- Freezer exteriors³
- Furniture
- Garage surfaces
- [Garbage] disposals
- Garbage -or- trash cans
- Glucometers
- [Grocery] carts
- Gurneys
- Gym[nastic] equipment
- Hampers
- Handheld [electronic] devices
- [Hand] rail[ing]s
- High touch surfaces
- Headboards
- Headsets
- High chairs [(non-food contact)]
- High touch surfaces
- Hoods
- [Hospital] [Medical] surfaces
- [Hospital] [Patient] bed (springs) (railings) (frames)
- [Hospital] [Patient] [plastic] [vinyl] bed linings
- [Hospital] [Patient] [plastic] [vinyl] bed mattresses
- Common Household Surfaces
- Hydrotherapy Tubs
- Infant incubators and care cribs
- Infant warmers
- [Instrument] Stands
- Isolettes
- IV [stands] [pumps] [poles]
- Keyboards
- Kid's play [structures] [equipment]
- [Kitchen] appliance exteriors
- Kitchen surfaces
- Laminated surfaces
- Lamps
- Laptops
- Light [fixtures] [switches] [panels]
- Light lens covers
- Lockers
- Mammography equipment
- [Medicine] (and) [filing] cabinets
- Medication carts
- Mirrors
- Mobile devices
- Mobile electronic equipment
- Mobile workstations
- M[agnetic] R[esonance] I[maging] equipment
- Nurse-call devices] (and) [buttons]
- Office machinery
- Operating room lights
- Operating Room Tables (Surfaces) (Positioning Pads)
- Operatory light switches
- Outside of appliances
- Oxygen hoods
- Oven exteriors³
- Overbed tables
- Packing benches
- Paddles
- Pagers
- Painted surfaces
- Patient monitoring equipment
- Patient support and delivery equipment
- Pens
- Phlebotomy trays
- Physical therapy [(PT)] equipment surfaces
- Phone cradles
- Piano keys
- Plastic and painted surfaces
- Plastic laundry [hampers] [baskets]
- Plastic mattress covers
- Plastic salad bar sneeze guards
- Plastic shower curtains
- Plastic surfaces
- Playpens
- [plastic] [vinyl] Privacy screens
- Portable toilets
- Power cords
- Pulse oximeters
- PVC tubing
- Range hoods³
- Reception [counters] [desks]
- Recycling bins
- Refrigerator exteriors
- Respirators
- Respiratory therapy equipment
- Restroom fixtures
- Scales
- Seats
- Sequential compression devices
- Shelves
- Shower(s) [curtains] [doors] [stalls] [walls]
- Shower fixtures
- Side rails
- Signs
- Sink(s) [basins]
- Spine backboards
- Sports equipment
- Stainless steel surfaces
- Stall doors
- Staplers
- Stereo consoles
- Stethoscopes
- Stools
- Storage bins
- Stove[top]s³
- Stretchers
- Support bars
- Strollers
- Table[top]s
- Tablet PCs
- Telephones
- Tiled walls
- T[omography] equipment

{Note to Agency: Text appearing in [brackets] or (parenthesis) is done to show interchangeable or optional text. Commas may be added where needed. Any language which appears between {braces} and is italicized is for administrative purposes only and will NOT appear on final printed label. Listed uses and use sites can be used partially or in their entirety. }

- | | | |
|--------------------|-----------------------------|-------------------|
| • Tools | • Vending machine surfaces | • Wastebaskets |
| • Towel dispensers | • Veterinary care surfaces | • Wheelchairs |
| • Toys | • Vinyl tile | • Window blinds |
| • Traction devices | • Walkers | • Windows |
| • Trash cans | • Walls | • Windshields |
| • Tray tables | • Wash basins | • Work benches |
| • Troughs | • Washable kitchen surfaces | • X-ray equipment |
| • Vanity tops | • Washable walls | |

Note: Prior to use on electronic equipment or components, (please) refer to manufacturer's instructions (for appropriate use).

(It is) (Designed) For (daily) (use) (cleaning) (disinfecting) (on) (of) (medical) hard, nonporous inanimate (environmental) surface(s) (materials) (Compatible with):

- | | | |
|-----------------------------|------------------------------------|------------------------|
| • Acrylic, | • glazed tile, | • sealed fiberglass, |
| • baked enamel surfaces, | • laminated surfaces, | • sealed granite, |
| • Corian®, | • linoleum, | • sealed marble, |
| • Chrome, | • metal (except copper and brass), | • sealed mirror stone, |
| • non-food contact crystal, | • painted surfaces, | • stainless steel, |
| • finished terrazzo, | • plastic (surfaces), | • synthetic marble, |
| • glass, | • glazed quarry tiles, | • vinyl, |
| • glazed ceramic (tile), | • rubber, | |
| • glazed porcelain, | | |

[Not recommended for use on] {or} [avoid contact with]: brass or copper.

Note: This product is compatible with the listed materials. If product is intended to be used on other surfaces, it is recommended to test product by applying to a small discrete area to determine compatibility before proceeding with its use.

[This product] [{product name}] is formulated to be used against the following soils and stains:

- | | | |
|---------------------------|------------------------------|------------------|
| • Beverage stains | • Food spills | • Mud |
| • Blood | • Food residues | • Organic matter |
| • Body oils | • Food stains | • Pet stains |
| • Body Fluids | • Fruit [stains] | • Rust |
| • Coffee [stains] | • Grease | • Smudges |
| • Common [soils] [stains] | • Grime | • Soap Scum |
| • Cosmetics | • Heel [marks] [scuffs] | • Tea [stains] |
| • Dead skin | • Ink [marks] | • Tough soils |
| • Dirt | • Juice stains | • Urine [stains] |
| • Fecal matter | • Laboratory stains | • Wine stains |
| • Fingerprints | • Mold (and) [mildew] stains | |

{Note to Agency: Text appearing in [brackets] or (parenthesis) is done to show interchangeable or optional text. Commas may be added where needed. Any language which appears between {braces} and is italicized is for administrative purposes only and will NOT appear on final printed label. Listed uses and use sites can be used partially or in their entirety. }

{New and Improved Claims}

{Note to the reviewer: the following short claims might be inserted on the container label only for the period of 6 months after the launch}

- [Better] [Improved] [New] [New and improved] [packaging]
- [New and improved]
- [New Claims]
- [New Claims and Faster Contact Times]
- [New Kill Claims]
- [New - Saves Time]

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Not for personal cleansing. This is not a baby wipe. Do not flush in toilet.

{Note to reviewer: The following paragraph will be used on labels that list medical devices or medical equipment surfaces as defined by the FDA, and is manufactured accordingly.}

(This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the blood stream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.)

{or}

This product is not for use on critical and semi-critical medical device surfaces

(CLAIMS AND ORGANISMS:)

When used as directed, this product is effective against (a broad-spectrum of) pathogenic microorganisms (including bacteria, antibiotic resistant bacteria, *{list of antibiotic resistant organisms is below, in Efficacy Claims section, under subheading Antibiotic-Resistant (Strains of) Bacteria}*, *viruses, and fungi). (See reference sheet (enclosed in each case) for a complete list of organisms.)

(HOSPITAL DISINFECTANT:)

BACTERICIDAL: *{Note to reviewer: Only one of the following statements will be on the product label}*

(in the presence of 5% serum load and 1 minute contact time at 20°C (68°F) on hard, non-porous environmental surfaces.)

{or}

(1 minute contact time)

{or}

(1 minute)

(Bactericidal Activity):

(Organism)

Staphylococcus aureus

Pseudomonas aeruginosa

Salmonella enterica, formerly known as *Salmonella choleraesuis*

Bordetella bronchiseptica,

(ATCC Number)

(ATCC 6538)

(ATCC 15442)

(ATCC 10708)

(ATCC 10580)

(Contact Time)

1 minute

1 minute

1 minute

1 minute

{Note to Agency: Text appearing in [brackets] or (parenthesis) is done to show interchangeable or optional text. Commas may be added where needed. Any language which appears between {braces} and is italicized is for administrative purposes only and will NOT appear on final printed label. Listed uses and use sites can be used partially or in their entirety. }

<i>Burkholderia cepacia</i> ,	(ATCC 25416)	1 minute
<i>Bordetella pertussis</i> ,	(ATCC 12743)	1 minute
<i>Enterobacter aerogenes</i>	(ATCC 13048)	1 minute
<i>Enterococcus faecium</i> ,	(ATCC 51559)	1 minute
<i>Escherichia coli</i> ,	(ATCC 11229)	1 minute
<i>Escherichia coli</i> O157:H7	(ATCC 35150)	1 minute
<i>Klebsiella pneumonia</i>	(ATCC 4352)	1 minute
<i>Legionella pneumophila</i> ,	(ATCC 33153)	1 minute
<i>Listeria monocytogenes</i> ,	(ATCC 19117)	1 minute
<i>Pasteurella multocida</i>	(ATCC 12947)	1 minute
<i>Serratia marcescens</i>	(ATCC 14756)	1 minute
<i>Staphylococcus pseudintermedius</i>	(ATCC 49444)	1 minute
<i>Shigella dysenteriae</i>	(ATCC 11835)	1 minute
<i>Stenotrophomonas (Pseudomonas) maltophilia</i>	(ATCC 25596)	1 minute
<i>Streptococcus pyogenes</i>	(ATCC19615)	1 minute
<i>Citrobacter freundii</i>	(ATCC 8090)	1 minute
<i>Vibrio cholerae</i>	(ATCC 39050)	1 minute
<i>Campylobacter jejuni</i>	(ATCC 29428)	1 minute
<i>Streptococcus pneumonia</i>	(ATCC 51936)	1 minute
<i>Haemophilus influenzae</i>	(ATCC 33930)	1 minute
<i>Klebsiella oxytoca</i>	(ATCC700324)	1 minute

(†Antibiotic-Resistant (Strains of) Bacteria [list below]):

<i>Acinetobacter baumannii</i> , (Multi-Drug Resistant (MDR)) (Ampicillin, Cefazolin, Cefepime, Gentamicin, Ertapenem, and Trimethoprim/Sulfa)	(ATCC 19606)	1 minute
<i>Enterobacter cloacae</i> , (New Delhi metallo-β-lactamase 1 positive (producing) (NDM 1))	(CDC 1000654)	1 minute
<i>Enterococcus faecalis</i> (Resistant to Vancomycin (VRE))	(ATCC 51575)	1 minute
<i>Escherichia coli</i> producing extended beta-lactamase resistance (ESBL)	(ATCC BAA-196)	1 minute
<i>Escherichia coli</i> , (New Delhi metallo-β-lactamase 1 (NDM-1) producing (positive))	(CDC 1001728)	1 minute
<i>Klebsiella pneumoniae</i> , (Carbapenem Resistant (CRE))	(ATCC BAA 1705)	1 minute
<i>Klebsiella pneumoniae</i> , (Extended Spectrum beta-lactamase (ESBL) producing (positive))	(ATCC 700603)	1 minute
<i>Klebsiella pneumoniae</i> , (New Delhi metallo-β-lactamase 1(NDM-1) producing (positive))	(CDC 1000527)	1 minute
<i>Pseudomonas aeruginosa</i> , (Metallo-beta lactamase (MBL) positive)	(CDC 2012059)	1 minute
<i>Staphylococcus aureus</i> (CA-MRSA), (Community Associated Methicillin Resistant) (NARSA NRS 123) (Genotype USA400)		1 minute
<i>Staphylococcus aureus</i> , (Methicillin Resistant (MRSA))	(ATCC 33592)	1 minute
<i>Staphylococcus aureus</i> , (Vancomycin Intermediate Resistant (VISA))	(HIP 5836)	1 minute
<i>Staphylococcus aureus</i> , (Vancomycin Resistant (VISA)) [VRS1]	(VRS1)	1 minute
<i>Staphylococcus epidermidis</i> , (Methicillin Resistant (MRSE))	(ATCC 51625)	1 minute
<i>Streptococcus pneumoniae</i> , (Penicillin Resistant (PRSP))	(ATCC 700677)	1 minute
Multidrug-resistant <i>Klebsiella aerogenes</i> , (formerly <i>Enterobacter aerogenes</i>)	(ATCC BAA-2356)	1 minute
Carbapenem-resistant <i>Escherichia coli</i>	(ATCC BAA-2469)	1 minute
Multidrug-resistant <i>Klebsiella pneumoniae</i>	(ATCC BAA-1705)	1 minute
<i>Klebsiella pneumoniae</i> (NDM-1)	(ATCC BAA-2470)	1 minute
Multidrug-resistant <i>Pseudomonas aeruginosa</i> ,	(ATCC BAA-2108)	1 minute
Multidrug-resistant <i>Enterococcus faecium</i>	(ATCC 51559)	1 minute

***VIRUCIDAL: {Note to reviewer: Only one of the following statements will be on the product label}**

(in the presence of 5% serum load and 30 second contact time at 20°C (68°F) on hard, non-porous environmental surfaces.)

{or}

(30 second contact time)

{or}

(30 seconds)

(*Viruses (*Virucidal Activity)):

(Organism)	(ATCC Number)	(Contact Time)
Adenovirus Type 2, (strain: Adenoid 6)	(ATCC VR-846)	30 second
Adenovirus Type 7, (strain: Gomen)	(ATCC VR-7)	30 second
Adenovirus type 8	(ATCC VR-1368)	30 second
Cytomegalovirus,	(ATCC VR-538)	30 second
Hepatitis B Virus (HBV), Duck Hepatitis B Virus as surrogate (Acquired from Hepadnavirus Testing)		30 second
Hepatitis C Virus (HCV), Bovine Viral Diarrhea Virus as surrogate (Acquired from National Veterinary Services Laboratories)		30 second

{Note to Agency: Text appearing in [brackets] or (parenthesis) is done to show interchangeable or optional text. Commas may be added where needed. Any language which appears between {braces} and is italicized is for administrative purposes only and will NOT appear on final printed label. Listed uses and use sites can be used partially or in their entirety. }

Herpes Simplex Virus, Type 1 (HSV-1)	(ATCC VR-733)	30 second
Herpes Simplex Virus, Type 2 (HSV-2)	(ATCC VR-734)	30 second
HIV-1 (AIDS Virus), Strain HTLV-III _B (HIV-1) (Acquired from Adv. Biotechnologies, Inc.)		30 second
Human Coronavirus,	(ATCC VR-740)	30 second
Influenza A Virus/Hong Kong,	(ATCC VR-544)	30 second
Influenza B Virus,	(ATCC VR-823)	30 second
Measles Virus, (strain: Edmonston, source)	(ATCC VR-24)	30 second
Middle East Respiratory Syndrome Coronavirus (MERS-CoV), (strain: EMC/2012)	BEI Resources	30 second
Norovirus, (Feline Calicivirus as the surrogate)	ATCC VR-782	30 second
Pandemic Influenza A Virus H1N1		30 second
Parainfluenza Virus Type 3,	(ATCC VR-93)	30 second
Poliovirus Type 1, (Strain Chat)	(ATCC VR-1562)	30 second
Respiratory Syncytial Virus, (RSV)	(ATCC VR-26)	30 second
Rhinovirus Type 37, Strain 151-1,	(ATCC VR-1147)	30 second
Rotavirus WA (Acquired from University of Ottawa)		30 second
Vaccinia Virus,	(ATCC VR-119)	30 second
(*Animal Viruses:)		
Avian Influenza A Virus (H7N9)		30 second
Avian Influenza A Virus (H3N2)	(ATCC VR-2072)	30 second
Avian Influenza A Virus (H5N1)		30 second
Bovine Viral Diarrhea Virus (BVDV)		30 second
Duck Hepatitis B Virus		30 second
Equine Influenza A Virus (H3N8) (EIV)		30 second
Feline Calicivirus, Strain F9	(ATCC VR-782)	30 second
Murine Norovirus		30 second
*VIRUCIDAL: {Note to reviewer: Only one of the following statements will be on the product label}		
(in the presence of 5% serum load and 1 minute contact time at 20°C (68°F) on hard, non-porous environmental surfaces.)		
{or}		
(1 minute contact time)		
{or}		
(1 minute)		
Enterovirus type D68, (Strain US/KY/14-18953)	(ATCC VR-1825)	1 minute
SARS-Related Coronavirus 2 [SARS-CoV-2] [cause of COVID-19] [USA-WA1/2020]		1 minute
(*Animal Viruses:)		
Canine distemper virus	(ATCC VR-128)	1 minute
Feline Infectious Peritonitis Virus, (FIPV)	(ATCC VR-2022)	1 minute
Feline Herpes Virus, (Feline Rhinotracheitis)	(ATCC VR-636)	1 minute
Feline Panleukopenia Virus	(ATCC VR-648)	1 minute
Murine Hepatitis Virus,	(ATCC VR-765)	1 minute
Minute Virus of Mouse, (Murine Parvovirus)	(ATCC VR-1346)	1 minute
TUBERCULOCIDAL: {Note to reviewer: Only one of the following statements will be on the product label}		
(in the presence of 5% serum load and 1 minute contact time at 20°C (68°F) on hard, non-porous environmental surfaces.)		
{or}		
(1 minute contact time)		
{or}		
(1 minute)		
(Organism)	(ATCC Number)	(Contact Time)
<i>Mycobacterium bovis</i> (Tb) (OT 451C150)		1 minute
FUNGICIDAL: {Note to reviewer: Only one of the following statements will be on the product label}		
(This product is fungicidal against the pathogenic fungi, <i>Trichophyton interdigitale</i> (formerly <i>Trichophyton mentagrophytes</i>) (ATCC 9533) (the fungus which causes Athlete's Foot) when used as directed on hard, non-porous surfaces.)		
{or}		
(in the presence of 5% serum load and 30 second contact time on hard, non-porous environmental surfaces.)		
{or}		

{Note to Agency: Text appearing in [brackets] or (parenthesis) is done to show interchangeable or optional text. Commas may be added where needed. Any language which appears between {braces} and is italicized is for administrative purposes only and will NOT appear on final printed label. Listed uses and use sites can be used partially or in their entirety. }

(30 second contact time) {or} (30 second)		
(Organism)	(ATCC Number)	(Contact Time)
<i>Trichophyton interdigitale</i> (ATCC 9533) (formerly <i>Trichophyton mentagrophytes</i>)	(ATCC 9533)	30 seconds
FUNGICIDAL: {Note to reviewer: Only one of the following statements will be on the product label}		
(This product is fungicidal against the pathogenic fungi, <i>Candida albicans</i> (ATCC 10231) and <i>Microsporum canis</i> (ATCC 10214) when used as directed on hard, non-porous surfaces.) {or} (in the presence of 5% serum load and 1 minute contact time on hard, non-porous environmental surfaces.) {or} (1 minute contact time) {or} (1 minute)		
(Organism)	(ATCC Number)	(Contact Time)
<i>Candida albicans</i>	(ATCC 10231)	1 minute
<i>Microsporum canis</i>	(ATCC 10214)	1 minute
** (FUNGICIDAL): {Note to reviewer: Only one of the following statements will be on the product label}		
(in the presence of soil and 1 minute contact time on hard, non-porous environmental surfaces.) {or} (Using approved Standard Quantitative Disk Carrier Test Method (under Good Laboratory Practices, [GLPs]), in the presence of soil and 1 minute contact time, against <i>Candida auris</i> (CDC AR-0381) and <i>Candida glabrata</i> (ATCC 26512)) {or} (1 minute contact time) {or} (1 minute)		
(Organism)	(ATCC Number)	(Contact Time)
<i>Candida glabrata</i>	(ATCC 26512)	1 minute
<i>Candida auris</i>	(CDC AR-0381)	1 minute
Non-Food Contact Surface Sanitizer for hard non-porous surfaces: {Note to reviewer: Only one of the following statements will be on the product label}		
(in the presence of 5% serum load and 10 second contact time at 20°C (68°F) on hard, non-porous environmental surfaces.) {or} (in the presence of a 5% serum load and 10 second contact time (at 20°C (68°F)) on hard, non-porous environmental surfaces.) {or} (10 second contact time) - or - (10 seconds)		
(Organism)	(ATCC Number)	(Contact Time)
<i>Acinetobacter baumannii</i> ,	(ATCC 19606)	10 seconds
<i>Campylobacter jejuni</i> ,	(ATCC 29428)	10 seconds
<i>Enterobacter aerogenes</i> ,	(ATCC 13048)	10 seconds
<i>Enterococcus faecalis</i> , (Resistant to Vancomycin [VRE])	(ATCC 51575)	10 seconds
<i>Escherichia coli</i> O157:H7	(ATCC 35150)	10 seconds
<i>Klebsiella pneumonia</i>	(ATCC 4352)	10 seconds
<i>Listeria monocytogenes</i>	(ATCC 19111)	10 seconds
<i>Pseudomonas aeruginosa</i>	(ATCC 15442)	10 seconds
<i>Salmonella enterica</i> , (formerly known as <i>Salmonella choleraesuis</i>)	(ATCC 10708)	10 seconds
<i>Staphylococcus aureus</i>	(ATCC 6538)	10 seconds

{Note to Agency: Text appearing in [brackets] or (parenthesis) is done to show interchangeable or optional text. Commas may be added where needed. Any language which appears between {braces} and is italicized is for administrative purposes only and will NOT appear on final printed label. Listed uses and use sites can be used partially or in their entirety. }

Staphylococcus aureus, (Resistant to Methicillin [MRSA])	(ATCC 33592)	10 seconds
----------------------------------------------------------	--------------	------------

Mold/Mildew (Mildewstatic Activity): Controls and prevents the growth of mold and mildew: *Aspergillus brasiliensis* (formerly known as *Aspergillus niger*) (and the odors caused by them) when applied to hard, non-porous environmental surfaces.

Malodor(s) (Activity) (Counteractancy): eliminates (destroys) odors and odor-causing bacteria on hard, nonporous surfaces in restroom areas, behind and under sinks and counters, and storage areas (and other places where bacterial growth can cause malodors).

{Claims against Emerging Viral Pathogens}

This product qualifies for emerging viral pathogen claims per the EPA's 'Guidance to Registrants: Process for Making Claims Against Emerging Viral Pathogens not on EPA-Registered Disinfectant Labels' when used in accordance with the appropriate use directions indicated below.

This product meets the criteria to make claims against certain emerging viral pathogens from the following viral categories:

- *Enveloped viruses*
- *Large, non-enveloped viruses*
- *Small, non-enveloped viruses*

<i>For an emerging viral pathogen that is a/an...</i>	<i>...follow the directions for use for the following organisms on the label:</i>
<i>Enveloped virus</i>	<ul style="list-style-type: none"> • Enterovirus type D68 (Strain US/KY/14-18953)
<i>Large, Non-Enveloped Viruses</i>	<ul style="list-style-type: none"> • Enterovirus type D68 (Strain US/KY/14-18953) • Poliovirus
<i>Small, Non-Enveloped Viruses</i>	

{The statements shall be made only through the following communications outlets: technical literature distributed exclusively to health care facilities, physicians, nurses and public health officials, "1-800" consumer information services, social media sites and company websites (non-label related). These statements shall not appear on marketed (final print) product labels.}

{Acceptable claim language:}

{Product name} has demonstrated effectiveness against viruses similar to *{name of emerging virus}* on hard, non-porous surfaces. Therefore, (this product) (*{Product name}*) can be used against *{name of emerging virus}* when used in accordance with the directions for use against *{insert name of supporting virus(es) from list above}* on hard, non-porous surfaces. Refer to the [CDC or OIE] website at *{pathogen-specific website address}* for additional information.

{or}

{Name of illness/outbreak} is caused by *{name of emerging virus}*. *{Product name}* kills similar viruses and therefore can be used against *{name of emerging virus}*. when used in accordance with the directions for use against [Enterovirus type D68 (Strain US/KY/14-18953)] [Poliovirus] on hard, non-porous surfaces. Refer to the [CDC or OIE] website at *{website address}* for additional information.

To Use as a One-Step Cleaner/Disinfectant:

1. Pre-clean heavily soiled areas.
2. Wipe hard, non-porous environmental surfaces with towelette.

{Note to Agency: Text appearing in [brackets] or (parenthesis) is done to show interchangeable or optional text. Commas may be added where needed. Any language which appears between {braces} and is italicized is for administrative purposes only and will NOT appear on final printed label. Listed uses and use sites can be used partially or in their entirety. }

3. Allow surface to remain visibly wet for 1 minute. Use additional towelettes if needed to ensure the surface remains visibly wet for the required contact time. (For certain listed viruses, allow treated surface to remain visibly wet for 30 seconds.)
4. Allow to air dry (or rinse (with potable water if necessary)).

Note: All food contact surfaces must be rinsed with potable water. Do not use on glassware, utensils, or dishes.

To Use as a (Daily) (Bathroom) (Restroom) (Shower Room) (Locker Room) (Athletic Equipment)

Cleaner/Disinfectant:

1. Pre-clean heavily soiled areas.
2. Wipe hard, non-porous environmental surfaces with towelette.
3. Allow treated surfaces to remain visibly wet for 1 minute. Use additional towelettes if needed to ensure the surface remains visibly wet for the required contact time (For certain listed viruses, allow treated surface to remain visibly wet for 30 seconds.)
4. Rinse surfaces thoroughly (and) (or) let air dry.

The below sentence is optional language:}

(Note: Floors will be slippery when wet or contaminated with foreign materials.)

{Note to Reviewer: When this product is manufactured and listed as an FDA Medical Device General Purpose Disinfectant, the final product label can state the following instructions to disinfect noncritical medical items:}

To Disinfect Non-Critical, Pre-cleaned Instruments:

1. Instruments must be thoroughly pre-cleaned to remove excess organic debris, rinsed, and rough dried. (Clean and rinse lumens of hollow instruments before wiping with this product).
2. Wipe hard, non-porous environmental surfaces with towelette.
3. Allow treated surfaces to remain visibly wet for 1 minute. (at room temperature).
4. Wipe with a clean, damp cloth or paper towel and allow to air dry.

Note: Non-critical medical items are those that only come into contact with intact skin.

To Clean and Disinfect Manikins Used in CPR Training:

Manikins should be cleaned as soon as possible at the end of each class to avoid drying of contaminants on surfaces. Disassemble the manikin as directed by manufacturer's instructions. Wipe all surfaces with towelette until thoroughly wet. Allow treated surfaces to remain visibly wet for 1 minute. and rinse with potable water. Use additional towelettes if needed to ensure the surfaces remain visibly wet for the required contact time (For certain listed viruses, allow surfaces to remain visibly wet for 30 seconds.)

To Disinfectant Hard, Non-Porous Surfaces in Pharmaceutical and Cosmetic Processing Facilities:

1. Pre-clean heavily soiled areas.
2. Wipe hard, non-porous environmental surfaces with towelette.
3. Allow treated surfaces to remain visibly wet for 1 minute, use additional towelettes if needed to ensure the surfaces remain visibly wet for the required contact time. (For certain listed viruses, allow surfaces to remain visibly wet for 30 seconds.)
4. Rinse with sterile water.
5. Wipe with a dry, clean cloth and let air dry.

To Clean and Disinfect Barber and Beauty/Manicure Instruments and Tools:

1. Pre-clean heavily soiled items.
2. Wipe all surfaces of pre-cleaned combs, brushes, scissors, clipper blades, razors, manicure implements and other hard, non-porous instruments with this product until thoroughly wet.
3. Allow treated surfaces to remain visibly wet for 1 minute.
4. Rinse the surfaces thoroughly with water.
5. Let air dry before reuse.

{Note to Agency: Text appearing in [brackets] or (parenthesis) is done to show interchangeable or optional text. Commas may be added where needed. Any language which appears between {braces} and is italicized is for administrative purposes only and will NOT appear on final printed label. Listed uses and use sites can be used partially or in their entirety. }

To Disinfect Hard, Non-Porous Surfaces of Non-Circulating Footbaths:

1. Drain: Drain the water (from) (the) (unit) (basin) (bowl) and remove any visible debris.
2. Clean: Thoroughly clean all surfaces with (this product) (or) (soap) (detergent), then rinse with water and drain.
3. Apply: Wipe all hard non-porous (inanimate) (environmental) surfaces with the towelette. Allow treated surfaces to remain visibly wet for 1 minute, use additional towelettes if needed to ensure the surfaces remain visibly wet for the required contact time (For certain listed viruses, allow surfaces to remain visibly wet for 30 seconds.)
4. Rinse (cleaned) (treated) (surfaces) with fresh water and drain.

***KILLS HIV, HCV and HBV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings (Hospitals, Nursing Homes) and other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood/body fluids, and in which the surfaces/objects likely to be soiled with blood/body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS), Hepatitis C Virus (HCV) or Hepatitis B Virus (HBV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS), HCV OR HBV OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

Personal Protection: (Disposable) Protective (latex, nitrile, or vinyl) gloves, gowns, face masks, and eye coverings must be worn during all cleaning of body fluids, blood, and decontamination procedures.

Cleaning Procedures: Blood/body fluids must be thoroughly cleaned from surfaces/objects before application of this product.

Contact Time: Allow surface to remain wet for 30 seconds to kill HIV-1, HCV and HBV, *{the following text will only be included when a mold claim appears on the product label}* [4 minutes for mold], and 1 minute to kill other organisms cited on label.

Disposal of Infectious Material: Blood/body fluids must be autoclaved and disposed of according to Federal, State, and local regulations for infectious waste disposal.

Animal Housing Facilities (Including Veterinary Clinics, (Equine) Farms, Livestock, Swine and Poultry Houses):

For cleaning and disinfecting the following hard, non-porous surfaces: feeding and watering equipment, utensils, instruments, cages, kennels, stables, catteries, etc.

1. Remove all animals and feeds from premises, animal transportation vehicles, crates, etc.
2. Remove all litter, droppings and manure from floors, walls and surfaces of facilities (including barns, pens, stalls, and chutes) occupied or traversed by animals.
3. Empty (or cover) all troughs, racks, and other feeding and watering appliances.
4. Thoroughly clean all surfaces with soap or detergent and rinse with potable water.
5. Wipe hard, non-porous environmental surfaces with towelettes. To disinfect, all surfaces must remain visibly wet for 1 minute. (For certain listed viruses, allow treated surfaces to remain visibly wet for 30 seconds). Use additional towelettes if needed to ensure the surface remains visibly wet for the correct contact time
6. Allow to air dry (or rinse with potable water if necessary).
7. Ventilate buildings and other closed spaces.
8. Do not house animals or employ equipment until treatment has been absorbed, set or dried.
9. Thoroughly scrub treated feed racks, troughs, mangers, automatic feeders, fountains, and waterers with soap or detergent, and rinse with potable water before reuse.

To Kill Fungi:

For Candida auris, please see special instructions.

Pre-clean heavily soiled areas. Wipe hard, non-porous environmental surfaces with towelette (wipe). Allow treated surfaces to remain visibly wet for 1 minute. Use additional towelettes if needed to ensure the surfaces remain visibly wet for the required contact time. Wipe surfaces or let air dry.

****Special Instructions for Cleaning Prior to Disinfection against *Candida auris***

Personal Protection: Wear appropriate barrier protection such as gloves, gowns, masks or eye covering.

{Note to Agency: Text appearing in [brackets] or (parenthesis) is done to show interchangeable or optional text. Commas may be added where needed. Any language which appears between {braces} and is italicized is for administrative purposes only and will NOT appear on final printed label. Listed uses and use sites can be used partially or in their entirety. }

Cleaning Procedure: Fecal matter/waste must be thoroughly cleaned from surfaces/objects before disinfection by application with a clean cloth, mop, and/or sponge saturated with the product. Pre-cleaning is to include vigorous wiping and/or scrubbing and all visible soil is removed. Surfaces in patient rooms are to be cleaned in an appropriate manner, such as from right to left or left to right, on horizontal surfaces, and top to bottom, on vertical surfaces, to minimize spreading the organism. Restrooms are to be cleaned last. Do not reuse soiled cloths.

Infectious Materials Disposal: Materials used in the cleaning process that may contain feces/wastes are to be disposed of immediately in accordance with local regulations for infectious materials disposal.

Disinfection Procedure: Pre-clean heavily soiled areas. Wipe hard, non-porous environmental surfaces with towelette. Allow treated surfaces to remain visibly wet for 1 minute. Use additional towelettes if needed to ensure the surfaces remain visibly wet for the required contact time. Wipe surfaces or let air dry.

To Use as a Non-Food Contact Sanitizer:

1. Pre-clean heavily soiled areas.
2. Wipe hard, non-porous environmental surfaces with towelette.
3. Allow the surface to remain wet for 10 seconds.
4. Wipe surfaces dry (or rinse) (or allow to air dry).

To Kill Mold and Mildew:

Pre-clean surfaces. Wipe hard, nonporous surfaces with towelettes until completely wet. Allow treated surfaces to remain visibly wet for 1 minute, additional towelettes if needed to ensure the correct visibly wet surface contact time. for 4 minutes. Let air dry (or) (wipe surface dry) (or) (rinse).

To Control Mold and Mildew:

Wipe hard, nonporous surfaces with towelettes until completely wet. Let air dry (or wipe surface dry) (or rinse). Repeat application weekly or when growth reappears.

To Clean (and/or Deodorize):

Wipe hard, non-porous environmental surfaces with towelette. (Wipe surfaces dry) (or rinse) (or allow to air dry). Repeat for heavily soiled areas. For stubborn stains or heavily soiled areas or tougher jobs, allow product to penetrate (dirt) before wiping.

(Allergen Destruction)

To Clean and Destroy Specified Allergens: Wipe, wait 1 minute, and wipe with a second towelette to remove excess. (Allow to air dry) (or) (rinse). (If streaking is observed, wipe with a clean, damp (cloth or) paper towel.)

Allergens:

- Cockroach matter -or- particles
- Dust mite matter -or- particles
- Pet dander -or- dog and cat dander

(Packaging Opening Instructions:)

(Rigid Can with EZ-Open Lid)

Dispenser Directions: Do Not Remove Lid. Lift Lid to expose dispenser and seal film. Using finger, push through film at vent hole and remove film. Pull wipe up from center of roll and pull towards you to insert in single wipe dispenser. Simply pull wipe at angle towards you to dispense one wipe at a time. To dispense multiple wipes, pull wipe away from you, out of single wipe dispenser and pull up. Separate wipe at perforation. When finished, close lid to retain moisture.

To Open New Package: No Need to Remove Lid. Lift lid to expose dispenser and seal film, which covers wipe roll. Simply puncture and tear film at the vent holes and remove film from canister.

To Open Package: Open lid/flap and pull out wipe at an angle from center of roll. When finished, close lid to retain moisture.

{Note to Agency: Text appearing in [brackets] or (parenthesis) is done to show interchangeable or optional text. Commas may be added where needed. Any language which appears between {braces} and is italicized is for administrative purposes only and will NOT appear on final printed label. Listed uses and use sites can be used partially or in their entirety. }

(Rigid Can with Traditional-Open Lid)

Dispenser Directions: Remove lid to expose dispenser and seal film. Remove film. Pull wipe up from center of roll and thread through lid. Replace lid. Pull wipe at angle towards you to dispense one wipe at a time. Separate wipe at perforation. When finished, close lid to retain moisture.

To Open New Package: Remove lid to expose dispenser and seal film, which covers wipe roll. Remove film. Thread wipe through lid. Replace lid.

To Open Package: Open lid/flap and pull out wipe at an angle from center of roll. When finished, close lid to retain moisture.

(Stand Up Pouch)

Dispenser Directions: Remove film seal from wipe access port. Pull first wipe from center of roll. Insert first wipe in to easy thread dispenser. Insert easy thread dispenser into port and make a 1/4 turn clockwise to lock in place. Pull wipes at an angle to dispense. Dispense as many as required for job and break off at perforation. After use, store next wipe in easy thread dispenser cavity and snap lid closed to retain moisture.

To Open New Package: Remove film seal (from orifice) (over/from cap). Twist dispenser counterclockwise and remove to access wipe roll. Grab first wipe from center of roll. Insert wipe in dispenser orifice. Insert dispenser, twist clockwise until it locks.

To Open Package: Open lid/flap and pull out wipe at an angle from center of roll. When finished, close (click) (snap) lid/flap (closed) to retain moisture.

(FlatPack)

[For re-sealable flatpack, transport pack or softpack, flexible package:]

[To Open Package:]

1. Open [click-lock] [closure] and peel back [or] [remove] seal.
2. Pull out [one] wipe [sheet] [at a time][, use as directed].
3. [When finished,] [firmly] close [click-lock] [closure] to retain moisture [to prevent drying between uses].

(Re-sealable soft pack:)

1. Remove the seal (from the place shown on the label).
2. Remove one sheet at a time.
3. Close the seal (to prevent drying between uses).

[Storage and Disposal for Institutional Use Products]

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal. Store in original container in areas inaccessible to small children. Keep securely closed. Do not allow product to freeze.

PESTICIDE STORAGE

Store in a dry, well-ventilated area away from chemicals, direct light, heat or open flame. Do not mix with other cleaning or disinfecting products.

{Note to Agency: Text appearing in [brackets] or (parenthesis) is done to show interchangeable or optional text. Commas may be added where needed. Any language which appears between {braces} and is italicized is for administrative purposes only and will NOT appear on final printed label. Listed uses and use sites can be used partially or in their entirety. }

Pesticide Disposal:

Store in original container in areas inaccessible to small children. Keep securely closed.

Container Disposal:

NONREFILLABLE READY-TO-USE FORMULATIONS: *{Note to reviewer: The following text will be used on nonrefillable RTU container labels:}*

Nonrefillable container. Do not reuse or refill this container. Wrap empty container and put in trash(, or offer for recycling if available).

REFILLABLE CONTAINERS: *{Note to reviewer: The following paragraph will be used on labels for refillable containers:}*

Refillable container. Refill this container with *{insert one of the following brand names: Oxivir Wipes, Oxivir 1 Wipes}* only. Do not reuse this container for any other purpose.

Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

{Note to reviewer: One of the following statements will be used, depending on the type of container}

{For product supplied in refillable or non-refillable containers}

Towelette Storage/Disposal: Dispose of (wipe) (towelette) (cloth) in trash after use. Do not flush. Tightly close lid between uses to retain moisture.

{For product supplied in resealable packages:}

Towelette Storage/Disposal: Dispose of (wipe) (towelette) (cloth) in trash after use. Do not flush. Reseal container label between uses to retain moisture.

(To clean the container prior to final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.)

[Storage and Disposal for Residential Only Use Products]

Storage and Disposal

PESTICIDE [PRODUCT] STORAGE: Store in original container in areas inaccessible to small children. Keep securely closed.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Wrap [container] and put in trash or offer for recycling if available.

ENVIRONMENTAL HAZARDS *(for labels with veterinary use patterns)*

This product is toxic to birds, fish and aquatic invertebrates. Caution should be used when applying indoors because pets may be at risk.

{Note to Agency: Text appearing in [brackets] or (parenthesis) is done to show interchangeable or optional text. Commas may be added where needed. Any language which appears between {braces} and is italicized is for administrative purposes only and will NOT appear on final printed label. Listed uses and use sites can be used partially or in their entirety. }

{Graphics - May be placed anywhere on the label}



*** QRD and designs are trademarks of Allied Hygiene Systems, Ltd. used under license



Not a baby wipe
Not for personal use




One-step cleaning
and disinfection



For hard, non-porous
surfaces



{Note to Agency: Text appearing in [brackets] or (parenthesis) is done to show interchangeable or optional text. Commas may be added where needed. Any language which appears between {braces} and is italicized is for administrative purposes only and will NOT appear on final printed label. Listed uses and use sites can be used partially or in their entirety. }



[Logo below only used if NSF listed:]



{Footnotes for Symbols Mentioned in Label}

++ Claims against non-living allergens

* Viruses

** *Candida auris* Use Directions

¹When used according to Disinfectant Directions

²Hard, non-porous surfaces

³at room temperature

{Note to Agency: Text appearing in [brackets] or (parenthesis) is done to show interchangeable or optional text. Commas may be added where needed. Any language which appears between {braces} and is italicized is for administrative purposes only and will NOT appear on final printed label. Listed uses and use sites can be used partially or in their entirety. }

REFERENCE SHEET

OXIVIR[®] 1 Wipes

{Insert verbatim any Claims statements from the Claims sections from above.}

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

{Insert verbatim any set(s) of Directions for Use from above.}

See the container label for use directions and additional required information for, (First Aid,) (Precautionary Statements,) (Environmental Hazards) (and) (Storage and Disposal).

EPA Reg. No. 70627-77

[Manufactured for:] © 2020 Diversey, Inc., P.O. Box 19747, Charlotte, NC 28219-0747 U.S.A. All Rights Reserved.