PRECAUTIONARY STATEMENT HAZARDTO HUMANS AND DOMESTIC ANIMALS

CAUTION

Causes moderate skin and eye irritation. Avoid contact with skin, eyes, or clothing.

Wash hands thoroughly with soap and water after handling. Do not apply this product in such a manner as to directly expose workers or other persons. The area being treated must be vacated by unprotected persons.

Applicators and other handlers must wear long-sleeved shirt and long pants, shoes, socks, hat, and gloves.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean highwater mark. Do not contaminate water when cleaning equipment or disposing of equipment wash waters.

DIRECTIONS FOR USE

It is a violation Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State and Tribe, consult the agency responsible for pesticide regulation.


RECOMMENDED APPLICATION: Confuse-OFM is intended for controlling the oriental fruit moth (Grapholita molesta) by disrupting the mating of adult moths. For use on peaches, nectarines, apricots, plums, apples, quince, almond, macadamias, or other tree crops where the oriental fruit moth is a pest. Apply at a rate of 600 grams (30.0 grams of Active Ingredient equivalent) of formulation per acre. Apply Confuse-OFM early in the season or immediately after the first moth is detected in pheromone baited traps. The early application is effective for approximately 100 days. Reapply Confuse-OFM as needed, based on local conditions, monitoring results, and field scouting. Do not exceed a total of 150 grams of Active Ingredient per acre per year.

Apply Confuse-OFM evenly throughout the acreage to be treated. Apply the material in the upper one half to one-third of the tree. Place the product on the bark of the upper branches of the tree. For example, if there are 100 trees per acre, place 6 grams of formulation (0.3 grams of Active Ingredient) per tree.

(Continued on AIRSHT PANEL)
Registered By:

AGRIUM US INC.

4582 Ulster St., Suite 1400 Denver, CO 80237 (303) 804-4426



AGRIUM

CONFUSE-OFM

For Mating Disruption of Oriental Fruit Moth Grapholita molesta

ACTIVE INGREDIENTS:

OTHER INGREDIENTS:94.6%

CAUTION

Read Directions and Precautionary Statements Before Use

STATEMENT OF PRACTICAL TREATMENT

If in eyes: Flush with plenty of water. Call physician if irritation persists.

If on skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

If swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. If person is unconscious, do not give anything by mouth or do not induce vomiting.

Net Content:

lbs (

kg)

EPA Reg. No. 70724-3

EPA Est. No. 24909-CA-1

DIRECTIONS FOR USE (Continued)

Confuse-OFM should be applied in short toothpaste-like strips directly on the bark of the tree limbs. Several types of application devices are acceptable for dispensing this product in the field, e.g. forestry paint marking guns, paint ball guns, grease guns, etc. Therefore, the private or commercial applicator in charge of field applications will instruct as to the number of deposits per tree and the number of trees per acre necessary to treat to acquire the desired dosage per acre of the active ingredient.

Wash hands after applications. Do not handle other types of insect tures before or after ture placement without thoroughly washing hands. Monitor treatments carefully, especially for secondary pests such as leafrollers.

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFRpert170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE). The requirements in this box apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during application of this product. A restricted entry interval of 0 hours has been established.

STORAGE AND DISPOSAL:

Do not contaminate water, food or feed by storage or disposal. STORAGE:

Store in a cool well ventilated area. Protect from ignition sources. Avoid contact with high temperatures, acids, bases. Store *sealed* and refrigerated to prevent loss of product.

PESTICIDE DISPOSAL:

Wastes resulting from the use of this product may be disposed of on site at an approved waste facility.

CONTAINER DISPOSAL:

Completely empty the container. Then, dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Produced For:

AGRIUM US INC.

4582 Ulster St., Suite 1400 Denver, CO 80237 (303) 804-4426