#### **DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

ProChek GP 77 L is a buffered propionic acid for use as a fungistat to reduce mold growth during storage. It can be used post-harvest on cereal grains (barley, corn, oat, sorghum, and wheat). Treated grain should be kept in covered storage until subsequently used.

Apply ProChek GP 77 L at the rate of 2 to 15 pounds per ton of grain. Use calibrated metering applicator and appropriate equipment to ensure maximum distribution. Application rate will depend on storage conditions (moisture content and duration of storage\*).

Crain	& Anietuca	Contact	Percent by Weight	٠
Literation	MACHSUIP	LOIMER	Leichin na Aasion	Ł

Duration	10-12%	12-14%	14-16%	16-18%
Up to 3 months	2 lbs/ton	4 lbs/ton	6 lbs/ton	9 lbs/ton
Up to 6 months	4 lbs/ton	6 lbs/ton	9 lbs/ton	12 lbs/lon
Up to 12 months	6 lbs/ton	8 lbs/ton	11 lbs/ton	15 lbs/ton

<sup>&</sup>quot;Not recommended for use in open storage or grain moisture content greater than 18%,

Clean storage area prior to use. Protect treated grain from moisture via storage in wooden, concrete, or metal bins (or similar covered storage areas). Use plastic to protect concrete and metal surfaces against corrosion and to waterproof concrete or dirt floors. Do not store treated grain with untreated grain in same storage area. Follow normal ventilation procedures to prevent moisture condensation.

#### Storage and Disposal

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store product in dry area, above 45° F (7° C). Store away from heat.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

# PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals DANGER

Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes. Wear protective clothing and goggles. Harmful if swallowed, inhaled, or absorbed through skin. Avoid contact with skin or clothing. Avoid breathing vapor. Remove contaminated clothing and wash clothing before reuse. Wear chemical resistant gloves and chemical resistant (ootwear. Wash thoroughly with soap and water after handling.

#### Environmental Hazards

Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment wash waters.

#### For Agricultural Use Only

This product is intended as a source of buffered organic acid. Buyer assumes all responsibility of use, storage and handling of this product. Cargill, Incorporated makes no claims or warranties expressed or implied, except those set forth above, due to conditions and uses by buyer beyond the control of Cargill, Incorporated.

**Product Color Change Will Not Affect Performance** 



### ProChek GP 77 L

ACTIVE INGREDIENT:	BY WT.
Propionic Acid	77.0%
INERT INGREDIENTS:	
Ammonium Hydroxide	23.0%
TOTAL	100.0%

## KEEP OUT OF REACH OF CHILDREN DANGER

#### **FIRST AID**

IF IN EYES: Hold

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove

contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

Call a poison control center or doctor for treatment advice.

JF SWALLOWED:

Call poison control center or doctor immediately for treatment advice.

Have person sip a glass of water if able to swallow.

Do not induce vomitting unless told to do so by the poison control center or doctor.

Do not give anything by mouth to an unconscious person.

IF INHALED:

Move person to fresh air.

If person is not breathing, call 911 or an ambulance, then give artificial respiration

preferably by mouth-to-mouth, if possible.

Call a poison control center or doctor for further treatment advice.

IF ON SKIN OR Take

Take off contaminated clothing.

CLOTHING: Rinse skin immediately with plenty of water for 15-20 minutes.

Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

#### NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

EPA Reg. No. /U/26-2

EPA Est. No. /8/U-MN-UU



Manufactured for: CARGILL, INCORPORATED
Minneapolis, Minnesota 55440

Net Contents: 55 gallons (Net Weight: 440 lb - 200 kg)

