Ms. Sarah Hinz-Bridger Agent for Jabb of the Carolinas Jabb of the Carolinas c/o SHB Scientific Enterprises 18907 N. 43rd Way Phoenix, AZ 85050

JUN 1 2 2008

Subject: Jabb of the Carolinas, BalEnce HF5ES Fly Bait

EPA Registration No. 70787-4

Minor Label ("Fast Track") Amendment

Submission dated 03/25/2008

Dear Ms. Hinz-Bridger:

The Agency has reviewed your request to amend the subject product registration, which included the following changes to the product label:

- 1) Addition of National Organic Program labeling
- 2) Revision of the Precautionary Statements and Directions for Use in order to clarify labeling for the user, match risk mitigating language with the original science review conclusions, and avoid redundant language
- 3) Revision of the Storage and Disposal Box in accordance with PR Notice 2007-4

The changes referred to above, submitted in connection with registration under FIFRA section 3(c)(7)(A), are acceptable provided that you:

- 1) Submit and/or cite all data required for registration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
- 2) Submit two (2) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of a final printed label.

In addition to the label amendments specified above, errors were noted and corrected in the Confidential Statement of Formula (CSF). The new CSF dated May 12, 2008 supersedes all previous CSFs and will be filed in the Agency's records as the official CSF.

				CONCURRENC	ES		
SYMBOL	7511	75116	75110				
SURNAME		Bruceland	apila				
DATE	06/10/2008	6/11/08	6 2 X			Ġ.	

EPA Form 1320-1A (1/90)

Printed on Recycled Paper

OFFICIAL FILE COPY

Sarah Hinz-Bridger EPA Reg. No. 70787-4 -2-

If the above conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions. If you have any questions contact Jeannine Kausch at 703-347-8920 or by email at: kausch.jeannine@epa.gov.

A stamped copy of the label is enclosed for your records.

Sincerely,

Sheryl Reflly, Ph.D., Chief Microbial Pesticides Branch Biopesticides and Pollution Prevention Division (7511P)

Enclosures

{front panel}

BalEnceTM HF5ES Fly Bait {Alternate Brand Name: Balence HF 5ES Biological Insecticide Fly Bait}

For control of house flies in poultry production facilities

FOR ORGANIC PRODUCTION

Active Ingredient: Beauveria bassiana Strain HF23 spores*	0.095%
Other Ingredients:	
Total	
*4.75 x 10 ⁸ colony forming units (cfu) per g (4.75 x 10 ¹¹ cfu per kg of sub	strate)

KEEP OUT OF REACH OF CHILDREN CAUTION

See {back panel or side panels} for first aid and additional precautionary statements.

EPA Registration No.: 70787-4

EPA Est. No.: 70787-NC-001

Produced By:

Jabb of the Carolinas, Inc. P.O. Box 310 456 East Main Street Pine Level, NC 27568-0310

Net Contents:

Lot Number:

Expiration Date:

Batch Code:

ACCEPTED

JUN 1 2 2008

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 76787-4

{side or back panel}

FIRST AID					
If on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice 				
If in eyes	 Hold eye open and rinse slowly and gently with water for 15–20 minutes. 				
	• Remove contact lenses, if present, after the first 5 minutes then continue rinsing eye.				
	Call a poison control center or doctor for treatment advice				

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if absorbed through the skin. May cause moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

Personal Protective Equipment (PPE)

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Waterproof gloves
- Shoes plus socks
- Protective eyewear such as goggles, face shield, or shielded safety glasses

Mixers/loaders and applicators must wear a dust/mist filtering respirator meeting NIOSH standards of at least N-95, R-95 or P-95. Repeated exposure to high concentrations of microbial proteins can cause allergic sensitization.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards

This product is potentially pathogenic to honey bees. Avoid applying to areas where honeybees are actively foraging or around hives. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate surface water by disposal of equipment wash waters or rinsate.

{back or side panel}

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For use only in controlling house flies in poultry production houses. Do not use inside homes.

General Information

Balence Biological Fly Bait is a fly bait formula containing a fungal pathogen of house flies. Failure to follow directions and precautions on this label may result in poor insect control.

Use Restrictions

Do not use a fungicide prior to application of this product.

Application Instructions

Bait Use: Pour BalEnce Biological Fly Bait granules onto desired locations in poultry production facilities where house flies are present. Apply bait in locations inaccessible to children, animals and pets where bait cannot be picked up and where animals and pets cannot contact or eat. Use the product at ¼ pound per 500 square feet of area by placing bait into bait stations as specified below.

<u>Bait Station</u>: Use Balence Biological Fly Bait by scattering bait in bait pan or tray hung above head level where poultry cannot contact. Bait stations must be a minimum of 4 feet above ground. Replace bait every 5 to 7 days. Empty bait stations before refilling with bait. Dispose of used bait as instructed in the Storage and Disposal Box.

%

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool, dry place in original container and out of direct sunlight. Do not store at temperatures exceeding 80° F (27° C).

PESTICIDE DISPOSAL: To avoid wastes, use all material in this container by application according to the label directions. If wastes cannot be avoided, offer remaining product to waste disposal facilities or pesticide disposal program (often programs run by state or local governments or by industry)

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available, or puncture and dispose of in a sanitary landfill or by incineration. Do not burn, unless allowed by state and local ordinances.

Limited Warranty and Disclaimer

Manufacturer warrants that this product is suited for the labeled use when applied according to label directions. Manufacturer makes no warranty of merchantability. To the extent consistent with applicable law, there are no warranties that extend beyond the description on this label and in no event shall manufacturer be liable for any consequential damages.