

EcoTru®

(master label – revised 12/1/03)

- Hospital Disinfectant/Cleaner
- Instrument Presoak
- Disinfectant/Decontaminant Cleaner
- Institutional Disinfectant/Decontaminant Cleaner
- Dental Decontaminant/Cleaner
- Veterinary Disinfectant/Decontaminant Cleaner
- Medical Decontaminant/Cleaner
- Surface Disinfectant/Decontaminant Cleaner
- Laboratory Surfaces Decontaminant/Cleaner
- Household Disinfectant
- Commercial Facility Disinfectant

BACTERICIDAL – VIRUCIDAL – FUNGICIDAL – TUBERCULOCIDAL - PSEUDOMONACIDAL

Ready To Use

Active Ingredients:

Parachlorometaxylenol..... 0.20%
 Other ingredients..... 99.80%
 Total..... 100.00%


KEEP OUT OF REACH OF CHILDREN
CAUTION

EPA Reg. No. 70791-1

EPA Est. No. 70791-CA-001

Effective against:

- Pseudomonas aeruginosa* (ATCC 15442)
- Salmonella choleraesuis* (ATCC 10708)
- Salmonella typhimurium** (ATCC 6539)
- Escherichia coli OH157** (ATCC 43888)
- Campylobacter jejuni** (ATCC 29248)
- Legionella pneumophila*** (ATCC 33153)
- Listeria monocytogenes** (ATCC 19111)
- Streptococcus pyogenes** (ATCC 8669)
- Staphylococcus aureus* (ATCC 6538)
- Mycobacterium bovis (TB)** (ATCC 35743, TMC 1028)
- Trychophyton mentagrophytes** (ATCC 9533)
- Candida albicans** (ATCC 10231)
- HIV-1** (Zepto Metrix Corporation, Buffalo, NY)
- Herpes simplex Type I** (ATCC VR-260)
- Herpes simplex Type II** (ATCC VR-734)
- Influenza A2*** (ATCC VR-100)
- Rhinovirus 39*** (ATCC VR-340)
- Hepatitis B** (DHBV)
- Hepatitis C** (DHBV)
- Staphylococcus aureus (MRSA)*** (ATCC 700698)
- Enterococcus faecium (VRE)*** (ATCC 700221)



- (* 2 minutes contact time)
- (** 5 minutes contact time)
- (*** 10 minutes contact time)

DESCRIPTION:

EcoTru® is a multi-purpose, broad spectrum, ready to use, highly effective cleaner and disinfectant for use on the surfaces of inanimate objects. It is especially useful in patient care areas, laboratories non-food contact surfaces in food preparation areas, health club facilities, day care centers, schools, households. EcoTru® can also be used on aircraft, trains, automotive forms of transportation, ships, and boats, whether commercial or military. EcoTru® will effectively disinfect, when used as directed, such items as counter tops, exterior toilet surfaces, sinks, tubs, showers, floors, walls, handrails, door knobs, bed railings, veterinary care surfaces, dental operatory surfaces, dental countertops, dental chairs, light lens covers, sinks, drain boards, cabinets, faucets, appliances, and other inanimate objects. EcoTru® product applications also include lavatories, galleys, windows and transparencies, tray tables, service trays, overhead bins, arm rests, head rests, vinyl walls, bulkheads, stainless steel, porcelain, floors, and any other hard surfaces on aircraft, trains, automotive forms of transportation, ships, and boats. It has successfully met all of the requirements of AMS 1453: Disinfectant Cleaner for Aircraft Interiors.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

EcoTru® Hospital Disinfectant/Cleaner & Instrument Presoak is designed for effective disinfection, cleaning and deodorizing of hard inanimate surfaces such as walls, sink tops, tables, chairs, telephones and bed frames, and for the decontamination of instruments prior to sterilization. When using strong cleaners and disinfectant agents, it is always advisable to first test in an inconspicuous area.

TO DISINFECT CONTAMINATED SURFACES AND OBJECTS [Healthcare facilities]:

Mix by inversion. For heavily soiled areas, or surfaces or objects soiled with blood or body fluids a precleaning step is required. Use a clean sponge or lint-free cloth. On precleaned surfaces, apply EcoTru® with a mop, cloth, sponge or mechanical sprayer so as to thoroughly wet precleaned surfaces. DO NOT DILUTE. Note contact time for individual microorganism on this label.

INSTRUMENT PRESOAK – TO DECONTAMINATE INSTRUMENTS PRIOR TO STERILIZATION:

Completely immerse instruments for 10 minutes prior to preparation for sterilization. This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.


EcoTru® inactivates HIV-1 on precleaned environmental surfaces and objects previously soiled with blood or body fluids in healthcare settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces or objects with blood or body fluids, and in which the surfaces and objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus (HIV-1)

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON HARD INANIMATE SURFACES AND/OR OBJECTS SOILED WITH BLOOD OR BODY FLUIDS:

Personal Protection: When handling items soiled with blood or body fluids use disposable latex gloves, gowns, masks and/or eye coverings.

Cleaning Procedures: Blood and body fluids must be thoroughly cleaned from surfaces and objects before application of EcoTru® with a mop, cloth, sponge or mechanical sprayer so as to thoroughly wet precleaned surfaces. DO NOT DILUTE. Allow surfaces to remain wet for five minutes to ensure total inactivation of HIV virus. This contact time will not control other common types of viruses and bacteria. For example, a ten-minute contact time is required to control Influenza A2.

Infectious Materials Disposal: Blood and other body fluids should be autoclaved and disposed off according to local regulations for infectious disposal.



[Households and Commercial Establishments]

DIRECTION FOR USE: Ready-to-use. Mix by inversion. Use through the house or commercial facility on hard, non-porous, non-food contact surfaces. **To Clean and Sanitize:** Spray surfaces until wet. Leave surfaces wet for 30 seconds before wiping. **To Disinfect:** Spray surfaces until wet. For bactericidal, tuberculocidal, and fungicidal disinfection, let stand for 5 minutes before wiping. For virucidal and Staph disinfection, let stand for 10 minutes before wiping. To control and prevent mold and mildew and their odors: spray surfaces until wet. Repeat application as necessary. To deodorize: Spray on surfaces as needed.

To Clean and Disinfect Food Processing Equipment, Food Contact Surfaces and Utensils: Remove gross food particles and wash thoroughly with detergent or compatible cleaner. Spray or immerse to wet all surfaces with EcoTru solution. A contact time of at least 2 minute is required for disinfection. Drain disinfectant solution and allow to air dry. Use a potable water rinse to remove any remaining disinfectant solution.

STORAGE AND DISPOSAL:

Storage: Store in a cool place.

Disposal: Wastes resulting from use of this product may be poured down the drain. No special handling is required.

EcoTru Systems, Inc.

1754 Technology Drive, Suite 106
San Jose, CA 95110-1320
Telephone: 1-800-622-2888 or 1-408-501-0890

ACCEPTED
DEC 16 2003
Under the Federal Insecticide, Fungicide, and
Rodenticide Act as amended, for the
pesticide, registered under
EPA Reg. No. 70791-1

ACCEPTED

DEC 16 2003

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for this pesticide, registered under 1007914

EFFECTIVE AGAINST:

- *Pseudomonas aeruginosa*** (ATCC 15442) • *Salmonella choleraesuis*** (ATCC 10708)
- *Salmonella typhimurium*** (ATCC 6539) • *Escherichia coli* O157** (ATCC 43886)
- *Campylobacter jejuni*** (ATCC 29248) • *Legionella pneumophila**** (ATCC 33153)
- *Listeria monocytogenes*** (ATCC 19111) • *Streptococcus pyogenes*** (ATCC 8699)
- *Staphylococcus aureus*** (ATCC 6538)
- *Mycobacterium bovis* (TB)** (ATCC 35743, TMC 1028)
- *Trichophyton mentagrophytes*** (ATCC 9533) • *Candida albicans*** (ATCC 10231)
- HIV-1** (Zepito Merix Corporation, Buffalo, NY)
- Herpes simplex Type I** (ATCC VR-260) • Herpes simplex Type II** (ATCC VR-734)
- Influenza A2*** (ATCC VR-100) • Rhinovirus 39*** (ATCC VR-340)
- Hepatitis B** (DHBV)

(* 2 minutes contact time) (** 5 minutes contact time) (***) 10 minutes contact time)

Active Ingredients:

Parachlorometaxylene.....	0.20%
Other ingredients.....	99.80%
Total.....	100.00%

DESCRIPTION: EcoTru® is a multi-purpose, broad spectrum, ready to use, highly effective cleaner and disinfectant for use on the surfaces of inanimate objects. It is especially useful in patient care areas, laboratories, non-food contact surfaces in food preparation areas, health club facilities, day care centers, schools, and households. EcoTru® can also be used on aircraft, trains, automotive forms of transportation, ships and boats, whether commercial or military. EcoTru® will effectively disinfect, when used as directed, such items as counter tops, exterior toilet surfaces, sinks, tubs, showers, floors, walls, handrails, door knobs, bed railings, veterinary care surfaces, dental operator surfaces, dental countertops, dental chairs, light lens covers, sinks, drain boards, cabinets, faucets, appliances, and other inanimate objects. EcoTru® product applications also include lavatories, galleys, windows and transparencies, tray tables, service trays, overhead bins, arm rests, head rests, vinyl walls, bulkheads, stainless steel, porcelain, floors, and any other hard surfaces on aircraft, trains, automotive forms of transportation, ships and boats. It has successfully met all of the requirements of AMS 1453: Disinfectant Cleaner for Aircraft Interiors.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. EcoTru® Hospital Disinfectant/ Cleaner & Instrument Presoak is designed for effective disinfection, cleaning and deodorizing of hard inanimate surfaces such as walls, sink tops, tables, chairs, telephones and bed frames, and for the decontamination of instruments prior to sterilization. When using strong cleaners and disinfectant agents, it is always advisable to first test in an inconspicuous area.

STORAGE AND DISPOSAL:

Storage: Store in a cool place. Disposal: Wastes resulting from use of this product may be poured down the drain. No special handling is required.

ENVIRO

Incorporated

1754 Technology Drive, Suite 106 San Jose, CA 95110-1320

Telephone: 1-800-esi-0017 or 1-408-501-0890 www.envirosi.com



Broad Spectrum Disinfectant Cleaner

- Hospital Disinfectant/Cleaner • Instrument Presoak Disinfectant/Decontaminant Cleaner
- Institutional Disinfectant/Decontaminant Cleaner
- Dental Decontaminant/Cleaner
- Veterinary Disinfectant/Decontaminant Cleaner
- Medical Decontaminant/Cleaner
- Surface Disinfectant/Decontaminant Cleaner
- Laboratory Surfaces Decontaminant/Cleaner
- Household Disinfectant • Commercial Facility Disinfectant

Ready-to-Use

Bactericidal - Virucidal - Fungicidal
Tuberculocidal - Pseudomonocidal

1 GALLON (3.78 L) 128 FL.OZ.

EPA Reg. No. 70791-1

EPA Est. No. 70791-CA-001

Disposal: No special handling is required

Lot No. XXXXX

CAUTION: KEEP OUT OF REACH OF CHILDREN

TO DISINFECT CONTAMINATED SURFACES AND OBJECTS [Healthcare facilities]:

Mix by inversion. For heavily soiled areas, or surfaces or objects soiled with blood or body fluids, a precleaning step is required. Use a clean sponge or lint-free cloth. On precleaned surfaces, apply EcoTru® with a mop, cloth, sponge or mechanical sprayer so as to thoroughly wet precleaned surfaces. DO NOT DILUTE. Note contact time for individual microorganism on this label.

INSTRUMENT PRESOAK - TO DECONTAMINATE INSTRUMENTS PRIOR TO STERILIZATION: Completely immerse instruments for 10 minutes prior to preparation for sterilization. This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection. EcoTru® inactivates HIV-1 on precleaned environmental surfaces and objects previously soiled with blood or body fluids in healthcare settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces or objects with blood or body fluids, and in which the surfaces and objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus (HIV-1)

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON HARD INANIMATE SURFACES AND/OR OBJECTS SOILED WITH BLOOD OR BODY FLUIDS:

Personal Protection: When handling items soiled with blood or body fluids use disposable latex gloves, gowns, masks and/or eye coverings.

Cleaning Procedures: Blood and body fluids must be thoroughly cleaned from surfaces and objects before application of EcoTru® with a mop, cloth, sponge or mechanical sprayer so as to thoroughly wet precleaned surfaces. DO NOT DILUTE. Allow surfaces to remain wet for five minutes to ensure total inactivation of HIV virus. This contact time will not control other common types of viruses and bacteria. For example, a ten-minute contact time is required to control Influenza A2.

Infectious Materials Disposal: Blood and other body fluids should be autoclaved and disposed off according to local regulations for infectious disposal.

[Households and Commercial Establishments]

DIRECTION FOR USE: Ready-to-use. Mix by inversion. Use through the house or commercial facility on hard, non-porous, non-food contact surfaces. To Clean and Sanitize: Spray surfaces until wet. Leave surfaces wet for 30 seconds before wiping. To Disinfect: Spray surfaces until wet. For bactericidal, tuberculocidal, and fungicidal disinfection, let stand for 5 minutes before wiping. For virucidal and Staph disinfection, let stand for 10 minutes before wiping. To control and prevent mold and mildew and their odors: spray surfaces until wet. Repeat application as necessary. To deodorize: Spray on surfaces as needed. To Clean and Disinfect Food Processing Equipment, Food Contact Surfaces and Utensils: Remove gross food particles and wash thoroughly with detergent or compatible cleaner. Spray or immerse to wet all surfaces with EcoTru solution. A contact time of at least 2 minutes is required for disinfection. Drain disinfectant solution and allow to air dry. Use a potable water rinse to remove any remaining disinfectant solution.

4.875"

9.1875"

4/14