DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection. State FIX "Terg-o-Cide in a Can" is designed for cleaning and disinfecting in hospitals, nursing homes, schools. nifices, motels and hotels. When used as directed, it is formulated to disinfect inanimate hard surfaces (such as walls, sink toos, tables, chairs, telephones, bathrooms, shower stalls, bath tubs, hampers, cabinets and bed-

in addition, State FIX "Terg-o-Cide in a Can" deodorizes those areas generally hard to keep fresh smelling (such as garbage bins, basements, restrooms, and other areas which are prone to odors caused by micro-organisms). Contains no CFC's or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols. DISINFECTION, DEODORIZATION AND CLEANING: To disinfect hard nonporous surfaces proceed as indicated

(1) Shake can before using. (2) Hold six to eight inches from surface to be sprayed. (3) Spray area until it is covered with white foam. Allow foam to penetrate and remain wet for 10 minutes. No scrubbing necessary. (4) Wipe off with a clean cloth, mop or sponge. State FIX "Terg-o-Cide in a Can" will not leave grit or soap scum. For heavily soiled areas, remove gross soil before treatment.

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTA-MINATING AGAINST HIV-1 (AIDS VIRUS) OF SURFACES / OBJECTS SOILED WITH BLOOD / BODY FLUIDS: The product kills HIV-1 (AIDS Virus) in hospitals and other health care facilities in which there is an expected likelihood of soiling of inanimate surfaces with blood or body fluids, and in which the surfaces likely to be solled with blood or body fluids can be associated with the potential for transmission of HIV-1 (AIDS Virus).

PERSONAL PROTECTION: Wear barrier protection such as latex gloves, gowns, masks or eye coverings when handling items soiled with blood or body fluids.

CLEANING PROCEDURE: Blood and other body fluids must ge thoroughly cleaned from surfaces and objects before polication of State FIX "Terg-o-Cide in a Can".

ONTACT TIME: Follow disinfecting instructions listed bove. Allow the product to penetrate and remain wet for 10 hinutes before wiping off.

OCopyright 2004 State Industrial Products Corp.

World Headquarters 3100 Hamilton Ave. Cieveland, OH 44114

To order call: 1-800-782-2436 www.stateindustrial.com

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal. When used as directed. State FIX "Terg-o-Cide in a Can' demonstrates effective distriection against Staphylococcus aureus. Salmonella choleraesuis, and Pseudomonas aeruginosa, thus meeting the requirements for hospital use. It is an effective one-step cleaner disinfectant in the presence of organic soil (5% blood serum).

DE MINUSTRIAL AND MISTITUTIONAL BAE ONLY NOT FOR HOUSEHOLD BRE ON RESALES

State FIX "Tero-o-Cide in a Can" is also funcicidal against Pathogenic fungi (Trichophyton Mentagrophytes) when used as directed on non-porous hard surfaces found in the bathroom, shower stall, and locker room or other clean, hard. nonporous surfaces commonly contacted by bare feet. State FIX "Terg-o-Cide in a Can" is also virucidal against Herpes simplex Type 2 when used as directed on hard, nonporous, inanimate, environmental surfaces.

State FIX "Tero-o-Cide in a Can" also kills HIV-1 (AIDS Virus) on precleaned environmental surfaces / objects previously soiled with blood / body fluids.

MILDEWSTAT: To control mold and mildew on precleaned, hard, nonporous surfaces (such as floors, walls, table tops) spray surfaces to be treated making sure to wet completely. Let air dry. Repeat application at weekly intervals or when mildew growth reappears.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

KEEP OUT OF REACH OF CHILDREN. Causes substantial but temporary eye injury and skin irritation. Do not get in eyes, on skin or on clothing. Wear protective eyewear, clothing and gloves. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

FIRST AID

Have the product container or tabel with you when calling a poison control center or doctor or going for treatment.

water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center for treatment advice.

utes. Call a poison control center for treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have a person sip a glass of water it able to swallow. Do not induce vomiting unless give anything by mouth to an unconscious person.

traindicate the use of gastric lavage.

If in eves: Hold eve open and rinse slowly and gently with If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 min-

told to do so by a poison control center or doctor. Do not NOTE TO PHYSICIAN: Probable mucosal damage may con-

PRODUCT# 43541

500185 40R03

NET WT.: 18 OZ. (1 lb. 2 oz.) 510g

ACCEPTED

JUN 1 - 2004

Under the Federal Insecticide, Fundalista, and Rodenticide Act as arranded, for the . pesticide, registered under FPA Res. No. 70199-9