



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Biopesticides and Pollution Prevention Division (7511W)
401 M Street, S.W.
Washington, DC 20460

EPA Reg. Number:
70810-1

Date of Issuance:
JAN 14 1998

NOTICE OF PESTICIDE:

Registration
 Reregistration
(under FIFRA, as amended)

Term of Issuance: Unconditional

Name of Pesticide Product:
AuxiGro WP Plant
Metabolic Primer

Name and Address of Registrant (include ZIP Code):

Auxein Corporation
P.O. Box 27519
3125 Sovereign Dr., Suite B
Lansing, MI 48909-0519

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA Sec. 3(c)(5) provided you:

1. Submit and /or cite all data required for registration/reregistration of your product under FIFRA Sec.3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA Sec.4.
2. Revise the EPA Registration Number to read, "EPA Reg. No. 70810-1".
3. Submit three(3) copies of the revised final printed label for the record.
4. The Confidential Statement of Formula dated Nov. 3, 1997 is acceptable.

If these conditions are not complied with, this registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Signature of Approving Official:

Date:


1/14/98

AuxiGro™ WP

WETTABLE POWDER

PLANT METABOLIC PRIMER
FOR INCREASED YIELD AND QUALITY

E.P.A. Registration Number 70810 - _____



Active Ingredients:

GABA: gamma aminobutyric acid -----	29.2 %
L-Glutamic acid -----	29.2 %
Inert Ingredients -----	41.6 %
TOTAL -----	100.0 %

(1 pound contains 0.6 pounds of active ingredient)

**KEEP OUT OF REACH OF CHILDREN
CAUTION!; PRECAUTION!**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand this label, find someone to explain it to you in detail.)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMAN AND DOMESTIC ANIMALS -
CAUTION

Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.
IF IN EYES: Flush eyes with plenty of water. Call physician if irritation persists.

Personal Protective Equipment (PPE). Applicators and other handlers must wear:

- long sleeve shirt and long pants
- shoes plus socks
- protective eyewear

Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations:

User should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if product gets inside. Then wash thoroughly and put on clean clothing.

Environmental Hazards

DO NOT apply directly to water or areas where surface water is present, or to intertidal areas below the mean high water mark.

DO NOT contaminate water when ~~cleaning equipment or disposing of~~ ^{disposing of rinsate or} equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. DO NOT apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation. DO NOT apply this product through any type of irrigation equipment. Please see package insert on bottom of bag for complete Directions For Use.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses and handlers of agricultural pesticides. It contains requirements for training, decontamination, notifications and emergency assistance. It also contains specific instructions and exceptions pertaining to the restricted-entry intervals. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Re-Entry Statement:

Do not enter or allow worker entry into treated areas without protective clothing during the restricted-entry interval (REI) of 4 hours.

For Early Entry

For early entry into treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated (plants, soil) wear:

- ◆ Long sleeve shirt and long pants
- ◆ Shoes plus socks
- ◆ Protective eyewear

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Do not enter treated areas without protective clothing within 4 hours of application.

Observe all cautions and limitations on this label and on the labels of products used in combination with Auxigro WP. Do not use Auxigro WP other than in accordance with the instructions set forth on this label. The use of Auxigro WP not consistent with this label may result in injury to crops.

GENERAL INFORMATION

AuxiGro WP can be applied on all labeled crops per label application instructions (Directions for Use). When used as directed, AuxiGro WP has been shown to increase yields of crops. AuxiGro WP applications have also resulted in **(PRODUCT BENEFITS)** increased size and/or quality of treated commodities, early ripening in certain vegetables, increased root growth, **early flowering and fruit set, faster seed germination and rooting, and improved total yield.**

MIXING INSTRUCTIONS

Mixing of AuxiGro WP: Fill the spray tank one-half full to three-quarters full with clean water. Use a calibrated device to weigh the required amount of AuxiGro WP. Add AuxiGro WP to the spray tank while agitating. Add other products, adjuvants or surfactants and then fill the remainder of the tank with water.

Tankmix combinations with AuxiGro WP: When AuxiGro WP is used in combination with other products, refer to the respective labels for rates and methods of application, proper timing, disease, weeds or insects controlled, restrictions and precautions. Always use in accordance with the most restrictive label restrictions and precautions. Do not exceed any label dosage.

Compatibility Testing: AuxiGro WP is compatible with most commonly used agricultural fungicides, insecticides, micronutrients and spray adjuvants. If compatibility with another product is unknown, a jar test for physical compatibility should be conducted before field mixtures are made. Read and recognize all cautions and limitations on labeling of all products used in mixtures.

Adjuvants and Surfactants: AuxiGro WP should be mixed with silicone based adjuvants. Adjuvants should be applied at rates recommended by the respective manufacturer on the intended crop.

Mixing containers, hoses and spraying equipment should be cleaned or triple rinsed prior to mixing AuxiGro WP for application.

Application of AuxiGro WP: By ground, uniformly apply with properly calibrated ground equipment in 20 to 100 gallons of water per acre. Application volume and pressure may increase, based on the size of plants being treated. **Hollow cone** nozzles are recommended. However, other types of nozzles which achieve uniform wetting of the entire plant canopy are acceptable.

Allow heavy dew to evaporate prior to AuxiGro WP applications. Do not apply AuxiGro WP if windy conditions exist or a strong threat of rain exists within 4 hours of application.

APPLICATION INSTRUCTIONS

AuxiGro WP can effectively enhance plant development and growth of numerous plant species. Apply AuxiGro WP postemergence on the targeted crop(s) according to the following use instructions.

<p align="center">CROP (Application Timing) (First Application) (Second Application)</p>	<p align="center">Rate</p>
<p>(Snap) Beans (Phaseolus spp) (Field) (kidney) (lima) (navy) (pinto) (runner) (snap) (wax)</p> <p>First application: Apply 5-7 days after first pod formation in canopy. (one application only) Second application: Not applicable.</p>	<p align="center">5 oz.</p>
<p>Cole crops (Broccoli) (cabbage) (cauliflower) (brussel sprouts)</p> <p><u>(Two applications)</u> First application: Apply at 8 – 10 leaf stage. Second application: Apply 14 – 21 days after first application at first sign of head formation.</p>	<p align="center">4 – 16 oz.</p>
<p>Green Peppers</p> <p><u>(Two applications)</u> First application: Apply at first fruit set in canopy. Second application: Apply 14 – 16 days after first application.</p>	<p align="center">4 – 8 oz.</p>
<p>Head lettuce (iceberg)</p> <p><u>(Two applications)</u> First application: Apply immediately after thinning (4 – 6 true leaves). Second application: Apply 7 – 14 days after first application at first sign of head cupping.</p>	<p align="center">8 – 12 oz. (8 oz.)</p>
<p>Leaf lettuce (romaine, butter)</p> <p><u>(Two applications)</u> First application: Apply immediately after thinning (4 – 6 true leaves). Second application: Apply 7 – 14 days after first application at first sign of head cupping.</p>	<p align="center">4 – 8 oz. (8 oz.)</p>
<p>Peanuts</p> <p><u>(Two applications)</u> First application: Apply at 2 – 4 trifoliates. Second application: Apply at 18 - 20 trifoliates (approximately 25 – 30 days after initial application, full bloom).</p>	<p align="center">5 oz.</p>
<p>Potatoes</p> <p><u>(Two applications)</u> First application: Apply at first tuber initiation (hooking). Second application: Apply 14 – 21 days after first application, immediately prior to row closure.</p>	<p align="center">5 oz.</p>

<p>Spinach</p> <p><i>(Two applications)</i> First application: Apply immediately after thinning. Second application: Apply 7 – 10 days after first application.</p>	<p>4 – 8 oz.</p>
<p>Tomatoes (processing) (fresh)</p> <p><i>(Two applications)</i> First application: Apply at first fruit set in canopy (full bloom). Second application: Apply 10 – 14 days after first application.</p>	<p>4 oz.</p>
<p>Lawn and Turfgrasses: (nonfood uses) (Kentucky bluegrass) (fescue (fine and tall)) (ryegrass (perennial)) (bentgrass) (bermudagrass) (buffalograss) (centipedegrass) (St. Augustinegrass) (zoysiagrass) (and) (other turfgrasses)</p> <p>Apply 7 – 14 days between applications, up to a maximum of 128 ounces (8 pounds) per year.*</p>	<p>2 – 16 oz.</p>
<p>Ornamentals (terrestrial nonfood uses) (trees) (shrubs) (woody vines) (ground covers) (perennials) (annuals) (bulbs) (evergreens) (ornamental grasses) (and) (bedding plants)</p> <p>Apply 7 – 14 days between applications, up to a maximum of 128 ounces (8 pounds) per year.</p>	<p>2 – 16 oz.</p>

(Application rate should be based on crop size and total number of applications.)

(Completed AuxGro WP applications to any crop must not exceed a total application rate of 24 ounces of AuxGro WP per acre. (Examples: 2 applications at 12 oz./A or 3 applications at 8 oz./A = maximum rate))

(*AuxGro WP applications to turfgrass and ornamental plants must not exceed a total application rate of 128 oz. AuxGro WP per acre.)

7/8

ROTATIONAL CROPS

All crops, turfgrasses, and ornamental plants may be safely planted at any time following an Auxigro WP application.

STORAGE AND DISPOSAL

DO NOT contaminate water, food, or feed by storage or disposal.

PRODUCT STORAGE: Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of reach of children, preferably in a locked storage area.

PRODUCT DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: **DO NOT** reuse any part of the packaging. Dispose of all containers and packaging in a sanitary landfill, by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of the smoke.

CONDITIONS OF SALE AND WARRANTY

The label instructions for the use of this product are based on research and field use. The instructions are believed to be reliable and must be followed carefully. However, it is not possible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the use of, or application of the product contrary to label instructions, all of which are beyond the control of Auxein Corporation. All such risks shall be assumed by the user.

Auxein Corporation shall not be responsible for losses or damages resulting from use of this product in any manner not set forth on this label. User assumes all risks associated with the use of this product in any manner not specifically set forth on this label.

Auxein Corporation warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use therein described when used in accordance with the directions for use, subject to the risks referred to above. AUXEIN CORPORATION DOES NOT MAKE OR AUTHORIZE ANY AGENT OR REPRESENTATIVE TO MAKE ANY OTHER WARRANTIES, EXPRESS OR IMPLIED AND EXPRESSLY EXCLUDES AND DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

BUYER'S EXCLUSIVE REMEDY AND AUXEIN CORPORATIONS' EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF AUXIGRO WP. In no case shall Auxein Corporation or the seller be liable for consequential, special or indirect damages resulting from the use or handling of this product. Buyers and all users are deemed to have accepted the terms of this LIMIT OF WARRANTY AND LIABILITY which may not be varied by any verbal or written agreement.

Auxein Corporation
3125 Sovereign Drive, Suite B

™ Trademark of Auxein Corporation

Lansing, MI 48911-4240
1-888-8AUXEIN (1-888-828-9346)

(Revised December 8, 1997)