

70870-3

1/17/2014

114



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Biopesticides and Pollution Prevention Division (7511C)
1200 Pennsylvania Avenue NW
Washington, DC 20460

EPA Reg. Number:
70870-3

Date of Issuance:
JAN 17 2014

Term of Issuance: Unconditional

Name of Pesticide Product:
Agricure RTU

NOTICE OF PESTICIDE:
 Registration
 Reregistration
(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Kellogg Fungicides Co.
DBA H&I Agritech
95 Brown Rd., Box 1030
Ithaca, NY 14850

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Biopesticides and Pollution Prevention Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA). Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on her motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This registration does not eliminate the need for continual reassessment of the pesticide. If the EPA determines at any time that additional data are required to maintain in effect an existing registration, the Agency will require submission of such data under section 3(c)(2)(B) of FIFRA.

This product is unconditionally registered in accordance with FIFRA Sec. 3(c)(5) and is subject to the following terms:

1. Submit and/or cite all data required for registration of your product under FIFRA section 3(c)(5) and section 4 when the Agency requires all registrants of similar products to submit such data.
2. Revise the EPA Registration Number to read, "EPA Reg. No. 70870-3."
3. Submit three (3) copies of the revised final printed labeling before you release the product for shipment.

A stamped copy of the label and an A-79 Enclosure are enclosed for your records.

Signature of Approving Official:

Robert McNally
Robert McNally, Director
Biopesticides and Pollution Prevention Division (7511P)

Date:

JAN 17 2014

2/4

[Bracketed Text] = Optional language

AGRICURE^{RTU}

For Organic Gardening

Agricure RTU is a broad spectrum fungicide that controls a variety of diseases on woody and herbaceous ornamentals, flowers, fruits & vegetables.

[Controls Powdery Mildew and other diseases as listed • Use on ornamental and garden [crops] [plants] • Use on flowers fruits and vegetables • Ready-to-Use • Controls Powdery Mildew, Black Spot, Leaf Spot and more [as listed] • Use up to the day of harvest]

[Product Facts: What It Does: Controls Powdery mildew, Black Spot, Leaf Spot, Scab, Septoria leaf spot and others as listed. **Where To Use:** Use on ornamental trees, flowers, fruits and vegetables. **Questions & Comments:** Call 607-266-0181 or visit our website at [www.\(address\).](http://www.(address).)]

Active Ingredient:
Potassium bicarbonate.....0.51%
Other Ingredients.....99.49%
Total.....100.00%

ACCEPTED
JAN 17 2014

Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended, for
the pesticide registered under
EPA Reg. No. 70870-3

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

See back panel for additional precautionary statements

Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing.

First Aid

If swallowed:	<ul style="list-style-type: none"> • Call poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting. • Do not give anything by mouth to an unconscious person.
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have a product label or container with you when calling a poison control center or doctor, or going for treatment. You may also contact the National Pesticide Information Center (NPIC) at 1-800-858-7378 between the hours of 6:30 a.m. to 4:30 p.m. Pacific Time, seven days a week for emergency medical information.

NET WT. 32 fl oz (1 qt/946 mL)
48 fl oz (1 qt 16 fl oz / 1.419 L)
64 fl oz (2 qt / 1.892 L)
72 fl oz (2 qt 8 fl oz /2.129 L)
1 gallon (4 qt / 3.78 L)
2 gallon (8 qt /7.57 L)

Made in the USA For:
Kellogg Fungicides Co. DBA
H & I Agritech, Inc.
95 Brown Rd., Box 1030
Ithaca, NY 14850
Tel. 607-266-0181

EPA No. 70870-G

EPA Est. No. XXXXX-XX-XXX

Precautionary Statements

Hazard to Humans and Domestic Animals Caution: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling, or, before eating, drinking, using tobacco, chewing gum or using the toilet.

Environmental Hazards: For terrestrial uses, do not apply directly to water. Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate.

Important: Read Entire Label Before Use.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For Residential Use Only.

Shake Well Before Using

How to Use: Apply the solution to all exposed surfaces of the plant. Use a sufficient spray volume to obtain complete coverage of all foliage and stems. Uniform and complete coverage is essential for the most effective results. Do not apply to runoff.

When to Use: Start application before or at the first sign of disease. For best protection, repeat at one to two week intervals until conditions are no longer favorable for disease development. Shorten the interval during rainy weather or during periods of high relative humidity.

Where to Use:

Ornamental Trees, Flowers and Shrubs [such as Ageratum, Ajuga, Almond-Ornamental, Alyssum, Andromeda, Aphelandra, Apple-Ornamental, Apricot-Ornamental, Artemisia, Aster, Azalea, Begonia, Boxwood, Calendula, Carnation, Centaurea montana, Cherry-Ornamental, Chrysanthemum, Cineraria, Citrus, Coleus, Columbine, Coral Bells (Heuchera), Clematis, Crape Myrtle, Crassula, Croton, Daylily, Delphinium, Dianthus, Dizygotheca, Dogwood, English Ivy, Episcia, Euonymus, Fern, Fir, Forsythia, Gazania, Geranium, Gerbera daisy, Ginseng, Gladiolus, Gloxinia, Gypsophila, Hawthorn, Heliopsis scabra, Hibiscus, Holly, Hoya, Hydrangea, Impatiens, India hawthorn, Iris, Juniper, Kalanchoe, Lavender, Lemon balm, Lipstick balm, lilac, Lipstick Vine (Aeschynanthus), Marigold, Monarda (Bee balm), Nectarine-Ornamental, Pachysandra, Palm, Pansy, Peach-Ornamental, Peperomia, Periwinkle, Philodendron, Phlox, Photinia, Pilea, Pine, Pittosporum, Plum-Ornamental, Poinsettia, Poppy, Pothos, Primrose, Privet, Protea, Prune-Ornamental, Pulmonaria, Pyracantha, Rhododendron, Rose, Rose-of-Sharon, Schefflera, Snapdragon, Spruce, Statice, Tree Ivy, Verbena, Viburnum, Violet, Zinnia.]

Controls: Alternaria blight, Anthracnose, Black Spot, Botrytis gray mold, Cercospora leaf spot, Downy mildew, Phomopsis blight, Powdery mildew, Scab, Septoria leaf spot.

Fruits and Vegetables [such as Acorn squash, Almonds, Apples, Apricots, Avocado, Basil, Blueberries, Broccoli, Cabbage, Caneberries, Cantaloupe, Cauliflower, Cherries, Chicory, Citrus, Crenshaw melon, Cucumber, Dry Beans, Eggplant, Endive, Escarole, Grapes, Honeydew, Hops, Kale, Lettuce, Lima bean, Mango, Muskmelon, Mustard greens, Okra, Oregano, Peaches, Pears, Peas, Pecans, Peppers, Pistachio, Plums, Potatoes, Prunes, Pumpkin, Radicchio, Rosemary, Sage, Snap beans, Snow peas, Spinach, Strawberries, Summer squash, Sweet potatoes, Thyme, Tomatoes, Turnip, Walnut, Watermelon, Winter squash, Zucchini.]

Controls: Alternaria leaf spot, Anthracnose, Botrytis, Downy mildew, Fly speck, Phomopsis blight, Monilinia fruit & blossom rot, Powdery mildew, Scab, Septoria leaf spot.

Storage and Disposal: Do not contaminate water, food or feed by storage or disposal. If empty: Nonrefillable container. Do not use or refill this container. Offer for recycling, if available. If partially filled: Call your local solid waste agency or (800) 858-7378 (NPIC) for disposal instructions. Never place unused product down any indoor or outdoor drain.

Notice: Buyer assumes all responsibility for safety and use not in accordance with directions.

