

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

1/11

70871-3

09/27/2000



U.S. ENVIRONMENTAL PROTECTION AGENCY  
Office of Pesticide Programs  
Registration Division (H7505C)  
401 "M" St., S.W.  
Washington, D.C. 20460

EPA Reg. Number:

70871-3

Date of Issuance:

SEP 27 2000

NOTICE OF PESTICIDE:  
  X   Registration  
       Reregistration

(under FIFRA, as amended)

Term of Issuance:

CONDITIONAL

Name of Pesticide Product:

BST Protectant Concentrate C15

Name and Address of Registrant (include ZIP Code):

BioShield Technologies, Inc.  
4405 International Boulevard, Suite B 109  
Norcross, GA 30093

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
2. Add the phrase EPA Registration Number "EPA Reg. No. 70871-3".

Signature of Approving Official:

*Velma Noble*  
Velma Noble  
Regulatory Management Branch 1  
Antimicrobial Division (7510C)

Date:

SEP 27 2000

EPA Form 8570-6

CONCURRENCES

SYMBOL	7510C						
SURNAME	S. JAMES						
DATE	9/26/00						

EPA Form 1320-1A (1/90)

Printed on Recycled Paper

OFFICIAL FILE COPY

2/11

page 2  
EPA Reg. No. 70871-3

3. This product has been registered as a microbiostatic agent for materials preservation only; neither this product, nor articles treated with this product, may state or imply any public health claims.

4. Articles or substances treated with this product will be exempt from FIFRA regulation pursuant to 40 CFR 152.25(a) only if the intended use for incorporating this material into the treated article or substance is for protection of the article or substance itself.

The following comments apply to the master label.

1. On page one, increase the font size of the asterisk (\*) after "Microbiostatic Agent" and before "A microbiostatic agent is an agent that inhibits..."

2. On page two, revise the Environmental Hazards statement to include the following: "Do not apply directly to water."

3. On page two, include the phrase "For Residential Use Only."

4. On page three in the section describing the use of this product on carpeting, revise the statement to read "Test staining and color-fastness of carpets by treating and drying a small concealed area prior to application." deleting the phrase "fabric and".

5. On page six delete the series of statements which begin "Molecularly bonds to...". These statements are unacceptable because they imply that a true chemical bond occurs between the substrate (fabric, carpet, upholstery or other surface) and your product.

6. On page seven revise the statements which begin "Provides/creates an invisible barrier against the..." to read "Provides/creates an invisible barrier to inhibit the..." deleting the word "against" which implies heightened efficacy for this microbiostatic compound.

7. Revise the following two statements on page seven to read "Inhibits the growth of fungi (mold and mildew) between cleaning." and "Inhibits the growth of algae between cleanings." deleting the references to bacteria as the cause of fungi, which is an inaccurate statement as well as ~~incongruous~~ and fungi from the second statement since neither of these two organisms cause the growth of

SYMBOL	algaee.....						
SURNAME							
DATE							

3/11

page 3  
EPA Reg. No. 70871-3

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the master label is enclosed for your records. Submit one (1) copy of the final printed label prior to the release of the product for shipment.

If you have any questions concerning this letter, please contact Tracy Lantz at (703) 308-6415.

Sincerely,



Velma Noble  
Product Manager 31  
Regulatory Management Branch 1  
Antimicrobial Division (7510C)

Enclosure: Stamped Label  
7510C:T.Lantz:9/22/00:70871-3

# BST Protectant Concentrate C15

## MICROBIOSTATIC AGENT\*

Active Ingredient:	3-(trimethoxysilyl) propyldimethyloctadecyl ammonium chloride.....	1.5%
Other Ingredients:	.....	98.5%
<b>TOTAL</b>		
<b>INGREDIENTS:</b>	.....	<b>100.0%</b>

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

Lot No. \_\_\_\_\_

EPA Reg. No. 70871-XX

EPA EST. xxxxx-GA-xx

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

SEP 27 2000

NET CONTENTS: 2, 4, 8, 16, 20, 22, 32 or 36 fluid oz.; 0.5, 1, or 5 gal.

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act as  
amended, for the pesticide,  
registered under EPA Reg. No. 70871-3

### FIRST AID

#### IF ON SKIN:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

#### IF INHALED:

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.
- Call a poison control center or doctor for further treatment advice.

#### IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.
- Call poison control center or doctor for treatment advice.

#### IF SWALLOWED:

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

\*A microbiostatic agent is an agent that inhibits the growth of odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae. This product does not protect users or others against food-borne or disease-causing bacteria.

4/11

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes and skin. Harmful if inhaled or absorbed through the skin. Avoid breathing vapors or spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of pesticide.

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

SEP 27 2000

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act as  
amended, for the pesticide,  
registered under EPA Reg. No. 70871-3

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Wear protective eyewear (goggles or face shield) and gloves when using this product. Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry. Clean surfaces prior to application.

The active ingredient in BST Protectant Concentrate C15 is effective against odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew) and algae as a static agent.

	Pest controlled	Dilution Rate	Method of Application
Bedsheets, blankets, bedspreads, curtains, draperies (washable only), underwear, socks, intimate apparel, hosiery, throw rugs, toweling, toilet tank covers, shower curtains, shoe insoles, outerwear apparel (jackets, sweaters, sweatshirts, coats, raincoats, overcoats, jerseys, ponchos). BST Protectant Concentrate C15 can be applied to fabrics made of acetates, acrylics, cotton, fiberglass, linen, Lycra, nylon, orlon, polyester, polyethylene, polyolefins, polypropylene, rayon, silk, spandex, vinyl, and wool	Odor causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)	1 part BST Protectant Concentrate C15 to 1 part water	<b>DIP/SOAK:</b> Dilute BST Protectant Concentrate C15 in water; mix well. Use appropriate sized wash basin or tub for dipping/soaking the item you are treating. Use enough BST Protectant Concentrate C15 solution to completely submerge item. Keep item in solution for 3 minutes. Remove item and wring excess liquid. Drying may be attained by dripping dry or wringing excess liquid from treated item. For larger items (e.g., bedspreads, curtains, draperies), place in washing machine on spin cycle to aid in the removal of excess liquid. Test staining and color-fastness of fabric and carpets by treating and drying a small concealed area prior to application. Do not reuse solution after dipping/soaking. Dry treated articles before use. Substrates can be hang-dried at room temperature or at temperatures to a maximum of 160 °C (320 °F); (for example in a clothes dryer). Remove excess liquid before attempting to dry in a clothes dryer.

5/11

	<p style="text-align: center;"><b>ACCEPTED</b> with COMMENTS in EPA Letter Dated: <b>SEP 27 2000</b></p> <p>Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No.</p>	<p style="text-align: center;">70371-3</p>	<p>If necessary, reapply BST Protectant Concentrate C15 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.</p> <p><b>SPRAY:</b> Dilute BST Protectant Concentrate C15 in water; mix well. Clean surface prior to application. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test staining and color-fastness of fabric by treating and drying a small concealed area prior to application. If necessary, reapply BST Protectant Concentrate C15 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.</p>
	<b>Pest controlled</b>	<b>Dilution Rate</b>	<b>Method of Application</b>
<p>Air filters and air filter material for</p> <ul style="list-style-type: none"> <li>• Furnaces, air conditioners</li> <li>• Air purification systems</li> <li>• Automobiles</li> <li>• Recirculating air handling systems</li> <li>• Vacuum cleaner filters</li> <li>• Aquariums</li> </ul>	<p>Odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae</p>	<p>1 part BST Protectant Concentrate C15 to 1 part water</p>	<p><b>SPRAY:</b> Dilute BST Protectant Concentrate C15 in water; mix well. When treating filters, remove filter from the unit. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"- 6" from the surface making sure the surface is completely covered. Apply and then let stand until dry. If necessary, reapply BST Protectant Concentrate C15 every three months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return.</p>
	<b>Pest controlled</b>	<b>Dilution Rate</b>	<b>Method of Application</b>
<p>Carpeting</p>	<p>Odor causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)</p>	<p>1 part BST Protectant Concentrate C15 to 1 part water</p>	<p><b>SPRAY:</b> Dilute BST Protectant Concentrate C15 in water; mix well. Apply to clean carpet surface. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface making sure the surface is completely covered. For rotary jet extraction cleaners and carpet steamers, add the diluted BST Protectant Concentrate C15 solution directly to the cleaning tank, then operate the equipment in accordance with manufacturer's instructions. Apply and then let stand until dry. Test staining and color-fastness of fabric and carpets by treating and drying a small concealed area prior to application. BST Protectant</p>

6/11

	<p>ACCEPTED with COMMENTS in EPA Letter Dated: SEP 27 2000</p> <p>Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 170871-3</p>		<p>Concentrate C15 treats approximately 200 square feet per diluted gallon of water. When treating coarser substrates (e.g., wool carpeting), more BST Protectant Concentrate C15 may be required due to absorption. Dry carpet areas and surfaces before re-entry. A fan may be used to assist in drying carpeting. Remove children and pets from treated area until completely dried. If necessary, reapply BST Protectant Concentrate C15 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.</p>
	<p><b>Pest controlled</b></p>	<p><b>Dilution Rate</b></p>	<p><b>Method of Application</b></p>
<p>Mattress pad and mattress ticking and upholstery composed of acetates, acrylics, cotton, fiberglass, nylon, polyester, polyethylene, polyolefins, polypropylene, rayon, spandex, vinyl, wool; fiberfill to be used in upholstery, sleeping bags, apparel, where the fiber is cotton, natural down, nylon, rayon or wool</p>	<p>Odor causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)</p>	<p>1 part BST Protectant Concentrate C15 to 1 part water</p>	<p><b>SPRAY:</b> Dilute BST Protectant Concentrate C15 in water; mix well. Clean surfaces prior to application. Using a trigger pump sprayer spray the entire surface area 4"-6" from the surface making sure the surface is completely covered. Apply and then let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test staining and color-fastness of fabric by treating and drying a small concealed area prior to application. When applying to mattress pads and ticking do not soak. Remove children and pets from treated area until completely dried. If necessary, reapply BST Protectant Concentrate C15 every three months or when odor, staining and discoloration due to bacteria, mold stains and mildew stains return.</p>
	<p><b>Pest controlled</b></p>	<p><b>Dilution Rate</b></p>	<p><b>Method of Application</b></p>
<p>Tents, tarpaulins, sails, ropes.</p>	<p>Odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae</p>	<p>1 part BST Protectant Concentrate C15 to 1 part water</p>	<p><b>SPRAY:</b> Dilute BST Protectant Concentrate C15 in water; mix well. Clean surface prior to application. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test staining and color-fastness of fabric by treating and drying a small concealed area prior to application. If necessary, reapply BST Protectant Concentrate C15 every three months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return.</p>

11/2

	<p>ACCEPTED with COMMENTS in EPA Letter Dated:  SEP 27 2000</p> <p>Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 70871-3</p>		<p><b>DIP/SOAK:</b> Dilute BST Protectant Concentrate C15 in water and mix well. Use appropriate sized wash basin or tub for dipping/soaking the item you are treating. Use enough BST Protectant Concentrate C15 solution to completely submerge item. Keep item in solution for three minutes. Remove item and wring excess liquid. Test staining and color-fastness of fabric by treating and drying a small concealed area prior to application. Do not reuse solution after dipping/soaking. Dry treated articles before use. Substrates can be hang-dried at room temperature or at temperatures to a maximum of 160 °C (320 °F); (for example in a clothes dryer). Remove excess liquid before attempting to dry in a clothes dryer. If necessary, reapply BST Protectant Concentrate C15 every three months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return.</p>
	<p><b>Pest controlled</b></p>	<p><b>Dilution Rate</b></p>	<p><b>Method of Application</b></p>
<p>Roofing materials (such as shingles, roofing granules, wood shakes, felt, stone, synthetic overcoats)</p>	<p>Odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae</p>	<p>4 parts BST Protectant Concentrate C15 to 1 part water</p>	<p><b>SPRAY:</b> Dilute BST Protectant Concentrate C15 in water; mix well. Make sure the roof is clean prior to application. Using a pressure sprayer, spray the entire surface area 6"-12" from the surface making sure the surface is completely covered. After applying the dilute solution of BST Protectant Concentrate C15, let stand until dry. BST Protectant Concentrate C15 treats approximately 200 square feet of roofing per diluted gallon of water. If necessary, reapply BST Protectant Concentrate C15 every three months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return.</p>
	<p><b>Pest controlled</b></p>	<p><b>Dilution Rate</b></p>	<p><b>Method of Application</b></p>
<p>Buffer pads (polishing and abrasive), Polyurethane for household sponges and mops, vacuum cleaner bags, umbrellas, casual shoes, athletic shoes</p>	<p>Odor causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)</p>	<p>1 part BST Protectant Concentrate C15 to 1 part water</p>	<p><b>SPRAY:</b> Dilute BST Protectant Concentrate C15 in water; mix well. Clean surface prior to application. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. If necessary, reapply BST Protectant Concentrate C15 every three months or when odor, staining and discoloration due to bacteria,</p>

8/11



	Pest controlled	Dilution Rate	Method of Application
Tubs, glazed tiles, vanity tops, shower curtains, shower stalls (areas), sinks, washable walls, wall paper for non-food contact, floors, window sills, cabinets, garbage cans, appliances, refrigerators (exterior), fiberglass, formica, glazed tiles, glazed porcelain, synthetic marble, plastic, vinyl	Odor causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)	1 part BST Protectant Concentrate C15 to 1 part water	SPRAY: Dilute BST Protectant Concentrate C15 in water; mix well. Using a trigger pump sprayer, spray the entire surface area 4" - 6" from the surface making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. If necessary, reapply BST Protectant Concentrate C15 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.

Imparts microbiostatic properties.

Use on carpet and upholstery to inhibit odor causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew).

Unscented.

Molecularly binds to surfaces to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew).

Molecularly binds to surfaces to inhibit the growth of bacteria which cause staining and discoloration, and fungi (mold and mildew).

Molecularly binds to surfaces to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew).

Molecularly binds to surfaces to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew).

Molecularly binds to surfaces to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew).

Molecularly binds to surfaces to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew).

Molecularly binds to surfaces to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew).

Molecularly binds to surfaces to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew).

Molecularly binds to surfaces to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew).

Molecularly binds to surfaces to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew).

Molecularly binds to surfaces to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew).

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:  
  
SEP 27 2000  
  
Under the Federal Insecticide,  
Fungicide and Rodenticide Act as  
amended, for the pesticide,  
registered under EPA Reg. No.  
70871-3

Use on carpet and upholstery to inhibit the growth of odor causing bacteria.

Use on carpet and upholstery to inhibit the growth of bacteria which cause staining and discoloration.

Use on carpet and upholstery to inhibit the growth of fungi (mold and mildew).

Use on carpet and upholstery to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae.

11/11

- Provides an invisible microbiostatic coating to inhibit the growth of odor causing bacteria.
- Provides an invisible microbiostatic coating to inhibit the growth of bacteria which cause staining and discoloration.
- Provides an invisible microbiostatic coating to inhibit the growth of fungi (mold and mildew).
- Provides an invisible microbiostatic coating to inhibit the growth of algae.
- Provides an invisible microbiostatic coating to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae.
- Prevents deterioration caused by bacteria and fungi (mold and mildew).
- Inhibits deterioration caused by bacteria.
- Resists development of microbial odors.
- Resists development of stains and discoloration due to bacteria.
- Resists development of stains due to fungi (mold and mildew).
- Resists stains due to algae.
- Resists development of microbial odors, stains and discoloration due to bacteria, fungi (mold and mildew), and algae.
- Provides/creates an invisible barrier against the growth of odor causing bacteria.
- Provides/creates an invisible barrier against the growth of bacteria which cause staining and discoloration.
- Provides/creates an invisible barrier against the growth of fungi (mold and mildew).
- Provides/creates an invisible barrier against the growth of algae.
- Provides/creates an invisible barrier against the growth of odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae.
- Inhibits the growth of odor causing bacteria between cleanings.
- Inhibits the growth of bacteria which cause staining and discoloration between cleanings.
- Inhibits the growth of bacteria which cause fungi (mold and mildew) between cleanings.
- Inhibits the growth of bacteria which cause algae fungi (mold and mildew) between cleanings.
- Inhibits the growth of odor causing bacteria which cause staining and discoloration, fungi (mold and mildew), and algae between cleanings.
- Mold, mildew, odor protector and inhibitor.
- BST Protectant Concentrate C15 is an antimicrobial agent effective against odor causing bacteria.
- BST Protectant Concentrate C15 is an antimicrobial agent effective against bacteria which cause staining and discoloration.
- BST Protectant Concentrate C15 is an antimicrobial agent effective against fungi (mold and mildew).
- BST Protectant Concentrate C15 is an antimicrobial agent effective against algae.
- BST Protectant Concentrate C15, an antimicrobial agent, controls the source of odors on surfaces in the home, in the bathroom, in the kitchen.
- Bacteriostatic, fungistatic (mold and mildew), algaestatic.
- BST Protectant Concentrate C15, an antimicrobial agent, inhibits smelly odors caused by mold and mildew that can grow even in the cleanest of homes.
- BST Protectant Concentrate C15, an antimicrobial agent, inhibits the growth of odor causing bacteria.
- Effective on hard non-porous washable bathroom and kitchen surfaces and fixtures around the home.
- Effective on modern hard non-porous washable surfaces like fiberglass, glazed porcelain, Formica®, stainless steel, synthetic marble.

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

SEP 27 2000

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act as  
amended, for the pesticide,  
registered under EPA Reg. No.

70871-3

10/11

47 150 0007 05 / 00  
5290704307  
SCTED INT  
F AUL 14

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage and disposal.

**Pesticide Storage:** Store in original, tightly closed containers below 30°C (86°F) and above 0°C (32°F) in a secure area inaccessible to children and away from food or feed.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site.

**Container Disposal:** Securely wrap original container in several layers of newspaper and discard in trash.

FOR MORE INFORMATION CONCERNING THIS PRODUCT, PLEASE CONSULT THE MATERIAL SAFETY DATA SHEET (MSDS). THE MSDS CAN BE OBTAINED BY WRITING BIOSHIELD TECHNOLOGIES, INC. AT 4405 INTERNATIONAL BOULEVARD, SUITE B109, NORCROSS, GEORGIA, 30093.

**IMPORTANT: WARRANTY AND DISCLAIMER INFORMATION**

BioShield Technologies, Inc., warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated in this bulletin when used in accordance with directions under normal conditions of use; but this warranty of fitness for a particular purpose does not extend to the use of this product contrary to bulletin instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk of any such use.

BIOSHIELD SPECIFICALLY DISCLAIMS ANY OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING THE WARRANTY OF MERCHANTABILITY

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

SEP 27 2000

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act as  
amended, for the pesticide,  
registered under EPA Reg. No. 70871-3

11/11