



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Antimicrobials Division (7510P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

70885-2

Date of Issuance:

9/25/25

NOTICE OF PESTICIDE:

☒ Registration
☐ Reregistration
(under FIFRA, as amended)

Term of Issuance:

Unconditional

Name of Pesticide Product:

CICLON 7.5%

Name and Address of Registrant (include ZIP Code):

Dalia Feliciano Prado
Authorized Agent of
Laser Products, Inc.
inpatc.pr@gmail.com

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Antimicrobials Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Product Manager Name, Product Manager 32
Branch Name, Antimicrobials Division (7510P)

Date:

9/25/25

2. Make the following label changes before you release the product for shipment:

- Revise the EPA Registration Number to read, "EPA Reg. No. 70885-2."

3. Submit one copy of the revised final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. See FIFRA section 2(p)(2). If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process, FIFRA section 12(a)(1)(B). Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Assurance.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 7/21/2025

If you have any questions, please contact Fuller.Demson@epa.gov or Oiguenblik.Emilia@epa.gov.

Sincerely,



Demson Fuller, Product Manager 32
Regulatory Management Branch I
Antimicrobials Division (7510P)
Office of Pesticide Programs

Enclosure: Stamped label

{Note to the Reviewer: Formatting notes (applicable for all claims)

Language in [brackets] is instructive to the reviewer and will not appear on the market label. Language in (parentheses) is optional text. The word “and” may be substituted with “&”. Plural words may be used in their singular form or singular words, may be used in their plural form unless otherwise specified in 40 CFR. All directions may be written in numbered form, chart or in paragraph form. All use surfaces and/or use sites on the label may be listed in conjunction with an image of the use surface and/or use site. “This product” can be substituted with actual product name in the marketing and directions for use.”}

CICLON 7.5%

ACTIVE INGREDIENT:

SODIUM HYPOCHLORITE7.50%

INERT INGREDIENTS 92.50%

TOTAL INGREDIENTS 100.00%

Yields 7.14% Available Chlorine

ACCEPTED

09/25/2025

Under the Federal Insecticide, Fungicide
and Rodenticide Act as amended, for the
pesticide registered under
EPA Reg. No. 70885-2

**KEEP OUT OF REACH OF CHILDREN
DANGER**

[See front side panel for First Aid and additional precautionary statements.]

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF SWALLOWED: Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Call a Poison Control Center or doctor immediately for treatment advice. Have the product container or label with you when calling a Poison Control Center 1-800-222-1222 or doctor, or when going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Manufactured by:
Laser Products, Inc.
PO Box 1723
Juncos, PR 00777

EPA REG. NO. 70885-NEW

EPA EST. NO. 70885-PR-1

NET WEIGHT: [8 fl. oz., 16 fl. oz., 20 fl. oz., 24 fl. oz., 28 oz, 43 fl. oz., 64 fl. oz., 81 fl. oz., 121 fl. oz., 128 fl. oz., 2.3-gal, 5-gal, 55-gal, 250-gal, other bulk]

[Label ver. 2025/09/19]

{Note to the Reviewer: Formatting notes (applicable for all claims)

Language in [brackets] is instructive to the reviewer and will not appear on the market label. Language in (parentheses) is optional text. The word “and” may be substituted with “&”. Plural words may be used in their singular form or singular words, may be used in their plural form unless otherwise specified in 40 CFR. All directions may be written in numbered form, chart or in paragraph form. All use surfaces and/or use sites on the label may be listed in conjunction with an image of the use surface and/or use site. “This product” can be substituted with actual product name in the marketing and directions for use.”}

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER:

CORROSIVE. Causes irreversible eye damage and skin burns. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear safety glasses -or- protective eyewear and rubber gloves when handling this product. Avoid breathing vapors and use only in a well-ventilated area. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using toilet. Remove and wash contaminated clothing before reusing.

[Follow the manufacturer’s instructions for cleaning/maintaining PPE. If there are no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.]

[For labels with drinking water uses]

The following practices help to minimize degradant formation in drinking water disinfection:

- It is recommended to minimize storage time.
- It is recommended that the pH of the solution be in the range of 11-13.
- It is recommended to minimize sunlight exposure by storing in opaque containers and/or in a covered area. Solutions should be stored at lower temperatures. Every 41°F (5°C) reduction in storage temperature will reduce degradant formation by a factor of two.
- Dilution significantly reduces degradant formation. For products with higher concentrations, it is recommended to dilute hypochlorite solutions with cool, softened water upon delivery, if practical for the application.

PHYSICAL OR CHEMICAL HAZARDS:

OXIDIZER. Product contains a strong oxidizer. Always flush drains before and after use. **Mix only with water according to label directions. Do not mix or use with other [household] chemicals – or- products** such as toilet bowl cleansers, rust removers, acid or products containing ammonia. To do so will release hazardous irritating gases. Extended contact with metals may cause discoloration or pitting.

ENVIRONMENTAL HAZARDS:

[For products > 5 gallons] This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

[For product ≤ 5 gallons] This product is toxic to fish and aquatic organisms.

{Note to the Reviewer: Formatting notes (applicable for all claims)}

Language in [brackets] is instructive to the reviewer and will not appear on the market label. Language in (parentheses) is optional text. The word “and” may be substituted with “&”. Plural words may be used in their singular form or singular words, may be used in their plural form unless otherwise specified in 40 CFR. All directions may be written in numbered form, chart or in paragraph form. All use surfaces and/or use sites on the label may be listed in conjunction with an image of the use surface and/or use site. “This product” can be substituted with actual product name in the marketing and directions for use.”}

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

[Use the Dilution Table to make the desired dilution]. [Use chlorine test strips to quantify the available chlorine. If the available chlorine is less than desired, add a small amount of product slowly and carefully to the dilution and determine the available chlorine with a fresh chlorine test strip. Repeat these steps, as needed, until the desired concentration of chlorine is achieved.]

[This product can be used on hard, nonporous surfaces in commercial -and/or- institutional -and/or- household premises (including kitchens -and/or- bathrooms -and/or- nurseries -and/or- sick rooms -and/or- laundry rooms) -and/or- eating establishments]

This statement only to be used on institutional labels with medical use sites and/or bloodborne pathogens.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

[Directions (from other parts of the label) in Table form; other directions from body of label may be used]

USE	[Amount of] this product -or-	[Amount of] water	Instructions
CLEANING			
Laundry [Use] [Bleaching and/or Brightening and/or Whitening and/or Stain Removal] or [To Remove Stains or Whiten and Brighten]			
Bleachable Fabrics	1/2 cup or Max[imum] line or level [in dispenser] 1 cup	Standard [Machine] Or HE[High] Efficiency] Machine [Extra Large Washer or Visibly Stained -or- Soiled Load]	[1.] Sort laundry by color. [2.] Add detergent. [3.] Fill bleach to max[imum] line or level [in dispenser] [4.] Add clothes [start wash] [For best results], dilute bleach with a quart of water and] add to wash 5 min[utes] after the wash cycle has begun.] [Avoid bleaching wool, silk, mohair, leather, spandex and non-fast colors.]
Laundry, Cleaning and/or To Clean and Laundry			
Laundry -and/or- Bleachable Fabrics -and/or- dishcloths -and/or- rags	1/2 cup	Standard Machine or H[igh] E[fficiency] Machine	[1.] Sort laundry by color. [2.] Add detergent. [3.] Fill bleach to max[imum] line -or- level [in dispenser] -and/or- add [measured [amount of]] bleach to [dispenser] [4.] Add clothes -and/or- dishcloths -and/or- rags [and start washing]. Ensure contact with bleach [solution] for 10 min[utes]. [Avoid bleaching wool, silk, mohair, leather, spandex and non-fast colors. Use [with] a detergent.]
Sanitizing -or- to Sanitize Non-food Contact Surface			
Garbage Cabs -and/or- Diaper Pails	2tsp	1 Gal[lon]	After washing and rinsing, brush inside with bleach solution. Let stand for 5 min[utes] before rinsing.
Refrigerators, Freezers (non-food contact surfaces)	2tsp	1 Gal[lon]	Remove food [from refrigerator -and/or- freezer]. Allow surface to come to room temperature. Wash, rinse, wipe surface area with bleach solution for [at least] 5 min[utes]. Let air dry.
Pet (Food -and/or- Water) Bowls	2tsp	1 Gal[lon]	Wash and rinse. [After washing,] soak for [at least] 5 min[utes] in bleach solution, let air dry.
[General] Disinfecting [& Deodorizing] -or- To Disinfect [& Deodorize] Hard, Nonporous, nonfood Surfaces			
<i>Insert use surface(s) from Table 1 -and/or- insert surface material(s) from Table 3. [To Kill -or- Kills -or- For [99.9% of] [common household germs*]]</i>	4 tbsp (1/4 Cup)	1 Gal[lon]	[To disinfect insert surface(s) from Table 1 -and/or- insert surface material(s) from Table 3,] Pre-wash surface, apply solution until visibly wet. Let stand -or- Allow solution to contact surface and remain visibly wet for [at least] 5 min[utes]. Rinse well and air dry.
Toilet Bowl	1 cup	1 Gal[lon]	Flush toilet. Pour this product into bowl. Brush bowl, making sure to get under the rim, and let solution stand for 5 min[utes] and flush again. -or- To disinfect a toilet bowl, flush the toilet. Pour 2 tablespoons of bleach into the bowl. Brush bowl, making sure to get under the rim, and let solution stand for 5 min[utes] and flush again.

USE	[Amount of] this product -or- bleach	[Amount of] water	Instructions
Mold Stain and Mildew Stain Removal -or- To Remove Mold Stains and Mildew Stains			
Hard, nonporous Surfaces	2 tbsp	1 Gal[lon]	[Pre-wash surface] Apply bleach solution until visibly wet. Let stand -or- Allow solution to contact surface for [at least] 10 min[utes]. Rinse well and air dry.
Deodorizing -or- To Deodorize			
Garbage Cans - and/or- Diaper Pails	½ cup	1 Gal[lon]	After washing and rinsing, brush inside with bleach solution. Allow solution to contact surface [for at least] 5 min[utes]. Let drain.
Drains	2 tbsp	1 Gal[lon]	Flush drains. Pour into drain. Flush with hot water.
Bleaching -and/or- Whitening			
Wooden Surfaces	2 tbsp	1 Gal[lon]	Apply for [at least] 2 min[utes], rinse [and air dry].

PROPORTIONS FOR DILUTION OF THIS PRODUCT

PPM	Quantity of Bleach	Quantity of Water
1	2 cups (16 fl. oz.)	10,000 gallons
10	1 1/3 gallons (171 fl. oz.)	10,000 gallons
35	3 3/4 cups (30 fl. oz.)	500 gallons
100	2 tsps (0.3 fl. oz.)	2 gallons
	3 1/2 Tbsp (1.7 fl. oz.)	10 gallons
200	2 tsps (0.3 fl. oz.)	1 gallon
	4 tsps (0.7 fl. oz.)	2 gallons
	3.5 Tbsp (1.75 fl. oz.)	5 gallons
	8 Tbsp (4 fl. oz.)	10 gallons
	0.5 cup (4 fl. oz.)	12 gallons
600	2 Tbsp (1 fl. oz.)	1 gallon
	8 gallons (1,024 fl. oz.)	1,000 gallons
	80 gallons (10,240 fl. oz.)	10,000 gallons
1,000	4 Tbsp (2 fl. oz.) (1/4 Cup)	1 gallon
	17 Tbsp (8.5 fl. oz.)	5 gallons
	2 1/4 cups (18 fl. oz.)	10 gallons
5,000	17 Tbsp (8.5 fl. oz.)	1 gallon
	2 1/4 cups (18 fl. oz.)	2 gallons
	1/3 gallon (43 fl. oz.)	5 gallons
	2/3 gallon (85 fl. oz.)	10 gallons
10,000	5 1/4 Tbsp (2.7 fl. oz.)	2 ½ cups
	1 3/4 cups (14 fl. oz.)	3 quarts
	2/3 gallons (85 fl. oz.)	5 gallons

(Use a chlorine test kit to determine exact available chlorine concentration and adjust dosage as necessary.)

**[CLEANING, DEODORIZING, and NON-PUBLIC HEALTH USE]
TO CLEAN AND DEODORIZE HARD, NON-POROUS SURFACES**

Use this product to clean and deodorize trash and garbage cans and other surfaces. After washing and rinsing, apply a solution containing 2 tablespoons of this product in 1 gallon of water. Allow surfaces to remain wet for 5 minutes.

Removing [To Remove] Mold & Mildew Stains from Outdoor Patios:

1. Protects plants from overspray
2. Use 2 tablespoons of bleach per gallon of water to clean unsightly stains using a brush.
3. Rinse entire area, including plants, with water for 5 minutes.

Deodorizing: Mix 2 tablespoons bleach with one [1] gallon of water.

Garbage cans: After washing and rinsing, brush inside with solution. Empty and let drain. Drains: Pour 2 tablespoons bleach in drain. Flush with hot water.

Bleaching or Whitening:

Mix 2 tablespoons with one [1] gallon of water. Wooden Surfaces: Apply for 5 minutes, rinse.

LAUNDRY [STAIN REMOVER] [USE]

1. Before adding clothes, mix 4 tablespoons (1/4 cup) of bleach with water in top-loading 16-gallon machines or mix 2 tablespoons of bleach with water in front-loading 8-gallon machines. For large top-loading automatics or larger heavily soiled loads, use 4 tablespoons (1/4 cup). For HE Washers, add using the bleach dispenser following the machine manufacturer's instructions.
2. Add clothes.
3. Wash and rinse with usual cycles. [Avoid bleaching acetate, leader, silk, spandex, wool, mohair, or non-fast colors.]

To Remove Stains

1. Mix 2 tablespoons of bleach with a gallon of water.
2. Soak stained area for 5 minutes to remove grass, ink, coffee, tea, scorch, fruit, etc.
3. Rinse thoroughly.

COMMERCIAL LAUNDRY USAGE

Laundry: Add 2 fl. oz. of this product to each 2 gallons of water in washing machine. For top load machines add 8 fl. oz. Front load machines add 6 fl. oz. per load. When adding this product to a High Efficiency (HE) washing machine, always follow manufacturer's usage/dosage instructions. Sort laundry by color. For use on white or colorfast cottons, linens, nylon, orlon, and rayon. Always put this product into the washer first. Adding this product after the items are in washer may ruin these articles.

REMOVING STAINS: Use only on colorfast material (be sure to test material in an inconspicuous place prior to bleaching). Soak in cold water for 10 minutes. Cleanse any starch out with a good detergent and rinse garment. Add 1 tablespoon of [this product] to each quart of cold fresh water. Mix well and immerse garment for 10 minutes. Rinse well in clean water.

SEWAGE & WASTEWATER EFFLUENT TREATMENT

To control odor and slime-forming bacteria, algae, and other non-public health organisms. The treatment of sewage effluent must be evaluated by determining the total number of coliform bacteria and/or fecal coliform bacteria, as determined by the Most Probable Number (MPN) procedure, to confirm that coliform bacteria has been reduced to or below the maximum permitted by the controlling regulatory jurisdiction. On the average, satisfactory treatment of secondary wastewater effluent can be obtained when the chlorine residual is 0.5 PPM after 15 minutes contact. Although the chlorine residual is the critical factor in disinfecting, the importance of correlating

chlorine residual with bacterial kill must be emphasized. The MPN of the effluent, which is directly related to the water quality standards requirements, should be the final and primary standard and the chlorine residual should be considered an operating standard valid only to the extent verified by the coliform quality of the effluent.

The following are critical factors affecting wastewater treatment.

1. **Mixing:** It is imperative that the product and the wastewater are instantaneously and completely flash mixed to assure reaction with every chemically active soluble and particulate component of the wastewater.
2. **Contacting** upon flash mixing, the flow through the system must be maintained.
3. **Dosage/Residual Control:** Successful disinfection is extremely dependent on response to fluctuating chlorine demand to maintain a predetermined, desirable chlorine level. Secondary effluent should contain 0.2 to 1.0 PPM chlorine residual after a 15-to-30-minute contact time. A reasonable average of residual chlorine is 0.5 PPM after 15 minutes contact time.

SEWAGE AND WASTEWATER TREATMENT

To control odor and slime-forming bacteria, algae, and other non-public health organisms.

EFFLUENT SLIME CONTROL - Apply a 100 to 1000 PPM available chlorine solution at a location, which will allow complete mixing. Prepare this solution by mixing 17 to 180 fl. oz. of this product with 100 gallons of water. Once control is evident, apply a 15 PPM available chlorine solution. Prepare this solution by mixing 3 fl. oz. of this product with 100 gallons of water.

FILTER BEDS - SLIME CONTROL: Remove filter from service, drain to a depth of 1 ft. above filter sand, and add 190 fl. oz. of product per 20 sq./ft evenly over the surface. Wait 30 minutes before draining water to a level that is even with the top of the filter. Wait for 4 to 6 hours before completely draining and backwashing filter.

TREATMENT OF DRINKING WATER (EMERGENCY/PUBLIC/INDIVIDUAL/SYSTEM)

To control odor and slime-forming bacteria, algae, and other non-public health organisms.

PUBLIC SYSTEMS: Mix a ratio of 0.03 fl. oz. of this product to 100 gallons of water. Begin feeding this solution with a hypo-chlorinator until a free available chlorine residual of at least 0.2 PPM and no more than 0.6 PPM is attained throughout the distribution system. Check water frequently with a chlorine test kit. Bacteriological sampling must be conducted at a frequency no less than that prescribed by the National Primary Drinking Water Regulations. Contact your local Health Department for further details.

INDIVIDUAL SYSTEMS: DUG WELLS: Upon completion of the casing (lining), wash the interior of the casing (lining) with a 100 PPM available chlorine solution using a stiff brush. This solution can be made by thoroughly mixing 1.7 fl. oz. of this product into 10 gallons of water. After covering the well, pour the solution into the well through both the pipe sleeve opening and the pipeline. Wash the exterior of the pump cylinder also with the sanitizing solution. Start pump and pump water until strong odor of chlorine in water is noted. Stop pump and wait at least 24 hours. After 24 hours flush well until all traces of chlorine have been removed from the water. Consult your local Health Department for further details.

INDIVIDUAL WATER SYSTEMS: DRILLED, DRIVEN & BORED WELLS: Run pump until water is as free from turbidity as possible. Pour a 100 PPM available chloride sanitizing solution into the well. This solution can be made by thoroughly mixing 1.7 fl. oz. of this product into 10 gallons of water. Add 5 to 10 gallons of clean, chlorinated water to the well in order to force the sanitizer into the rock formation. Wash the exterior of the pump cylinder with the sanitizer. Drop pipelines into the well, start pump and pump water until strong odor of chlorine in water is noted. Stop pump and wait at least 24 hours. After 24 hours, flush well until all traces of chlorine have been removed from the water. Deep wells with high water levels may necessitate the use of special methods for introduction of the sanitizer to the well. Consult your local Health Department for further details.

INDIVIDUAL WATER SYSTEMS: FLOWING ARTESIAN WELLS: Artesian Wells generally do not require disinfection. If analyses indicate persistent contamination, the well should be disinfected. Consult your

local Health Department for further details.

PUBLIC WATER SYSTEMS

To control odor and slime-forming bacteria, algae, and other non-public health organisms.

RESERVOIRS: ALGAE CONTROL: Hypo-chlorinate streams feeding the reservoir. Suitable feeding points should be selected on each stream at least 50 yards upstream from the points of entry into the reservoir.

MAINS: Thoroughly flush section to be sanitized by discharging from hydrants. Permit water flow of at least 2.5 feet per minute to continue under pressure while injecting this product by means of a hypo-chlorinator. Stop water flow when a chlorine residual test of 50 PPM is obtained at the low-pressure end of the new main section after a 24-hour retention time. When chlorination is completed, the system must be flushed free of all heavily chlorinated water.

NEW TANKS, BASINS: Remove all physical soil from surfaces. Place 48 fl. oz. of this product for each 5 cubic feet of working capacity (500 PPM available chlorine). Fill to working capacity and allow to stand for [at least] 4 hours. Drain and flush with potable water and return to surface.

NEW FILTER SAND: Apply 190 fl. oz. of this product for each 150 to 200 cubic feet of sand. The action of the product dissolving as the water passes through the bed will aid in sanitizing the new sand.

NEW WELLS: Flush the casing with a 50 PPM available chlorine solution of water containing 42 fl. oz. of this product for each 500 gallons of water. The solution should be pumped or fed by gravity into the well after thorough mixing with agitation. The well should stand for several hours or overnight under chlorination. It may then be pumped until a representative raw water sample is obtained. Bacterial examination of the water will indicate whether further treatment is necessary.

EXISTING EQUIPMENT: Remove equipment from service. Thoroughly clean surfaces of all physical soil. Sanitize by placing 50 fl. oz. of this product for each 5 cubic feet capacity (approximately 500 PPM available chlorine). Fill to working capacity and let stand [at least] 4 hours. Drain and place in service. If the previous treatment is not practical, surfaces may be sprayed with a solution containing 8.5 fl. oz. of this product for each 5 gallons of water (approximately 1000 PPM available chlorine). After drying, flush with water and return to service.

COOLING TOWER/EVAPORATIVE CONDENSER WATER

To control odor and slime-forming bacteria, algae, and other non-public health organisms.

SLUG FEED METHOD Initial Dose: When system is noticeably fouled, apply 85.5 to 171 fl. oz. of this product per 10,000 gallons of water in the system to obtain from 5 to 10 PPM available chlorine. Repeat until control is achieved.

Subsequent Dose: When microbial control is evident, add 16 fl. oz. of this product per 10,000 gallons of water in the system daily, or as needed to maintain control and keep the chlorine residual at 1 PPM. Badly fouled systems must be cleaned before treatment is begun.

INTERMITTENT FEED METHOD - Initial Dose: When system is noticeably fouled, apply 85.5 to 171 fl. oz. of this product per 10,000 gallons of water in the system to obtain 5 to 10 PPM available chlorine.

Apply half (or 1/3, 1/4, or 1/5) of this initial dose when half (or 1/3, 1/4, or 1/5) of the water in the system has been lost by blowdown.

Subsequent Dose: When microbial control is evident, add 16 fl. oz. of this product per 10,000 gallons of water in the system to obtain a 1 PPM residual. Apply half (or 1/3, 1/4, or 1/5) of this initial dose when half (or 1/3, 1/4, or 1/5) of the water in the system has been lost by blowdown. Badly fouled systems must be cleaned before treatment is begun.

CONTINUOUS FEED METHOD: Initial Dose: When system is noticeably fouled, apply 85.5 to 171 fl. oz. of this product per 10,000 gallons of water in the system to obtain 5 to 10 PPM available chlorine.

Subsequent Dose: Maintain this treatment level by starting a continuous feed of 1.6 fl. oz. of this product per 1,000 gallons of water lost by blowdown to maintain a 1 PPM residual. Badly fouled systems must be cleaned before treatment is begun.

PULP AND PAPER MILL PROCESS WATER SYSTEMS

To control odor and slime-forming bacteria, algae, and other non-public health organisms.

SLUG FEED METHOD: Initial Dose: When system is noticeably fouled, apply 85.5 to 171 fl. oz. of this product per 10,000 gallons of water in the system to obtain from 5 to 10 PPM available chlorine. Repeat until control is achieved.

Subsequent Dose: When microbial control is evident, add 16 fl. oz. of this product per 10,000 gallons of water in the system daily, or as needed to maintain control and keep the chlorine residual at 1 PPM. Badly fouled systems must be cleaned before treatment is begun.

INTERMITTENT FEED METHOD: Initial Dose: When system is noticeably fouled, apply 85.5 to 171 fl. oz. of this product per 10,000 gallons of water in the system to obtain 5 to 10 PPM available chlorine. Apply half (or 1/3, 1/4, or 1/5) of this initial dose when half (or 1/3, 1/4, or 1/5) of the water in the system has been lost by blowdown.

Subsequent Dose: When microbial control is evident, add 16 fl. oz. of this product per 10,000 gallons of water in the system to obtain a 1 PPM residual. Apply half (or 1/3, 1/4, or 1/5) of this initial dose when half (or 1/3, 1/4, or 1/5) of the water in the system has been lost by blowdown. Badly fouled systems must be cleaned before treatment is begun.

CONTINUOUS FEED METHOD: Initial Dose: When system is noticeably fouled, apply 85.5 to 171 fl. oz. of this product per 10,000 gallons of water in the system to obtain 5 to 10 PPM available chlorine.

Subsequent Dose: Maintain this treatment level by starting a continuous feed of 1.6 fl. oz. of this product per 1,000 gallons of water lost by blowdown to maintain a 1 PPM residual. Badly fouled systems must be cleaned before treatment is begun.

ASPHALT OR SEALED WOOD ROOFS AND SIDINGS

To control fungus and mildew that cause odor or discoloration, first remove all physical soil by brushing and hosing roofs and sidings with clean water. Prepare a solution containing 5000 PPM available chlorine by mixing 8.5 fl. oz. of this product per gallon of water. Brush or spray roof or sidings with the 5000-PPM solution. After 30 minutes, rinse by hosing with clean water. [Not for use in California.]

BOAT BOTTOMS: To control slime that causes discoloration or fouling on boat bottoms, sling a plastic tarp under boat, retaining enough water to cover the fouled bottom area, but not allowing water to enter enclosed area. This envelope should contain approximately 500 gallons of water for a 14-foot boat. Add 30 fl. oz. of this product to this water to obtain a 35-PPM available chlorine concentration. Leave immersed for 8 to 12 hours. Repeat if necessary. Do not discharge the solution until the chlorine level has dropped to 0 PPM, as determined by a swimming pool test kit. [Not for Use in California].

[SANITIZATION]

SANITIZATION OF NONPOROUS NON-FOOD CONTACT SURFACES

RINSE METHOD: Prepare a sanitizing solution by thoroughly mixing 4 fl. oz. of this product with 10 gallons of water to provide approximately 200 PPM available chlorine by weight. Clean equipment surfaces in the normal manner. Prior to use, rinse all surfaces thoroughly with the sanitizing solution, maintaining contact with the sanitizer for [at least] 5 minutes. Do not rinse equipment with water after treatment and do not soak equipment overnight.

IMMERSION METHOD: Prepare a sanitizing solution by thoroughly mixing in an immersion tank, 4 fl. oz. of this product with 10 gallons of water to provide approximately 200 PPM available chlorine by weight. Clean equipment in the normal manner. Prior to use, immerse equipment in the sanitizing solution for [at least] 5 minutes and allow the sanitizer to drain. Do not rinse equipment with water after treatment.

SPRAY METHOD: Preclean all surfaces after use. Prepare a 200-PPM available chlorine sanitizing solution of sufficient size by thoroughly mixing the product in a ratio of 4 fl. oz. product with 10 gallons of water. Use spray equipment, which can resist hypochlorite solutions. Prior to using equipment, thoroughly spray all surfaces until wet, allowing excess sanitizer to drain. Vacate area for at least 2 hours.

[To Sanitize] Toilet Bowls: [To sanitize and deodorize [pre-cleaned] toilet bowls, use 1 cup of this product.] [1] Flush, pour in bleach – swab with a brush, making sure to get under rim, [2] [and] let stand for 10 minutes. [3] Flush [toilet bowl].

[DO NOT use with bowl cleaners or any other household chemicals.]

To Sanitize and Deodorize Garbage cans - Wash thoroughly with warm soapy solution. Rinse then spread a solution of 4 tps. of this product per 2 gallons of water over all surfaces. Let stand 5 minutes, then drain.

SANITIZATION OF POROUS NON-FOOD CONTACT SURFACES

RINSE METHOD: Prepare a sanitizing solution by thoroughly mixing 4 fl. oz. of this product with 10 gallons of water to provide approximately 200 PPM available chlorine by weight. Clean surfaces in the normal manner. Prior to use, rinse all surfaces thoroughly with the sanitizing solution, maintaining contact with the sanitizer for [at least] 5 minutes. Do not rinse equipment with water after treatment and do not soak equipment overnight.

IMMERSION METHOD: Prepare a sanitizing solution by thoroughly mixing in an immersion tank 4 fl. oz. of this product with 10 gallons of water to provide approximately 200 PPM available chlorine by weight. Clean equipment in the normal manner. Prior to use, immerse equipment in the sanitizing solution for [at least] 5 minutes and allow the sanitizer to drain. Do not rinse equipment with water after treatment.

SPRAY METHOD: After cleaning, sanitize non-food contact surfaces with 200 PPM available chlorine by thoroughly mixing the product in a ratio of 4 fl. oz. of this product with 10 gallons of water. Use spray equipment, which can resist hypochlorite solutions. Always empty and rinse spray equipment with potable water after use. Prior to using equipment, thoroughly spray all surfaces until wet, allowing excess sanitizer to drain. Vacate area for at least 2 hours.

[DISINFECTION]

When used as directed, this product is effective against *Staphylococcus aureus*, *Salmonella enterica*, Influenza A, and Rhinovirus type 37 on treated, hard, non-porous surfaces. This product can be used in [police and fire vehicles], [jails], [detention centers], [hotels], [schools], [industrial clean rooms], [health spas], [day care facilities], [barber and beauty salons], [farms], and [poultry houses].

DISINFECTING WALLS, FLOORS, AND OTHER HARD, NON-POROUS SURFACES IN KITCHENS AND BATHROOMS NOT IN DIRECT CONTACT WITH FOOD:

Preclean surfaces and rinse. Mix 4 fl. oz. of this product per gallon of water. Apply bleach solution using sponge, cloth, mop or spray and allow surface to remain visibly wet for 5 minutes. Drain and air-dry.

This product may be applied to floors, counters, sinks made from stainless steel, glass, Corian™, acrylic, glazed ceramic tile, porcelain, and hard plastics.

DISINFECTION OF NON-POROUS NON-FOOD CONTACT SURFACES

RINSE METHOD: Prepare a disinfecting solution by thoroughly mixing 20 fl. oz. of this product with 10 gallons of water to provide approximately 1530 PPM available chlorine by weight. Clean equipment surfaces in the normal manner. Prior to use, rinse all surfaces thoroughly with the disinfecting solution, maintaining contact with the solution for [at least] 5 minutes. Do not rinse equipment with water after treatment and do not soak equipment overnight.

IMMERSION METHOD: Prepare a disinfecting solution by thoroughly mixing in an immersion tank 20 fl. oz. of this product with 10 gallons of water to provide approximately 1530 PPM available chlorine by weight. Clean equipment in the normal manner. Prior to use, immerse equipment in the disinfecting solution for [at least] 5 minutes and allow the disinfectant to drain. Do not rinse equipment with water after treatment.

[Household -and/or- Residential uses; 8 fl. oz., 16 fl. oz., 20 fl. oz., 24 fl. oz., 28 oz., 43 fl. oz., 64 fl. oz., 81 fl. oz., 121 fl. oz., 128 fl. oz.]

STORAGE AND DISPOSAL Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store away from children. Reclose cap tightly after use. [This product] degrades with age and exposure to heat and sunlight. Store [this product] upright in a cool, dry area away from direct sunlight and heat. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

PRODUCT DISPOSAL: Product or rinsates that cannot be used must be diluted with water before disposal in a sanitary sewer.

CONTAINER HANDLING: Nonrefillable container. Do not refill or reuse container. Recycle empty containers.

[Professional -and/or- Institutional uses - including labels intended for restaurants, medical facilities, daycare facilities; 8 fl. oz., 16 fl. oz., 20 fl. oz., 24 fl. oz., 28 oz., 43 fl. oz., 64 fl. oz., 81 fl. oz., 121 fl. Oz., 128 fl. oz., 2.3-gal, 5-gal]

STORAGE AND DISPOSAL Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store away from children. Reclose cap tightly after each use. [This product] degrades with age and exposure to heat and sunlight. Store [this product] upright in a cool, dry area, away from direct sunlight and heat. In case of spill, flood areas with large quantities of water. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

PRODUCT DISPOSAL: Product or rinsates that cannot be used must be diluted with water before disposal in a sanitary sewer.

CONTAINER HANDLING: Nonrefillable container. Do not refill or reuse container. [Triple rinse container (or equivalent) promptly after emptying.] Recycle empty container or discard in trash.

Table 1 Hard, Nonporous Use Surfaces

- | | | |
|----------------------------|----------------------------------|-------------------------|
| • [Baby] [Bath]tubs | • Cabinet -or- drawer handles | • Combs |
| • Baby bottles | • Cat litter boxes | • Diaper pails |
| • [Bathroom] counter[top]s | • [Ceramic] glazed tile | • Dishes |
| • Barbeque [grills] | • floors - and/or- counter[top]s | • Door handles |
| • Bike -or- bicycle | • Changing tables | • Faucets |
| • Brushes | | • Finished woodwork |
| • Bumpers | | (decks, fences, arbors, |

- trellises, benches, and patio furniture)
- Floors
- Flower pots -and/or- planters
- Freezers (room temperature)
- Garbage cans
- Garbage disposals
- [Ceramic] glazed tile
 - Glassware
- Golf balls -and/or- clubs
- Hard, nonporous toys
- [Kitchen] appliances (non-food contact surfaces)
- Latex enamel painted woodwork
- Lunchboxes
- Outdoor siding
- Ovens (room temperature)
- Painted cribs
- Pans

- Plastic [baby] feeding spoons
- Plastic cutting boards
- Plastic mattress covers
- Plastic patio furniture
- Playground sets
- Playpens
- Pots
- Potty seats -and/or- trainers
- Refrigerator [handles
- Restaurant Highchairs (non- food contact surface)
- Sealed Driveways
- Sealed solid surface - and/or- sealed granite countertops
- Shower curtains
- Shower doors
- Shower walls
- Showers
- Sides of house

- Sidewalks
- Sippy cups
- Sports equipment
- Stainless cutlery
- Stainless utensils
- Steering wheel
- Stove[top]s (room temperature)
- Thermometers
- Toilets
- Trash cans
- Trash compactors
- [Travel] mugs pans
- Urinals
- Vinyl
- Wading -and/or- kiddy pools
- Walkways
- Walls
- Work surfaces

Table 2 Use Sites

- | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> • Airplanes • [All] Around the House • Ambulances • Animal Care Facilities • Attics • Automobiles -or- Cars • Barbeque -or- Grill Areas • Bathrooms • Cafeterias • Casinos • Churches • Classrooms • Clinics • Closets • Condominiums • Institutional -or- Commercial establishments -or- premises • Day Care [Centers] • Dental Offices • Diners • Dorms • Eating establishments | <ul style="list-style-type: none"> • Elder Care Center • [Emergency] Waiting Rooms • Food Processing Plants - or- Facilities (non-food contact surfaces) • Gym[nasium]s • Health Clubs • Homes • Hotels • Household Premises • House[hold]s • Institutions • Kennels • Kitchens • Laboratories • Laundry [rooms] • Locker Room Facilities • [Manicure -and/or- Pedicure] Salons • Meat Processing Plants • Medical Offices • Military Installations • Motels | <ul style="list-style-type: none"> • Movie Theaters • Nursing Homes • Nurseries • Office Buildings -or- Places -or- Areas • Offices • Pet Kennels • Physicians' -and/or- Pediatricians' Offices • Play -and/or- Common Areas • Playrooms • Playgrounds • Pools • [Public] Restrooms • Public Transportation • Resorts • Restaurants • School Buses • Schools • Shelters • Shopping Carts • Sick Rooms • Spas |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

- Sports Facilities
- Storage Areas
- Stores
- Timeshares
- Toilet Areas
- Universities
- Veterinary Offices -or- Premises
- Work places -or- Areas

Table 3 Surface Materials

- Glass
- Glazed Porcelain
- Latex enamel
- Linoleum
- Plastic laminate
- Sealed Brick
- Sealed Patio stone
- Sealed Stucco
- Sealed solid Surface - and/or- Sealed Granite
- Stainless steel
- Vinyl
- Silicone

Table 4: Organisms

DISINFECTANT

Organisms	[ATCC]	Contact Time
<i>Staphylococcus aureus</i>	6538	5 minutes
<i>Salmonella enterica</i>	10708	5 minutes
<i>Trichophyton mentagrophytes</i>	9533	5 minutes
<i>Rhinovirus type 37</i>	VR-1147, Strain 151-1	5 minutes
<i>Influenza A virus</i>	VR-544, Strain A/Hong Kong/8/68	5 minutes

SANITIZER

Organisms	[ATCC]	Contact Time
<i>Staphylococcus aureus</i>	6538	5 minutes – surface sanitizer
<i>Enterobacter aerogenes</i>	13048	5 minutes – surface sanitizer

Table 4: Organisms**DISINFECTANT**

Organisms	[ATCC]	Contact Time
<i>Staphylococcus aureus</i>	6538	5 minutes
<i>Salmonella enterica</i>	10708	5 minutes
<i>Trichophyton mentagrophytes</i>	9533	5 minutes
<i>Rhinovirus type 37</i>	VR-1147, Strain 151-1	5 minutes
<i>Influenza A virus</i>	VR-544, Strain A/Hong Kong/8/68	5 minutes

SANITIZER

Organisms	[ATCC]	Contact Time
<i>Staphylococcus aureus</i>	6538	5 minutes – surface sanitizer
<i>Enterobacter aerogenes</i>	13048	5 minutes – surface sanitizer

Marketing Claims Against Emerging Viral Pathogens

[This product qualifies for emerging viral pathogen claims per the EPA's 'Guidance to Registrants: Process for Making Claims Against Emerging Viral Pathogens not on EPA-Registered Disinfectant Labels' when used in accordance with the appropriate use directions indicated below.]

This product meets the criteria to make the claims against certain emerging viral pathogens from the following viral categories:

- Enveloped viruses
- Large non-enveloped viruses

For an emerging viral pathogen that is a/an...	...follow the directions for use for the following organisms on the label:
Enveloped virus	Rhinovirus type 37
Large, non-enveloped virus	Rhinovirus type 37

Acceptable claim language:

[Product name] has demonstrated effectiveness against viruses similar to [name of emerging virus] on hard, [porous and/or non-porous surfaces]. Therefore, [product name] can be used against [name of emerging virus] when used in accordance with the directions for use against [name of supporting virus(es)] on [hard, porous/non-porous surfaces]. Refer to the [CDC or OIE] website at [pathogen-specific website address] for additional information.

[Name of illness/outbreak] is caused by [name of emerging virus]. [Product name] kills similar viruses and therefore can be used against [name of emerging virus] when used in accordance with the directions for use against [name of supporting virus(es)] on [hard, porous/non-porous surfaces]. Refer to the [CDC or OIE] website at [website address] for additional information.

OPTIONAL LABEL CLAIMS:

- [100%] Satisfaction Guaranteed
- Advanced whitening
- Advanced whitening technology
- Aids in the reduction of cross contamination between treated surfaces
- Bactericide
- Best whitening
- Bleach works
- Bleaches out tough stains
- Boosts cold water washing power**
- Boosts laundry cleaning [power]
- Boosts laundry cleaning power**
- Breaks down dust mite matter and pet dander
- Brightens Laundry
- Brilliant White[s]
- Cleans / Cleaner
- Cleans your [H[igh] E[fficiency]] washing machine
- Clean[s] Whites
- Clean smelling
- Cleaning booster [even] in cold water
- Cleans and disinfects hard, nonporous surfaces
- Cold Water Cleaning Booster [for stain removal]
- Complete cleaning -and/or- whitening formula
- Clean [up] in no time
- Clean rinse formula
- Clean Smelling
- Clean[s] White[s] [cleans and whitens laundry]
- Cleaning booster for stain removal versus detergent alone
- Cleans & protects surfaces^
- Cleans [and deodorizes] [around the house]
- Cleans & Deodorizes
- Cleans and sanitizes hard, non-food contact nonporous surfaces
- Coats surfaces for easier cleaning
- Cold water cleaning booster [for stain removal]
- Commercial Use
- [Compatible] For Use in HE [High Efficiency] Washing Machines
- Concentrate[d] [formula]
- Concentrated cleaning power
- Concentrated whitening power
- Contains No Phosphorus
- Deep clean
- Deodorize
- Deodorizer
- Deodorizes
- Deodorizing
- Disinfects
- Does not contain phosphate
- Do not use this product at full strength for cleaning.
- Dual action cleaning and whitening formula
- Easy way to whiten whites
- Easy way to get whiter whites
- Eliminates [Removes] Odors
- Enhanced whitening power
- Fights dinginess better [than ever]
- Fights odors
- Fresh Clean
- For commercial use
- For commercial/institutional use
- For institutional use
- For standard and [HE] [High Efficiency] machines
- For [use in] Standard & HE [Front load] [washing] machines [washers] to clean and deodorize laundry
- For a clean[er] [and] fresh[er] [household [&] [and]laundry] [Laundry & Household [Home]
- For a cleaner, fresher household and laundry
- For all washing machines
- For cold washing
- For laundry and home
- For odor free laundry
- Formulated to block surface stains
- Formulated for all machines including HE – or – High Efficiency
- Fungicidal ****
- Fungicide*****
- Germicidal*
- Germicide*
- Gets Rid of Dirt –and/or Germs*
- Gets even your dirtiest clothes white
- Gets whites to their whitest
- Great for cold water [cleaning] [washing]
- Guard against stains
- [Helps] Prevent[s] [the] build-up of odor causing bacteria [in your machine]
- [Helps] Eliminate[s] -or- Reduce[s] odor[-causing bacteria] [from your [H[igh] E[fficiency]] machine]
- Helps remove odor causing residues in HE [front loading] [and standard] washing machine[s]
- Helps to maintain your HE machine
- Inexpensive and effective business place disinfectant
- In wash booster for stain removal versus detergent alone

- Keep bottle upright and tightly capped
- Keeps clothes brighter
- Keeps clothes looking newer longer
- Keeps clothes whiter [longer] versus detergent alone
- Keeps on repelling stains
- Keeps stains from sticking [to surfaces]
- Keeps surfaces looking new
- Keeps whites brighter longer
- Keeps your whites beautiful
- Kills 99.9% of Bacteria***
- Kills 99.9% of household bacteria***
- Powerful cleaning [action]
- [Kills] [eliminates] [destroys] 99.9% of Germs* (on treated, hard, non-porous surfaces)
- [Kills] [eliminates] [destroys] 99.9% of bacteria*** and viruses† on hard, non porous, non-food contact surfaces in [kitchens] [bathrooms] [restrooms] [workplaces] [restaurants] [bars] [schools] [institutions] [farms] [food processing facilities] [food preparation areas] [universities] [day care facilities] and offices
- Kills [99.9% of] germs* found on hard, non-porous surfaces in public or commercial facilities
- Kills [99.9% of] germs* on for a clean[er] home
- Kill[s] [99.9% of] bacteria*** on the hard, non-porous surfaces you[r kids] touch every day
- Kills [99.9% of] [common household] germs* -and or- bacteria***
- Kills [99.9% of] flu virus †
- Laundry [looks] [smells] clean
- [Lasting] Protection from stains [messes] [soils]
- Locks out stains [to preserve surfaces]
- Long lasting stain protection
- Made with pride and care for
- Make surfaces look new
- Makes surfaces look their sparkling best
- Makes surfaces stain resistant
- Mobius loop [recycling symbol].
- More whitening power
- Multipurpose cleaning and laundry solution
- Not harmful to septic tanks
- No lime or acids in this solution
- Penetrates -&/or- removes -and/or- [repels] [tough] stains -and/or- odors
- Prevent stains [with every use]
- Protective finish repels or locks out stains.
- Protects against soils
- Protects against stains
- Protects and keeps fabrics whiter longer
- [Proudly] Made in the USA [United States]
- Purest white
- Quality assured
- Quality since [xxxx]
- Reduces water spotting
- Remove[s] dirt
- Removes more stains
- Removes odors
- Removes [tough] [toughest] stains
- Removes stains without scrubbing
- Remove[s] what detergent can -or- may leave behind
- Revives -and/or- renews dingy whites
- Repels grease and grime^
- Sanitizer **
- Sanitizes **
- Sanitizes Hard, Inanimate, Non-Food Contact Surfaces**
- Smaller bottle is easier to handle and store
- Sparkling Whites
- Sold and distributed exclusively by [for]
- Sparkling White
- Speed clean formula
- Stain dissolving technology
- Stain guard formula
- Stain protection
- Stain protection for easier cleaning^
- Stain protection that lasts
- Stain remover
- Stain removing power
- Suitable for septic tanks
- Suitable for use in all HE washing machines
- Takes less space in your cupboard [on your shelf]
- The original all-purpose cleaner
- Tough stain fighting power
- [Versatile] Multi-purpose cleaner
- Washing machine cleaner
- Whitens whites
- Whiten[s] [bleachable fabrics]
- Whitens and brightens
- Whitens and removes stains
- Whitens [and removes stains] even on cold water washing
- Whitens better than detergent alone.
- Whitest whites
- With Fabric Protection [logo]
- With Fabric Protector
- Works in your maintenance cycle [too]

**** Kills Trichophyton mentagrophytes

***Kills Salmonella enterica and Staphylococcus aureus

** Kills Staphylococcus aureus and Enterobacter aerogenes

*Kills Staphylococcus aureus, Salmonella enterica, Rhinovirus Type 37, and Influenza A virus.

†Kills Influenza A and Rhinovirus type 37

^Conditions surface by reducing soil adhesion

ALTERNATE BRAND NAMES (ABN)

- Ciclón Bleach 7.5%
- Ciclón Disinfecting Bleach 7.5%
- Ciclón Regular Bleach 7.5%
- Ciclón Concentrated Bleach 7.5%