UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



MAY 6 2011

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Ms. Kim Davis, Agent Grow More, Inc. c/o RegWest Company, LLC 8203 West 20th Street, Suite A Greeley, CO 80634-4696

Dear Davis:


Subject: Revised Section 3 Label NAC 20 EPA Registration Number: 70908-3 Application Dated: April 8, 2011 Decision 448433

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely,

Mark Suarez Product Manager 11 Insecticide Branch Registration Division 7504P

Enclosure: Stamped Approved Label



NAC 20

[{Select marketing claims from "Marketing Claims" section}]

Active Ingredient:

Boric Acid 100%

Keep Out of Reach of Children CAUTION

Net Contents: ____ lbs. {8 ounces through 5 pounds}

See side panel for First Aid and additional Precautionary Statements

EPA Reg. No. 70908-3

EPA Est. 42198-CA-1

•	MAY	6	2011	
88 86	ecce, and Beaded, f Bered und	i Rod or the	Insecticid anticide A posticid	lat .

{Side Panels}

First Aid		
If Swallowed:	Immediately call a poison control center or doctor for treatment advice.	
	Have person sip a glass of water if able to swallow.	
	Do not induce vomiting unless told to do so by the poison control center or doctor.	
	 Do not give anything by mouth to an unconscious person. 	
If in Eyes:	Hold eye open and rinse slowly and gently with water for 15-20 minutes.	
	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.	
	Call a poison control center or doctor for treatment advice.	
Have product co	ontainer or label with you when calling a poison control center or doctor, or going for treatment.	
	ntact 1-800-338-7160 for emergency medical treatment information.	

{Note: The First Aid statements' grid format will be used if market label space permits; otherwise a paragraph format will be used.}

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Harmful if swallowed. Causes eye irritation. Avoid contact with eyes or clothing. Thoroughly wash with soap and water after handling.

{Products solely for indoor use may omit the "Environmental Hazards" section.}

Environmental Hazards

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk or street, back onto the treated area will help to prevent run-off to water bodies or drainage systems.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product may be used in homes, restaurants and other food and food handling establishments, markets, schools, warehouses, factories, offices, hotels, motels, hospitals, nursing homes, garages, grocery stores, apartment

. . . .

buildings, new construction, industrial plants, theaters, ships, boats, trains, trucks, yachts, camps, mobile homes, buses, zoos, kennels, military bases, libraries, utilities and sewers.

;

Domestic (Homeowner Use): Fleas

Use Restrictions: Do not allow children and pets in treatment area until after application is completed. Do not treat pets with this product. Avoid contamination of feed, foodstuff and ornamental plants.

Application Directions for Flea Control: Carpets: Apply directly on carpets where pets frequently traffic or sleep at the rate of one pound per 50 square feet (63 mg/sq.in.). Apply only to dry surfaces. Work powder deeply into fibers and mat with a broom or rug rake. Any powder visible after application must be brushed into carpet fibers or vacuumed. Allow powder to remain for a period of three weeks to achieve maximum flea control in carpets. Reapply if necessary.

Furniture and Upholstery: Remove loose cushions. Apply along creases and into corners and furniture wells. Do not apply product to exposed fabric. Any product visible after application must be removed.

Domestic (Homeowner Use): Ants, Cockroaches and Silverfish

Use Restrictions: Do not allow children and pets in treatment area until after application is completed. Do not treat pets with this product. Avoid contamination of feed, foodstuff and ornamental plants.

Application Directions for Ant, Cockroach and Silverfish Control: Liberally apply, scattering under and behind refrigerator, stove, sink, dishwasher, washing machine and dryer tubs; into openings around drains, water pipes and electrical conduits; and in cracks and crevices along baseboards and corners of cabinets, cupboards and closets. Remove all lower drawers in kitchen and bathroom cabinets, bedroom dressers and chests of drawers, then liberally scatter in drawer wells. Any powder visible after application must be brushed into cracks and crevices or removed. Reapply as necessary.

Non-Domestic Use (Non-Edible Product Areas Only)

Use Restrictions: Apply only in areas inaccessible to children and pets. Avoid contamination of feed and foodstuff. Do not use in edible product areas of food handling establishments, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

Directions for Applying in New and Existing Construction to Control Cockroaches: When treating large areas, such as wall voids, soffit and subcabinet voids in new and existing construction, liberally dust using dusting application equipment.

Directions for Applying in Sewers and Manhole Cavities: Apply this product at a rate not to exceed 12 oz. per 190 sq. ft. using portable blowers or air pressure tanks.

Directions for Applying as a Mop Solution to Control Cockroaches: Mixing and Application Directions: Add 1 cup of powder to each gallon of rinse water. Apply only to floor areas. Make only enough for each application.

Only supplemental treatment. Reapply as necessary. Any powder visible after application must be brushed into cracks and crevices or removed. Avoid contamination of feed and foodstuffs.

Food Handling Establishments

Places other than private residences in which food or feed is held, processed, prepared or served.

Food Areas (Including Some Serving Areas): Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Also includes some serving areas.

Food Serving Areas: Serving areas are facilities where food is served, such as dining rooms, but not where took is prepared or held. These areas are considered food areas when food is exposed and the tackity is in operation. Follow application directions in this section. If food is not exposed and facility is not in operation, follow application directions under Nonfood Serving Areas.

Use Restrictions: Food area application is limited only to crack and crevice treatment. Applications to other areas are not permitted.

Application Directions: Apply in small amounts directly into cracks and crevices using a bulbeus duster or other suitable equipment capable of applying insecticides directly into cracks and crevices, in points between different

elements of construction, between equipment and floor openings leading to voids and hollow spaces in walls, equipment legs and bases, conduits, motor housing and electrical switch boxes where cockroaches hide. Do not allow this product to be deposited onto exposed surfaces and do not introduce the material into the air. Avoid contamination of food or food processing surfaces.

Nonfood Areas (Including Some Serving Areas)

Includes garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Also includes some serving areas. Serving areas are facilities where food is served, such as dining rooms, but not where food is prepared or held. These areas are considered nonfood areas when food is not exposed and the facility is not in operation. Follow application directions in this section. If food is exposed and the facility is in operation, follow application directions under Food Serving Areas.

Application Directions: Apply as a spot treatment to selective surfaces such as baseboards and under elements of construction, into cracks and crevices. Do not treat food contact surfaces.

Other Nonfood Areas

Application Directions: Apply to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they enter.

For Fomes Annosus (White Spongy Rot) Control

Sprinkle this product "salt shaker" style on the freshly cut stump surface. Complete coverage, including exposed side areas and any splinters, is necessary. Also, a level rather than sloping stump surface, is preferred especially in areas of high rainfall. Apply enough of this product to lightly cover stump surface. At proper rates of application, one pound of this product will adequately cover 50 square feet of stump surfaces.

{For product packaged in non-refillable containers for residential/homeowner use:}

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a dry place. Do not store where children or animals may gain access. **Container Disposal:** Non-refillable container; do not reuse or refill this container. Offer for recycling, if available; otherwise, discard in trash.

{For product packaged in non-refillable containers less than 50 pounds:}

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a dry place. Do not store where children or animals may gain access. **Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **Container Disposal:** Non-refillable container; do not reuse or refill this container. Triple rinse (or equivalent) container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow beings to drip. Fill the container 14 full with water and recap. Shake for 10 seconds. Pour rinstate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow beings to drip. Repeat this procedure two more times. Offer for recycling, if available or reconditioning, if appropriate, then dispose of empty container in a sanitary landfill.

{Per PR Notice 2007-4 the batch code/lot number will appear on the label or container.}



Grow More, Inc. Research and Manufacturing for Over 70 Years 15600 New Century Drive Gardena, CA 90248 Tel. (310) 515-1700 Fax (310) 515-4937

{Marketing Claims}

0

Effectively Controls Fleas on Carpets and Furniture and Ants, Cockroaches and Silverfish in Cracks & Crevices and on Hard Surfaces and for *Fomes Annosus* Control

Non-Staining E

Ŷ

ŝ,

Deodorizes Will Not Damage Furniture

{End of Marketing Claims}

[] Denotes alternate/optional verbiage

{ } Denotes verbiage not printed on market labeling