

(Back Panel)

X-Static® Silver Coated Nylon Fiber**Directions For Use**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

Blending and Formulating Instructions for the Listed Materials:

X-Static® is a continuous silver nylon fiber. The percentage of X-Static® fiber and its location on the product will depend on the specific needs of the manufacturer, the design and product matrix, the level and type of performance needed and the method of manufacture.

Products containing X-Static® may not make claims of antimicrobial activity other than protection of the article itself against bacteria growth and mold in the treated article.

Application	MIC
Textile Manufacturing	3-20%


(X-Static® independent testing is **always required** to validate matrix efficacy.

Applications included are: outerwear apparel, coats, jackets, caps, t-shirts, socks, sheets, pillowcases, towels, Bathrobes, Hats, Gloves, Shoes, Athletic Apparel, Shorts, Thermal Athletic Apparel, Sports Bras, Bras, Pantyhose, Underwear, Pillows, Mattresses, Bedding (Sheets, Pillow Cases, Mattress Pads, Mattress Covers), and Sleepwear.

Statement of Warranty and Disclaimer:

Seller warrants that the product conforms to the chemical description and is reasonably fit for the purpose stated on the label when used in accordance with the directions under normal conditions of use. Neither this warranty nor any other warranty of merchantability nor fitness for a particular purpose expressed or implied extends to the use of this product contrary to labeling instructions or under abnormal conditions, or under conditions not reasonably foreseeable to seller and buyer assumes the risk of any such use. It is further suggested that the customer complete independent testing of the finished product to validate antimicrobial claims. Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values or any other special or indirect damages.

(Front Panel Label)



X-Static® Silver Coated Nylon Fiber

X-Static® is an antimicrobial silver coated nylon fiber for commercial and industrial use.
X-Static® is effective in inhibiting the growth of bacteria and fungus in products.
X-Static® is composed of:

Active Ingredient:

Silver	17%
<u>Other Ingredients:</u>	<u>83%</u>
Total	100%


This product contains _____ LBS. of X-Static®

EPA Registration Number 70927-1

EPA Est No.

CAUTION-----AVISO KEEP OUT OF REACH OF CHILDREN

First Aid	
If Swallowed	Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Call a poison control center or doctor for treatment advice.
If Inhaled	Harmful if inhaled. Avoid breathing dust. Remove and wash contaminated clothing before reuse.
If On Skin	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.



PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals

Caution

Harmful if swallowed or inhaled. Avoid breathing fibers. Avoid contact with skin or eyes. In case of contact immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists.

Environmental Hazards

This pesticide is toxic to fish and aquatic invertebrates. Do not use in facilities discharging directly or indirectly to estuarine or marine environments. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with the requirements of a National Pollution Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.


Storage and Disposal

Storage: Store in a safe manner. Store in original container only. Store in cool, dry place. Keep container tightly closed when not in use. Reduce stacking height where local conditions, such as humidity or pallet overhang, can effect package strength.

Pesticide Disposal: The pesticide wastes are toxic. Improper disposal of excess pesticide is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, or recovery of metals, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag into a sanitary landfill or incineration, or, if allowed State and local authorities, by burning. If burnt stay out of smoke.

Manufactured by
Noble Fiber Technologies
300 Palm St.
Scranton PA 18505



70927-2