

70968-1

9/26/2001

1/4

[FRONT PANEL]



Horse Clothing Spray

- A Residual Spray for Cotton Fiber Garments to Aid in the Protection of Horses from Mosquitoes and Biting Flies
- Treated Garments Provide up to 7-Weeks of Continuous Protection

Active Ingredients:

*Permethrin [(3-Phenoxyphenyl) methyl (+ or -) cis trans-3 -(2,2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate]	1.000%
Related Reaction Products	0.087%
**N-Octyl bicycloheptene dicarboximide	4.687%

Inert Ingredients***:	94.226%
Total:	100.000%

* Cis-trans isomer ratio: Max: 55% (+ or -) cis and Min. 45% (+ or -) trans

** MGK® 264, Insecticide Synergist

***Contains petroleum distillate

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional precautionary statements

Net Contents 32 fl.oz. (0.946 liters)

ACCEPTED

SEP 26 2001

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 70968-1

2/4

[BACK PANEL]

**READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON HORSES**

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOLLOW ALL USE DIRECTIONS AND PRECAUTIONS CAREFULLY. DO NOT USE THIS PRODUCT FOR USES OTHER THAN THOSE LISTED ON THIS LABEL. SHAKE WELL BEFORE USING TO COMPLETELY EMULSIFY THE PRODUCT. WEAR CHEMICAL RESISTANT GLOVES WHEN USING THIS PRODUCT.

GENERAL: This product, when used on HorseAround™ cotton mesh garments, aids in the protection of horses from mosquitoes and biting flies. Certain uncovered (untreated) areas, such as legs, may need to be treated with a repellent registered for use on horses.

To Control Mosquitoes and Biting Flies: Adjust the trigger sprayer nozzle to deliver a fine spray and apply to HorseAround™ cotton mesh garments when mosquitoes or biting flies become a nuisance. Hang untreated HorseAround™ garments outside or in a well ventilated area and back each garment with a piece of thin plastic sheeting. Spray the outside surface of each HorseAround™ garment using a steady back and forth motion to ensure even and thorough coverage to the entire garment area. Apply at a rate of 21 fl.oz. (2/3^{ds} of the container) to treat a single HorseAround™ Stable Sheet or Riding Sheet. Apply at a rate of 11 fl.oz. (1/3rd of the container) to treat a HorseAround™ Headpiece. Allow treated garments to dry thoroughly before use. **Important:** To prolong the effectiveness of HorseAround™ treated garments, store dry garments in a sealed plastic bag and in a cool, dry area when not in use. **DO NOT** re-treat garments more often than once every seven weeks, or until HorseAround™ garments have been laundered six times.

STORAGE & DISPOSAL

Storage: Store in a cool, dry area away from heat or open flame. Avoid storage at temperatures below 32°F. Keep in original container and preferably in a locked storage area. **Disposal:** Do not reuse empty bottle. Wrap bottle in several layers of newspaper and discard in trash.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed, in eyes, inhaled or if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Avoid inhaling vapor or spray mist. Remove contaminated clothing and wash before reuse. Prolonged or frequent repeated skin contact may cause allergic skin reactions in some individuals. Wear chemical resistant gloves when using this product.

3/4

[BACK PANEL CONTINUED]

Consult a veterinarian before using this product on debilitated, aged, pregnant, or nursing animals. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, remove garment and bathe your horse with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated animals.

FIRST AID	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
If swallowed	<ul style="list-style-type: none"> • Call poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
<p>NOTE TO PHYSICIANS AND VETERINARIANS: This product contains a petroleum distillate which may present an aspiration hazard. Gastric lavage may be indicated if product was taken internally. If signs of sensitivity occur with treated horses, monitor and treat symptomatically.</p>	

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic animals. Do not apply directly to water.

4/4

NOTICE: SELLER MAKES NO WARRANTY, EXPRESSED OR IMPLIED, CONCERNING THE USE OF THIS PRODUCT OTHER THAN INDICATED ON THE LABEL. BUYER ASSUMES ALL RISK OF USE AND/OR HANDLING OF THIS MATERIAL WHEN SUCH USE AND/OR HANDLING IS CONTRARY TO LABEL INSTRUCTIONS AND PRECAUTIONS.

McDowell and Horn, Ltd.
954 McMillan Avenue
Winnipeg, Manitoba, Canada R3M 0V6
Phone: 204-284-4264

EPA File Symbol: 70968-1
EPA Est. 36726-WI-01

revised 9/14/2001

