·71885-2

6.11.208



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

> OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

JUN 11 2008

Judy Smith Regulatory Consultant RiceCo LLC 5100 Poplar Avenue, Suite 2428 Memphis, TN 38137

Subject: Label Notifications for Pesticide Registration Notices 2007-4

Dear Ms. Smith:

The Agency is in receipt of your Applications for Pesticide Notification under Pesticide Registration Notices (PRN) 2007-4 dated May 27, 2008 for:

EPA Registration 71085-2	Propanil 48 S	F
EPA Registration 71085-3	Propanil 36%)

The Registration Division (RD) has conducted a review of this request for applicability under PR Notices 2007-4 and finds that the label changes requested falls within the scope of PR Notices 2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on <u>nonrefillable</u> containers. The code may appear either on the label (and can be added by nonnotification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Nicole Williams of my staff at 703-308-8893.

Sincerely,

Linda Arrington Notifications & Minor Formulations Team Leader Registration Division (7505P) Office of Pesticide Programs



FEDERAL EXPRESS TRK. NO. 812654694160

May 27, 2008

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) U. S. Environmental Protection Agency One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202

RE: PROPANIL 48 SF, EPA REG. NO. 71085-2 NOTIFICATION AMENDMENT

Dear Sir or Madam:

Enclosed please find the following in support of our notification amendment:

1 – Notification Amendment Application Form (8570-1)

1 - Copy of Revised Labeling

This notification is adding language as required by PR Notice 2007-4 to the Storage and Disposal section. The added language has been typed in red for your reviewing convenience. Deleted language has been crossed through. In addition, the batch code number will appear on the actual container.

If further information is needed, please contact me by telephone @ (901) 684-5390 or by email at <u>riceco.reg@ricecollc.com</u>.


Sincerely,

RiceCo LLC

Judy C

Judy Smith Regulatory Consultant

E	n	С	ls	
js				



2/13

"...from the paddy to the plate"

- 		· · X		•			3/13
Please read instructions on rev	rerse before completin	g form.	•			Form Appr	oved. OMB No. 2070-0060
\$epa	Environmenta	Inited States I Protection Ington, DC 204		x	Registre Amendr Other		OPP Identifier Number
· · · · ·		Applicatio	on for Pesti	cide - Section		-	
1. Company/Product Number 71085-2			1	A Product Managar Tompkins		شمسم ا	None Restricted
4. Company/Product (Name) PROPANIL 48 SF			РМ# 25	· · ·			
5. Name and Address of App RiceCo LLC 5100 Poplar Avenue, SL Memphis, TN 38137	· .	de)	(b)(i) to: EP/	xpedited Reveiw , my product is sin A Reg. No duct Name	nilar or iden	UN 1	FIFRA Section 3(c)(3) mosition and labeling ATION 1 2008
			Section				
Amendment - Explain Resubmission in respo Notification - Explain I Explanation: Use addition Notification adding containe This notification is consister to the labeling or the confide false statement to EPA. I fur	ense to Agency latter below. el pege(s) if necessar r language as require it with the provisions ential statement of for rther understand that	y. (For section and by PR-Noti of PR Notice rmula of this p if this notifica	ce 2007-4. 98-10 and EPA product. I unders tion is not consis	regulations at 40 CF tand that it is a viola stent with the terms	R 152.46, an tion of 18 U.S of PR Notice	d no other S.C. Sec. 1 98-10 and	001 to willfully make any 40 CFR 152.46, this
product may be in violation			Section	مربقات بالارتيان الأمان بالإريبي			
1. Material This Product Will	Be Packaged In:	· · · · · · · · · · · · · · · · · · ·					
Child-Resistant Packaging Yes X No • Cartification must be submitted	Unit Packaging Yes No If "Yes" Unit Packaging wgt.	No. per conteiner	Water Solubi X X No If "Yes" Package wgt	No. per	2. Type of	Conteiner Metal Plastic Glass Paper Other (S	ipecify)
3. Location of Net Contents I	nformation ontainer	4. Size(s) Re 30 gal. 5		. r	ocation of Lat	oel Directio	n s .
6. Manner in Which Lebel is	······································	Lithop	reph	X Other Sle	eve wrappe	əd	
		× Paper Stenc	Section -	. 1V		•	
1. Contact Point Complete	items directly helow f	or identificatio			cessary, to pr	ocess this	application.1
I. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this epplication. Iame Title Telephone No. (Included to Second Consultant) Judy Smith Point Consultant) 901-684-5390		No. (include Area Code)					
i certify that the staten I acknowledge that any both under applicable i	knowlingily false or		eli attachments				6. Date Application Received (Stamped)
2. Signatura	prate)		a. Title Reglato	ry Consult	ant		
4. Typed Name U Judy Smith			June	4, 2008			

EPA Form 8570-1 (Rev. 3-94) Previous editions are obsolete.

NOTIFICATION

JUN 1 1 2008



PROPANIL 48 SF

Herbicide

For postemergent control of broadleaf and grass weeds in Rice fields.

Active Ingredient:	• • •
Propanil (3',4'-dichloropropionanilide)	43.50%
Inert Ingredients:	<u>56.50%</u>
TOTAL	100.00%

This product contains 4 lbs. of 3',4'-dichloropropionanilide per gallon.

EPA registration No. 71085-2

EPA Establishment No.: 34704-MS-1; 5905-GA-1; 5905-IA-1, 62171-MS-1, 37429-GA-1; 68848-BRA-1; 46193-GTM-4; 1812-GA-1

KEEP OUT OF REACH OF CHILDREN CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

	FIRST AID
If inhaled	 Move person to fresh air If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice
If on skin or clothing	
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye Call a poison control center or doctor for treatment advice
If swallowed	 Immediately call a poison control center or doctor Do not induce vomiting unless told to do so by a poison control center or doctor Do not give any liquid to the person Do not give anything by mouth to an unconscious person
	CHEMICAL EMERGENCY: Spill, leak, fire, exposure, or accident, call GLOBAL LOGISTICS @ (504) 439-3140 OR (727) 374-5705 ontainer or label with you when calling a poison control center or doctor, or going for treatment.

NET CONTENTS: 20 LTS. / 200 LTRS. / 30 U.S. GALS.

MANUFACTURED FOR: RICECO LLC MEMPHIS, TN 38137

AGRICULTURAL CHEMICAL DO NOT SHIP OR STORE WITH FOOD, FEEDS, DRUGS OR CLOTHING.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Avoid breathing spray mist. May cause skin irritation. Avoid contact with skin, eyes, or clothing. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are barrier laminate or butyl rubber chemical-resistant gloves ≥ 14 mils. For more information, follow instruction in Supplement Three of PR Notice 93-7. If you want more options, follow the instructions for category B on an EPA chemical resistance category selection chart.

This section is for formulations NOT packaged with Built-in Probes)

Mixers, loaders, applicators, and other handlers must wear the following, except when removing an unrinsed probe:

- Long-sleeved shirt,
- Long pants,
- Shoes and socks,
- Chemical-resistant gloves and chemical resistant apron when mixing/loading, cleaning up spills or equipment, or otherwise exposed to the concentrate.

• In addition handlers must wear chemical-resistant footwear when cleaning up spills or equipment.

Mixers, loaders, and other handlers must wear the following when removing an unrinsed probe:

• Coveralls over long-sleeved shirt and long pants,

- Chemical-resistant gloves,
- Chemical-resistant footwear plus socks,
- Protective eyewear, if the system operates under pressure, and
- Chemical-resistant apron.

See Engineering Controls for additional requirements.

This section is for formulations packaged WITH built-in probes)

Some materials that are chemical-resistant to this product are barrier laminate or butyl rubber gloves ≥ 14 mils. For more information, follow instructions in Supplement Three of PR Notice 93-7. If you want more options, follow the instructions for category B on an EPA chemical-resistance category selection chart.

Mixers, loaders, applicators and other handlers must wear the following:

- Long-sleeved shirt,
- Long pants
- Shoes plus socks
- Chemical-resistant gloves and chemical-resistant apron when mixing/loading, cleaning up spills or equipment, or otherwise exposed to the concentrate.

See Engineering Controls for additional requirements.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

USER SAFETY REQUIREMENTS

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Discard clothing or other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

The following Engineering Controls will be used if product packaged with built in probe

ENGINEERING CONTROLS

Mixers and loaders must use a closed system that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 160.240(d)(4) for dermal protection and must:

- Wear the personal protective equipment required in the PPE section of this labeling for mixers and loaders,
- Wear protective eyewear, if the system operates under pressure, and
- Chemical-resistant footwear must be provided and be immediately available for use in an emergency, such as a broken package, spill, or equipment breakdown.

The following Engineering Controls will be used if product packaged without built in probe.

ENGINEERING CONTROLS

Mixers and loaders must either:

(1) use a closed system that meets the requirements listed in the Worker Protection Standard (WPS) for dermal protection of agricultural pesticides [40 CFR 160.240(d)(4)],

OR

(2) Use the probe system described below:

PROBE SYSTEM

Specific requirements for use of the probe closed mixing/loading system:

- Remove plug from bung of drum containing this product only when drum is sitting on the ground or on a secure level platform, with the bung end of the drum pointed up.
- \checkmark Do not pour this product from its drum.
- Transfer product from the drum to the mixing tank by use of suction hose connected at one end to the suction pump on the mixing tank and connected at the other end to a probe (dip tube) that is inserted through the bung opening into the drum.
- ✓ Do not handle the probe or bung in a manner that allows dripping or splattering of the product onto yourself or any other person.
- ✓ Do not touch the portion of the probe that has been in contact with this product until after the probe has been triple rinsed with water.
- ✓ If all the product is removed from the drum, then triple rinse the probe while it remains inside the drum.

UN-RINSED PROBES

✓ If an un-rinsed probe must be removed from the drum, then use an anti-drip flange, and immediately transfer the probe into a container of rinse water. The anti-drip flange must be designed to remove excess propanil product form the probe as it is extracted from the drum.

✓ Take the following steps if the probe must be disconnected form the suction hose before both the probe and the hose have been triple rinsed:

- (1) Equip the probe end of the hose with a shut off valve,
- (2) Install a dry break coupling between the valve and the probe,
- (3) Close the shut-off valve before disconnecting the probe.

ALL TRANSFER SYSTEMS

In addition, mixers and loaders using all systems must:

--wear the personal protective equipment required in the PPE section of this labeling for mixers and loaders, --wear protective eyewear, if the system operates under pressure, and

--when using a system that meets the requirements in the WPS as a closed system or using a probe system when the probe is not removed, chemical-resistant footwear must be provided, be immediately available, and be used in an emergency, such as a broken package, spill, or equipment breakdown.

All systems must be capable of removing the pesticide from the shipping container and transferring it into mixing tanks and/or application equipment. At any disconnect point, the system must be equipped with a dry disconnect or dry couple shut-off device that is warranted by the manufacturer to minimize drippage.

Flaggers: Human flagging is prohibited. Flagging to support aerial application is limited to use of the Global Positioning System (GPS) or mechanical flaggers.

Enclosed Cabs for Aerial Applicators: Pilots must use an enclosed cockpit that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(6)].

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. For terrestrial uses, do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water intended for irrigation or domestic purposes. Do not apply when weather conditions favor drift from target area.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical prior to flooding may result in shallow groundwater contamination due to cracks in the subsoil of the rice paddy

This product may contaminate water through runoff following rainfall events and by seepage through levees. This product has a high potential for runoff. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours. Levees should be constructed with adequate time prior to chemical application so that they are compacted to reduce seepage and to hold a 3-6 inch flood.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or indirectly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such a plants, soil or water is:

- Coveralls
- Chemical-resistant gloves, such as barrier laminate or butyl rubber ≥ 14 mils
- Chemical-resistant footwear plus socks
- Protective eyewear

STORAGE AND DISPOSAL

Nonrefillable Container: Do not reuse or refill this container. Offer for recycling, if available. Clean container promptly after emptying.

PESTICIDE STORAGE: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Do not store this product near fertilizers, seeds, insecticides, or fungicides. Do not store near heat or open flame. Containers should not be stacked more than 4 containers high. Reclose all partially used containers by thoroughly tightening bungs. Damaged or leaking containers, which contain product that cannot be used immediately, should be transferred to suitable sound containers and properly marked. Absorb any spill with a suitable absorbent and dispose of as indicated under "Pesticide Disposal".

Keep containers closed when not in use.

For safety and prevention of unauthorized use, all pesticides should be stored in locked facilities. To prevent accidental misuse, different pesticides should be stored in separate areas with enough distance between to provide clear identification. Opened, partially used pesticides should be stored in original containers when possible. When transfer to another container is necessary because of leakage or damage, carefully mark and identify contents of the new container.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional office for guidance.

CONTAINER DISPOSAL:

Nonrefillable container 5 gallons to bulk: Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¹/₄ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times.

METAL Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

PLASTIC Containers: Tripe rinse (or equivalent), adding rinsate to spray tank. Then offer for recording or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration or, if-allowed by state and local authorities, by burning. If burned, stay out of smoke.

GENERAL PRECAUTIONS AND RESTRICTIONS

DO NOT apply this product through any type of irrigation system.

DO NOT plant or transplant crops in the treated area for at least 60 days following an application of this product. **DO NOT** apply more than 6 lbs. active ingredient per acre per application. Do not apply more than 8 lbs. active ingredient per acre per season.

Applications to fields where catfish farming is practiced and draining water from treated fields into areas where catfish farming is practiced is prohibited.

DO NOT apply **PROPANIL 48 SF** within 14 days before or after application of carbamates or organophosphate products. Serious injury to rice may occur.

DO NOT apply PROPANIL 48 SF directly or indirectly to any crop except rice.

DO NOT apply **PROPANIL 48 SF** when wind conditions will allow drift to adjacent, susceptible crops such as beans, soybeans, cotton, sunflower, cucurbits, vegetables, orchards and other sensitive crops.

DO NOT rotate to crops other than rice for 60 days following application.

DO NOT apply within 60 days of harvest.

Water drained from the treated rice fields must not be used to irrigate other crops or released within 2 miles upstream of a potable water intake in flowing water (e.g., river, stream, etc.) or within 2 miles of a potable water intake in a standing body or water, such as a lake, pond or reservoir.

SPRAY DRIFT MANAGEMENT

Avoiding spray drift at the application is the responsibility of the applicator. The interaction of many equipment and weather-related factors determines the potential for spray drift. The applicator is responsible for considering these factors when making application decisions.

Apply only when the wind speed is less than or equal to 10 mph at the application site. Apply as a medium or coarser spray (ASAE standard 572)

Additional requirements for ground applications:

Apply using a nozzle height of no more than 4 feet above the ground or crop canopy.

Additional requirements for aerial applications:

Do not apply by air if drift can occur to sensitive nontarget crops or plants that are within 100 feet of the application site.

Do not release spray at a height greater than 10 feet above the ground or crop canopy.

The boom length must not exceed 75% of the wingspan or 90% of the rotor blade diameter.

Do not make any type of application into temperature inversions

When applications are made with a cross-wind, the swath will be displaced downwind. The applicator must compensate for this displacement at the downwind edge of the application area by adjusting the path of the aircraft upwind.

Information on Droplet Size

The most effective way to reduce drift potential is to apply large droplets. The best drift management strategy is to apply the largest droplets that provide sufficient coverage and control.

Application of **PROPANIL 48 SF** must conform to the conditions set forth in the current CA propanil regulations (3CCR 6462). Aerial Applications: Each operating nozzle shall produce a droplet size, in accordance with the manufacturer's specifications, not less than 600 microns volume median diameter (Dv0.5) with 10 percent of the diameter by volume (Dv0.1) not less than 200 microns. Ground Applications: Each operating nozzle shall produce a droplet size, in accordance with manufacturer's specifications, not less than 200 microns. Ground Applications: Each operating nozzle shall produce a droplet size, in accordance with manufacturer's specifications, not less than 500 microns volume median diameter (Dv0.5) with 10 percent of the diameter by volume (Dv0.1) not less than 200 microns.

The presence of sensitive species nearby, the environmental conditions, and pest pressure may affect how an applicator balances drift control and coverage. Applying larger droplets reduces drift potential, but will not prevent drift if applications are made improperly, or under unfavorable environmental conditions (see Wind, Temperature and Humidity, and Temperature Inversions.)

EMERGENCY RELEASE PROVISION

Water holding (discharge) intervals for flood water following propanil application in all states.

For delayed flood (water-seeded) rice grown south of Interstate Highway 10 from the Texas/Louisiana border to Houston and east of State Highway 35 from Houston to Port Lavaca – Flood water must be held for 10 days after application, unless excessive rainfall completely submerges the rice crop and forces premature release. For Texas rice grown in areas north or west of these boundaries, the water holding interval will be 7 days.

For delayed flood (water-seeded) rice in Southern Louisiana south of Highway 14 – Flood water must be held for 15 days after propanil application unless excessive rainfall completely submerges the rice crop and forces premature release. Delayed flood (water-seeded) rice in Louisiana, north of Highway 14 boundary, is subject to the 7-day water holding interval provisions.

For permanent flood (water-seeded) rice in California and all other parts of the US not mentioned above – Flood water must be held for 7 days after application, unless excessive rainfall completely submerges the rice crop and forces premature release.

WHERE TO USE

RiceCo PROPANIL 48 SF is used for postemergent control of broadleaf and grass weeds in RICE fields.

Barnyardgrass (watergrass) Brachiaria Coffeeweed Crabgrass Croton. Curly indigo Foxtail Goosegrass Gulf cockspur Mexicanweed Millet (Texas) Paragrass Pigweed Sourdock Spearhead Wiregrass

WEEDS CONTROLLED

Echinochloa crus-gallie Brachiaria platyphylla Sesbania herbacea Digitaria spp. Croton spp. Aeschynomene virginica Setaria spp. Eleusine indica Echinochloa crus-pavonia Caperonia castanifolia Urochloa texana Urochloa mutica Amaranthus spp. Rumex arcticus Phacelia hastata Aristida spp.

(This product will not control arrowhead, Bermudagrass, cattail, ducksalad, Johnsongrass, nutgrass, red rice and sprangletop).

GENERAL INFORMATION

Several important factors should be taken into account to achieve a high efficiency of selective weed control with **PROPANIL 48 SF.** These include uniform application, growth stage and weather conditions. To assure uniform application, shake or roll container prior to opening and mix the prescribed amount of product with a sufficient volume of carrier to provide thorough coverage of target area. For aerial application use approximately 10 gallons, and for surface (ground) applications 20-30 gallons of carrier per acre at high enough pressure. Agitate tank mixes thoroughly and continuously. Avoid over and under application.

Growth stage of weeds is very important. Best results for selective weed control are obtained when most grasses have reached the 1 to 3-leaf stage. Proper field preparation is essential to ascertain a relatively clod free and level surface and to obtain uniform flood levels and growth. Fields may be flushed prior to treatment to produce uniform and vigorous grass germination and growth. Drain water from fields prior to applying product. Higher rates are recommended to control larger grasses or exposed weeds when rice fields are not completely drained. Inspect rice fields regularly to select the correct application time.

Weather conditions must be observed closely. Under cool weather conditions higher rates are required to achieve satisfactory control. Avoid application if rain threatens within 6 to 8 hours, or if wind velocities are high enough to cause drift and irregular spray patterns.

WEATHER CONDITIONS:

<u>**Temperature:**</u> Temperatures at and before application affect product activity in controlling target weeds. Applications should be made when daily maximum temperatures are between 75°F and 100°F. Control decreases with temperatures below 75°F and increases with temperatures above 75°F.

<u>Application Timing:</u> PROPANIL 48 SF normally requires 8 hours of DIRECT sunlight after application for absorption into target weeds; however, many atmospheric and environmental conditions can affect absorption into the target weeds. It is highly recommended that application of PROPANIL 48 SF be planned so that the applied product remains in contact with the leaf surfaces for at least 48 hours prior to rainfall or flooding. Historically, morning applications of Propanil products, including PROPANIL 48 SF, have produced better results in weed control.

<u>Relative Humidity</u>: PROPANIL 48 SF is a contact herbicide, therefore, herbicidal activity is affected by humidity. High humidity and dew aid in weed control by allowing the product to remain in solution longer on the leaf surface. Low humidity decreases plant activity and thus reduces product absorption. During periods of very low humidity, higher spray volumes, 8-10 gallons per acre, should be used when applied aerially.

7

<u>Soil Moisture:</u> Under dry conditions grass and broadleaf weeds are less susceptible to control. Higher rates of product, up to 6 quarts per acre, should be used to achieve control.

Wind: Avoid application if wind velocity is high enough to cause drift of the application spray off the target site or irregular spray patterns.

ADJUVANTS AND APPLICATION AIDS:

When **PROPANIL 48 SF** is used alone (not in combination with any other postemergent rice herbicide), a low viscosity crop oil concentrate or surfactant may be used to improve wetting of foliage and increase weed control. Use of a crop oil concentrate is recommended when application is made during cool weather conditions or unstable weather conditions that may produce rain. Under adverse weather conditions, the addition of a crop oil concentrate when tank mixing **PROPANIL 48 SF** and other rice herbicides for application should be considered. Consult product labels for adjuvant recommendations. The use of a suitable crop oil concentrate or surfactant does not significantly increase injury to rice (leaftip burn.)

Consult Extension Service for detailed application advice.

RECOMMENDED BROADCAST RATE

Apply 3 quarts of **PROPANIL 48 SF** per acre when most grasses have reached the 1 to 3-leaf stage. Use 4 to 6 quarts of product per acre when the grasses are large (4 to 6-leaf stage) or when unseasonably cool weather conditions prevail, grass and broadleaf weeds are stressed due to dry conditions or in cases where rice fields have not been drained completely and where weeds are large enough.

Barnyardgrass may be controlled up to 30 to 45 days after planting, before rice plants have reached the fully tillered growth stage.

NOTE: PROPANIL 48 SF applied to the rice after the 4-leaf stage may cause visible injury under some climatic conditions. Rice plants usually outgrow such injury.

IN CALIFORNIA: Use **PROPANIL 48 SF** only where rice fields are completely drained or a minimal amount of water remains. If higher water level is desired, reflood after 12 hours and before 7 days after treatment. This will discourage new weed infestations.

SPRAY MIXTURE PREPARATION

Wet Spray Application

Thoroughly mix **PROPANIL 48 SF** with clean water (water that is free of sediment and agricultural chemicals) in the spray tank. Do not use water from paddies. Only approved drift control agents may be used with **PROPANIL 48** SF. Do not use any other additives except as directed by this label.

To ensure uniform mixing and application, agitate the mixture before application. If the mixture is not sprayed immediately after agitation, re-agitate it before application. Always apply **PROPANIL 48 SF** spray preparation within 24 hours of product mixing, or the product may degrade.

Do not store **PROPANIL 48 SF** in nurse tanks or any other tanks used to store or transport clean water. Install oneway valves (anti-siphoning devices) on liens and hoses of mixing/loading equipment to prevent contamination of nurse tanks or other clean water sources.

Mixing and application equipment exposed to **PROPANIL 48 SF** cannot be used for anything other than rice applications until it has been cleaned according to the procedures in the Sprayer Cleanup section of this label.

Additional Mixing Instructions (wet spray)

- 1. Fill the tank $\frac{1}{4}$ to $\frac{1}{3}$ full of clean water.
- 2. While agitating, add the required amount of PROPANIL 48 SF.
- 3. Continue agitation until the product is fully dispersed, at least 5 minutes.

- 4. Once the **PROPANIL 48 SF** is fully dispersed, maintain agitation and continue filling the tank with water. The product should be thoroughly mixed with water before adding any other material.
- 5. As the tank is filling, add the required tank mix partner (other labeled rice herbicides, adjuvants, drift control agents, etc.)
- 6. If the mixture is not continuously agitated, settling may occur. If setting occurs, thoroughly re-agitate before using.
- 7. Apply **PROPANIL 48 SF** spray preparations within 24 hours of product mixing, or the product may degrade.
- 8. If **PROPANIL 48 SF** and a tank mix partner are to be applied in multiple loads, pre-slurry the product in clean water prior to adding to the tank. This will prevent the tank mix partner from interfering with the dissolution of the **PROPANIL 48 SF**.

SPRAYER CLEANUP

Before using equipment exposed to **PROPANIL 48 SF** to treat another crop, clean the sprayer and any other equipment (loading hoses, batch tanks, etc.) using the following procedure:

- 1. Steam-clean tank using a non-chlorine-based detergent, taking care to remove all physical residues.
- 2. Thoroughly rinse sprayer, tanks, boom, and hoses with clean water (free of sediment and agricultural chemicals.)
- 3. Fill the tank one-half full with clean water and add Nutrasol at 32 oz. per 100 gal. of water. Fill the tank to capacity with clean water. Flush the nozzles, boom, and hoses, and agitate (and recirculate, if possible) the sprayer for 15 minutes. Drain the equipment, taking care to flush the boom and hoses thoroughly.
- 4. Rinse tanks, hoses and nozzles with clean water to remove 'Nutrasol'.
- 5. Fill the tank one-half full with clean water and add 1 gal. of 21% ammonia or 7 gal. of 3% ammonia per 100 gal. of water. Fill the tank to capacity with clean water. Flush the nozzles, boom, and hoses and agitate (and recirculate, if possible) the sprayer for 15 minutes. Drain the equipment, taking care to flush the boom and hoses thoroughly.
- 6. Remove nozzles, screens, and strainers, and clean them separately.
- 7. Rinse tanks, booms, and hoses with clean water.
- 8. Repeat steps 5 and 7 an additional 3 times.
- 9. Rinse tanks, booms, and hoses to remove all traces of ammonia.
- 10. Water rinses may be applied to rice fields. Dispose of bleach rinses at an approved waste disposal facility.

NOTE: When applying multiple loads of **PROPANIL 48 SF** several days in a row, the following procedure must be performed at the end of each day; partially fill the tank with fresh water, flush the boom and hoses, and allow to set overnight.

ATTENTION: Do not use chlorine bleach with ammonia. All traces of liquid fertilizer containing ammonia, ammonium nitrate or ammonium sulphate must be rinsed from the mixing and application equipment using water before adding chlorine bleach solution. Failure to do so will release a gas with a musty chlorine odor that can cause eye, nose, and throat and lung irritation. Do not clean equipment in an enclosed area.

Perform cleanup procedures on batch tanks and any other mixing equipment separately from aircraft hoppers. Take care to clean loading hoses and any other equipment or surfaces exposed to **PROPANIL 48 SF**.

CONDITIONS OF SALE AND WARRANTY

RICECO AND SELLER OFFER THIS PRODUCT AND THE BUYER AND USER ACCEPTS THIS PRODUCT UNDER THE FOLLOWING AGREED CONDITIONS OF SALE AND WARRANTY.

The directions for use of this product are believed to be reliable and should be followed carefully. However, it is impossible to take into account all variables and to eliminate all risks associated with its use. Injury or damage may result because of conditions that are beyond the control of RiceCo or the Seller. RiceCo warrants only that this product conforms to the chemical description of the label and is believed to be reasonably fit for the purposes referred to in the Directions for Use when used as directed under normal conditions. RICECO MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. To the fullest extent permitted by law, in no case shall RiceCo or the Seller be liable for consequential, special, or indirect damages resulting from the use or handling of this product. Any variation from this warranty must be in writing and signed by an authorized RiceCo representative.



5100 POPLAR AVENUE, SUITE 2428 MEMPHIS, TENNESSEE 38137 USA PROPANIL 48 SF® is the registered trademark of RICECO.

8806/1106 Notif 1/22/08 Notif 5/27/08