

71096-4

1/12/2009

1/14



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

Ms. Ruth Ann Harman  
Product Registration  
OR-CAL, Inc.  
29454 Meadowview Rd.  
Junction City, OR 97448

JAN 12 2009

SUBJECT: Application for Pesticide Notification (PRN 2008-1)  
Request Environmental Hazard Statement  
EPA Reg. No. 71096-4  
Application Dated July 10, 2008

Dear Ms. Harman:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 2008-1 dated 07/10/08 for the above product. The Registration Division (RD) has conducted a preliminary screen of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Owen F. Beeder of my staff at 703-308-8899.

Sincerely,

Linda Arrington  
Notifications & Minor Formulations Team Leader  
Registration Division (7505P)  
Office of Pesticide Programs

2/14



United States  
**Environmental Protection Agency**  
 Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

**Application for Pesticide - Section I**

1. Company/Product Number 71096-4	2. EPA Product Manager Venus Eagle	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) OR-CAL, Inc. / Slug-Fest All Weather Formula	PM# 1	
5. Name and Address of Applicant (Include ZIP Code) OR-CAL, Inc. 29454 Meadowview Road Junction City, OR 97448  <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: <b>NOTIFICATION</b> EPA Reg. No. _____  Product Name <b>JAN 12 2009</b>	

**Section - II**

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

**Explanation:** Use additional page(s) if necessary. (For section I and Section II.)  
 Notification of label change relative to PR Notice 2008-1. This notification is consistent with the guidance in PR Notice 2008-1 and the requirements of EPA's regulations at 40 CFR 156.10, 40 CFR 156.80 and 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. OR-CAL, Inc. understands that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. OR-CAL, Inc. further understands that if this notification is not consistent with the guidance of PR Notice 2008-1 and the requirements of 40 CFR 156.10, 40 CFR 156.80 and 40 CFR 152.46, this product may be in violation of FIFRA and OR-CAL, Inc. may be subject to enforcement action and penalties under section 12 and 14 of FIFRA.

**Section - III**

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container	<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
				<input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/>	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

**Section - IV**

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)					
Name Ruth Ann Harman		Title Office Administrator/Regulatory		Telephone No. (Include Area Code) 541-995-9388	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and correct. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.					6. Date Application Received (Stamped)
2. Signature 		3. Title Office Administrator/Regulatory			
4. Typed Name Ruth Ann Harman		5. Date 7/10/08			

3/14

(Front Panel – AG Label)

# SLUG-FEST ALL WEATHER FORMULA

*Lasts longer under wet conditions*

**Active Ingredient:**

Metaldehyde (2,4,6,8-tetramethyl-1,3,5,7-tetraoxycyclo-octane) .....	25%
Other Ingredients: .....	75%
Total .....	100%

*Contains 2.1 pounds Metaldehyde per gallon.*

**NOTIFICATION**

JAN 12 2009

KEEP OUT OF REACH OF CHILDREN

WARNING AVISO

Si Usted no entiende la etiqueta, busque a alguien para que se la explique a Usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See side panels for additional precautionary statements.

All applicable directions, restrictions and precautions on the label are to be followed. See Directions for Use in Booklet.

**SHAKE WELL**

**NET CONTENTS**

EPA Reg. No. 71096-4  
EPA Est. No. 52251-OR-005

**OR-CAL, Inc.**  
29454 Meadowview Road  
Junction City, OR 97448  
(541)689-4413

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**WARNING:** Harmful if swallowed. Avoid breathing spray mist. Do not get in eyes, on skin or on clothing. Wash thoroughly after use. Keep out of reach of children or domestic animals.

**IMPORTANT:** *KEEP CHILDREN AND PETS OUT OF TREATED AREA UNTIL SPRAY HAS DRIED. THIS PESTICIDE MAY BE FATAL TO DOGS OR OTHER PETS IF ANIMAL DRINKS. DO NOT ALLOW PUDDLES TO FORM ON GROUND WHEN MIXING OR CLEANING APPLICATION EQUIPMENT.*

**FIRST AID**

**If Swallowed**-Call a poison control center or doctor immediately for treatment advice.

- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

**If in eyes** -Hold eye open and rinse slowly and gently with water for 15-20 minutes.  
-Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.  
- Call a poison control center or doctor for further treatment advice.

**If inhaled** -Move person to fresh air.  
-If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.  
-Call a poison control center or doctor for further treatment advice.

**If on skin or clothing** -Take off contaminated clothing.  
-Rinse skin immediately with plenty of water for 15-20 minutes.  
-Call a poison control center or doctor for treatment advice.

**HOT LINE NUMBER**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the National Pesticide Telecommunications Center at 1-800-858-7378 for emergency treatment.

**Note to Physician**

Probable mucosal damage may contraindicate gastric lavage.

**PERSONAL PROTECTIVE EQUIPMENT (PPE)**

*Applicators and handlers must wear:* Coveralls over long-sleeved shirt and long pants, chemical-resistant gloves made of a waterproof material, chemical resistant footwear plus socks, protective eyewear, chemical resistant apron when cleaning equipment, mixing, or loading. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

**USER SAFETY RECOMMENDATIONS**

**Users should:**

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

**ENVIRONMENTAL HAZARDS**

For terrestrial uses, do not apply directly to water or areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water.

<p><b>STORAGE AND DISPOSAL</b></p> <p><b>Prohibitions:</b> Do not contaminate water, food or feed by storage, disposal or cleaning of equipment.</p> <p><b>Storage:</b> Keep pesticides in original container in a locked place out of reach of children. Protect from freezing.</p> <p><b>Pesticide Disposal:</b> Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.</p> <p><b>Container Disposal:</b> Do not reuse container. Dispose of container in a sanitary landfill or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.</p>
--

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

6/2

**AGRICULTURAL USE**

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) notification to workers; and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

**REENTRY:** Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.

**EARLY ENTRY PPE:** PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: Coveralls over long-sleeved shirt and long pants, chemical resistant gloves made of a waterproof material, chemical resistant footwear plus socks and protective eyewear.

**NON-AGRICULTURAL USE REQUIREMENTS**

The requirements in this box apply to uses of the product that are NOT within the scope of the Worker Protection Standard, for agricultural pesticides 40 CFR Part 170. The WPS applies only when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

**USE PRECAUTIONS**

Read entire label before using. Apply directly to the soil area beneath plants as listed on this label. Do not allow spray to come in contact with parts of plant that may be used for food or feed purposes. **(AGRICULTURAL LABEL ONLY)** The grower is responsible for residues on his crops, as well as for damages caused by drift from his property to that of others. Do not tank mix this product with other chemicals. Do not allow drift to areas occupied by unprotected humans or beneficial animals or onto adjoining feed, fiber or pasture crops.

**MIXING:** Shake SLUG-FEST ALL WEATHER FORMULA well before mixing. Thoroughly mix spray solution before application. Use entire mixed solution at one time. Do not store mixed solution.

**LAWNS AND ORNAMENTALS:** Such as Geraniums, Salvia, Primroses, Marigolds, Petunias, Pansies, Dahlias, Begonias, Coleus, Ajuga and Dichondra.

**HOSE-ON TYPE APPLICATOR:** Thoroughly water areas to be treated. Use one ounce of SLUG-FEST ALL WEATHER FORMULA for each two gallons of solution delivered by your applicator to cover approximately 200 sq. ft.

**SPRINKLING CAN:** Thoroughly water areas to be treated. Use one ounce of SLUG-FEST ALL WEATHER FORMULA to each two gallons of water and sprinkle over areas to be treated.

**WHERE SNAILS ARE A PROBLEM:** We suggest double rate of application on Ornamentals only.

**BEST RESULTS:** Apply SLUG-FEST ALL WEATHER FORMULA in the cool of the evening.

**TERRESTRIAL FOOD CROPS:** Alfalfa, Almond, Anise, Artichoke, Asparagus, Barley, Beans, Beets, Blackeyed Peas, Broccoli, Brussels Sprouts, Cabbage, Cantaloupes, Caraway, Carrots, Catnip, Cauliflower, Celery, Chicory, Chive, Clover, Collards, Coriander, Corn, Cowpeas, Cucumbers, Currant, Dill, Eggplants, Endive, Garlic, Ginseng, Horseradish, Kale, Kohlrabi, Leeks, Lentils, Lettuce, Melons, Muskmelons, Mustard, Mustard Greens, Oats, Okra, Onions, Oregano, Parsley, Parsnips, Peas, Peppermint, Peppers, Pimentos, Potatoes, Pumpkins, Radishes, Rhubarb, Rutabagas, Sage, Salsify, Savory, Shallots, Spearmint, Spinach, Squash, Sugar Beets, Sweet Potatoes, Swiss Chard, Tomatoes, Turnips, Watermelon, Wheat, Seed Crops such as alfalfa, beans, clover, corn (sweet), grasses, peas, potato.

**SLUGS AND SNAILS:** Apply 2 to 4 quarts per treated acre in sufficient water for thorough coverage OR 5 to 10 oz. in ten gallons of water per treated 1,000 sq. ft. OR 1 to 2 oz. in two gallons of water per 200 sq. ft. Where Snails are a problem we suggest the higher rate of application.

Thoroughly water areas to be treated before application. Apply only to soil surface around plants and in rows between plants. Use equipment that applies directly to the soil surface. Do not apply in such a manner as to cause drift of product onto plants. Do not apply to edible parts of plants. For best results, apply in the evening. Repeat as needed for control.

8/14

Page 6 – (SLUG-FEST ALL WEATHER FORMULA-AG label)

**TREE CROPS:** Apples, Apricots, Avocados, Bananas, Cherries, Citrus fruits, Grapefruits, Lemons, Limes, Nectarines, Oranges, Peaches, Pears, Pecans, Plums, Stone fruits, Walnuts.

*SLUGS AND SNAILS:* Apply 2 to 4 quarts per treated acre in sufficient water for thorough coverage OR 5 to 10 oz. in ten gallons of water per treated 1,000 sq. ft. OR 1 to 2 oz. in two gallons of water per treated 200 sq. ft. Where snails are a problem we suggest the higher rate of application.

Make application when foliage and fruit are completely dry but soil is wet following an irrigation. Apply under trees, around irrigation pipes, farm buildings and any other place where slugs and snails may congregate. Use equipment that applies directly to soil surface. Do not apply in such a manner as to cause drift of product onto trees. Do not apply directly to trees or fruit. For best results, apply in the evening. Repeat as needed for control.

**BERRY CROPS:** Blackberries, Blueberries, Boysenberries, Caneberries, Dewberries, Gooseberries, Loganberries, Raspberries, Strawberries.

*SLUGS AND SNAILS:* Apply 2 to 4 quarts per treated acre in sufficient water for thorough coverage OR 5 to 10 oz. in ten gallons of water per treated 1,000 sq. ft. OR 1 to 2 oz. in two gallons of water per treated 200 sq. ft. Where snails are a problem we suggest the higher rate of application.

Thoroughly water areas to be treated before application. Apply only to soil surface around plants and in rows between plants. Use equipment that applies directly to soil surface. Do not apply in such a manner as to cause drift of product onto plants. Do not apply to edible parts of plants. For best results, apply in the evening. Repeat as needed for control.

**TERRESTRIAL NONFOOD CROPS**

**SEED CROPS:** Beets, Cabbage, Carrots, Collards, Kale, Kohlrabi, Lettuce, Mustard, Radish, Spinach, Swiss Chard, Tobacco, Turnips.

*SLUGS AND SNAILS:* Apply 2 to 4 quarts per treated acre in sufficient water for thorough coverage OR 5 to 10 oz. in ten gallons of water per treated 1,000 sq. ft. OR 1 to 2 oz. in two gallons of water per treated 200 sq. ft. Where snails are a problem we suggest the higher rate of application.

Thoroughly water areas to be treated before application. Apply only to soil surface around plants and in rows between plants. Use equipment that applies directly to soil surface. Do not apply in such a manner as to cause drift of product onto plants. For best results, apply in the evening. Repeat as needed for control.



Page 7 - (SLUG-FEST ALL WEATHER FORMULA-AG Label)

**GREENHOUSE FOOD CROP:** Asparagus, Beans, Beets, Cabbage, Carrots, Celery, Corn, Cucumbers, Eggplant, Endive, Lettuce, Melons, Onions, Peas, Peppers, Potatoes, Radish, Spinach, Squash, Tomatoes, Turnips.

*SLUGS AND SNAILS:* Apply 2 to 4 quarts per treated acre in sufficient water for thorough coverage OR 5 to 10 oz. in ten gallons water per treated 1,000 sq. ft. OR 1 to 2 oz. in two gallons of water per treated 200 sq. ft. Where snails are a problem we suggest the higher rate of application.

Water or irrigate areas to be treated before application. Apply only to soil surface around plants, in rows between plants and under benches in greenhouses and around plants; any place where slugs and snails may congregate. Use equipment that applies directly to soil surface. Do not apply in such a manner as to cause drift of product onto plants. Do not apply to plants or edible parts of plants. For best results, apply in the evening. Repeat as needed for control.

**GREENHOUSE NONFOOD CROPS:** Orchids, Ornamental Plants

*SLUGS AND SNAILS:* Apply 2 to 4 quarts per treated acre in sufficient water for thorough coverage OR 5 to 10 oz. in ten gallons of water per treated 1,000 sq. ft. OR 1 to 2 oz. in two gallons of water per treated 200 sq. ft. Where snails are a problem we suggest the higher rate of application.

Water or irrigate areas to be treated before application. Apply only to soil surface around plants, in rows between plants and under benches in greenhouse and around plants; any place where snails and slugs might congregate. Do not apply directly to plants unless prior experience has shown the plant to be tolerant to this product. Most plants are tolerant, however, some slight tip burning has been noticed on extremely tender orchids.

**DOMESTIC AND NONDOMESTIC OUTDOOR:** Domestic Dwellings, Farm Buildings, Lath Houses, Ornamental Plants

*SLUGS AND SNAILS:* Apply 2 to 4 quarts per treated acre in sufficient water for thorough coverage OR 5 to 10 oz. in ten gallons of water per treated 1,000 sq. ft. OR 1 to 2 oz. in 2 gallons of water per treated 200 sq. ft. Where snails are a problem we suggest the higher rate of application.

Thoroughly water areas to be treated before application. Use equipment that applies directly to the soil surface. Apply evenly over infested areas and along flower beds adjacent to border or ground cover plants. Also apply to ground at base of fences and walls in shady, protected locations and any other place where slugs and snails may congregate.

10/14

Do not apply in such a manner as to cause drift of product onto edible plants or plant parts. Do not apply directly to plants unless prior experience has shown the plant to be tolerant, however, some slight tip burning has been noticed on extremely tender orchids. For best results, apply in the evening. Repeat as needed for control.

**NON CROP AREAS:**

**This product may be used only on the following use sites in response to State and/or Federal invasive mollusk eradication operations. Broadcast applications of this product may be made to the following use sites for State and/or Federal invasive mollusk eradication operations.**

**SLUGS AND SNAILS:** Fallow land; barrier strips; uncultivated non-agricultural areas; recreational areas; non food and non feed brush, weed or dense vegetative areas; railroad, pipeline, highway, power and telephone rights-of-way and road sides; guardrails and fences; lumberyards; storage areas, industrial plant sites, parking areas; parks, golf courses, other public areas; airport and similar industrial non-crop areas: Apply 2 to 4 quarts in sufficient water per acre. Repeat treatment as needed. Use the higher rate for snail control.

**This product may be applied for State and/or Federal invasive mollusk eradication operations at an individual application rate of no more than 2 lb. of active ingredient per acre (0.95 gallons of Slug-Fest product per acre), and at no more than six applications per year.**

**LAWNS (INCLUDING DICHONDRA), ORNAMENTAL GRASSES, TURF, NEWLY SEEDED GRASS GROWN FOR SEED (prior to canopy closure).**

**SLUGS AND SNAILS:** Apply 2 to 4 quarts per treated acre in sufficient water for thorough coverage OR 5 to 10 oz. in ten gallons of water per treated 1,000 sq. ft. OR 1 to 2 oz. in two gallons of water per treated 200 sq. ft. Where snails are a problem we suggest the higher rate of application.

Uniformly broadcast directly on lawn or turf. Withhold heavy watering for at least 2 days after treatment. Keep children and pets off the treated area until spray has dried.

**NOTIFICATION**

JAN 12 2009

---

11/14

# SLUG-FEST

## ALL WEATHER FORMULA

*Lasts longer under wet conditions*

**Active Ingredient:**

Metaldehyde (2,4,6,8-tetramethyl-1,3,5,7-tetraoxycyclo-octane) .....	25%
Other Ingredients: .....	75%
Total .....	100%

*Contains 2.1 pounds Metaldehyde per gallon.*

**KEEP OUT OF REACH OF CHILDREN**

**WARNING AVISO**

Si Usted no entiende la etiqueta, busque a alguien para que se la explique a Usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See side panels for additional precautionary statements.

All applicable directions, restrictions and precautions on the label are to be followed. See Directions for Use in Booklet.

### SHAKE WELL

### NET CONTENTS

EPA Reg. No. 71096-4  
EPA Est. No. 52251-OR-005

**NOTIFICATION**

**JAN 12 2009**

**OR-CAL, Inc.**  
29454 Meadowview Road  
Junction City, OR 97448  
(541)689-4413

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**WARNING:** Harmful if swallowed. Avoid breathing spray mist. Do not get in eyes, on skin or on clothing. Wash thoroughly after use. Keep out of reach of children or domestic animals. Wear chemical resistant gloves made of any waterproof material when handling and applying product.

**IMPORTANT:** *KEEP CHILDREN AND PETS OUT OF TREATED AREA UNTIL SPRAY HAS DRIED. THIS PESTICIDE MAY BE FATAL TO DOGS OR OTHER PETS IF ANIMAL DRINKS. DO NOT ALLOW PUDDLES TO FORM ON GROUND WHEN MIXING OR CLEANING APPLICATION EQUIPMENT.*

**FIRST AID**

**If Swallowed**-Call a poison control center or doctor immediately for treatment advice.

- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

**If in eyes** -Hold eye open and rinse slowly and gently with water for 15-20 minutes.

- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

**If inhaled** -Move person to fresh air.  
-If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.

- Call a poison control center or doctor for further treatment advice.

**If on skin or clothing** -Take off contaminated clothing.  
-Rinse skin immediately with plenty of water for 15-20 minutes.

- Call a poison control center or doctor for treatment advice.

**HOT LINE NUMBER**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the National Pesticide Telecommunications Center at 1-800-858-7378 for emergency treatment.

**Note to Physician**

Probable mucosal damage may contraindicate gastric lavage.

**ENVIRONMENTAL HAZARDS**

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treated area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

**STORAGE AND DISPOSAL**

**Prohibitions:** Do not contaminate water, food or feed by storage, disposal or cleaning of equipment.

**Storage:** Keep pesticides in original container in a locked place out of reach of children. Protect from freezing.

**Disposal: If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-88-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes. For use on plants intended for anesthetic purposes or climatic modification and being grown in interior plantscapes, ornamental gardens or parks, or golf courses or lawns and grounds.

**USE PRECAUTIONS**

Read entire label before using. Apply directly to the soil area beneath plants as listed on this label. Do not allow spray to come in contact with parts of plant that may be used for food or feed.

**MIXING: Shake SLUG-FEST ALL WEATHER FORMULA well before mixing.** Thoroughly mix spray solution before application. Use entire mixed solution at one time. Do not store mixed solution.

**LAWNS AND ORNAMENTALS:** Such as Geraniums, Salvia, Primroses, Marigolds, Petunias, Pansies, Dahlias, Begonias, Coleus, Ajuga and Dichondra.

14  
14

Page 12 - NON-AG (Home Garden) label-continued

**HOSE-ON TYPE APPLICATOR:** Thoroughly water areas to be treated. Use one ounce of SLUG-FEST ALL WEATHER FORMULA for each two gallons of solution delivered by your applicator to cover approximately 200 sq. ft.

Page 12 - NON-AG (Home Garden) label-continued

**SPRINKLING CAN:** Thoroughly water areas to be treated. Use one ounce of SLUG-FEST ALL WEATHER FORMULA to each two gallons of water and sprinkle over areas to be treated.

**WHERE SNAILS ARE A PROBLEM:** We suggest double rate of application on Ornaments only.

**BEST RESULTS:** Apply SLUG-FEST ALL WEATHER FORMULA in the cool of the evening.

**NOTIFICATION**

**JAN 12 2009**