

Front Panel:

SLUG FEST PRO

Slug & Snail Bait

5 SUPERIOR FEATURES

- Greater Killing Power
- Agricultural Strength
- Stronger Attractant
- Twice the Coverage
- Longer Lasting

ACTIVE INGREDIENTS:

Metaldehyde (2,4,6,8-tetramethyl-1,3,5,7-tetraoxycyclo-octane).....	2.75%
INERT INGREDIENTS.....	97.25%
TOTAL.....	100.00%

CONTAINS: BITRIX, VPA-M


KEEP OUT OF REACH OF CHILDREN

WARNING AVISO

This pesticide may be fatal to children and dogs or other pets if eaten. Keep children and pets out of treated area. Dogs may be attracted to this bait. Follow directions and use with care.

EPA Reg. No. 71096-8
EPA Est. No. 66876-OR-001

- NET WEIGHT: 1.5 lbs.
 2.5 lbs.
 3.0 lbs.
 5.0 lbs.
 10.0 lbs.



Right Side Box panel:

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING. May be fatal if swallowed. Call physician immediately. Avoid breathing dust. Avoid contact with skin, eyes, and clothing. Wash hands with soap and water after handling and before eating and smoking. This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated areas.

IMPORTANT: Keep product away from children, dogs and pets. Bait may be attractive to dogs. Confine pets during application to prevent them from believing they are being fed. Use and store under conditions where there will not be a hazard.

FIRST AID	
<i>Have the product container with you when calling a Poison Control Center or doctor, or going for treatment.</i>	
If swallowed	-Call poison control center or doctor immediately for treatment advice. -Have person sip a glass of water if able to swallow. -Do not induce vomiting unless told to do so by the poison control center or doctor. -Do not give anything by mouth to an unconscious person.
If on skin or clothing	-Take off contaminated clothing. -Rinse skin immediately with plenty of water for 15-20 minutes. -Call a poison control center or doctor for treatment advice.
If in eyes	-Hold eye open and rinse slowly and gently with water for 15-20 minutes. -Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. -Call a poison control center or doctor for treatment advice.
If inhaled	-Move person to fresh air. -If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. -Call a poison control center or doctor for further treatment advice.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE & DISPOSAL

STORAGE: Store in a cool, dry area inaccessible to children and pets.

DISPOSAL: Do not reuse empty container. Wrap container and put in trash collection.

NOTICE: Seller warrants that this product consists of the ingredients specified and is reasonably fit for use as directed on the label. No one is authorized to make any other warranty, guarantee, or direction concerning this product and other conditions of use are beyond the Seller's control. Seller's liability from the handling, storage and use of this product is limited to replacement of old product or return of purchase price.

•••
•••
•••
•••
•••

Left side box panel:

- 1) GREATER KILLING POWER.
Each pellet contains an encapsulated coating of attractants and active ingredient. This provide a quicker, contact kill.

- 2) AGRICULTURAL STRENGTH.
SLUG-FEST PRO provides the same formula the professionals use in the agricultural industry.

- 3) STRONGER ATTRACTANT
Natural plant oil attractants are added to each coated pellet for the strongest attractability.

- 4) BETTER COVERAGE
Contains 63,000 baits per 2.5 lbs. Covers 11,000 sq. ft.

- 5) LONGER LASTING
The All Weather formula and special coating are effective up to 4 weeks. Remains effective after rain or sprinkling.

READ ENTIRE LABEL.
Use strictly in accordance with the label warnings and directions.

Back Panel of box:

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in interior plant scapes, ornamental gardens or parks, or golf courses or lawns and grounds.

To control snails and slugs on the following vegetables and fruit crops, apply to soil surfaces around plant and trees. Do not contaminate edible parts of foliage.

USAGE: For garden areas, fruit crops and vegetables, apply 5 to 7 pellets per sq. ft. or 1 lb. per 4,400 sq. ft.

GARDEN AREAS: Apply around bedding plants and other low-growing plants where slugs and snails may congregate. If ground to be baited is dry, sprinkle until wet before applying. To avoid damage to your garden, start applying these pellets before snails and slugs begin to appear at the beginning of the spring planting season. Repeat at 3 to 4 week intervals, or as necessary.


FRUIT CROPS: Apples, apricots, cherries, grapes, peaches, pears, nectarines, plum, avocados, blackberries, boysenberries, citrus, loganberries, raspberries, and strawberries.

VEGETABLES: Asparagus, beans, blackeyed peas, broccoli, brussel sprouts, cabbage, melons, carrots, cauliflower, corn, cucumbers, eggplants, endive, garlic, kale, kohlrabi, horseradish, lettuce, leeks, okra, onions, peas, peppers, potatoes, pumpkins, radishes, rutabagas, salsify, shallots, spinach, squash (summer and winter), swiss chard, tomatoes, turnips.

FOR SNAILS AND SLUGS IN DICHONDRA, CLOVER AND GRASS LAWNS:
Apply 14 pellets per sq. ft. or one pound will cover 1,800 sq. ft.

OR-CAL, INC.
29454 Meadowview Road
Junction City, Oregon 97448

For questions or comments, call (541) 689-4413



Pellet placement: 5 to 7 pellets per sq. ft.