



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

FEB 1 6 2012

Ms. Erin Tesch Regulatory Agent for, c/o Sinanen Company, Ltd. 1150 18th Street, N.W. Suite 1000 Washington, D.C. 20036

Subject: Zeomic Type AJ Silver Zeolite A
EPA Registration Number 71227-1
Your Notification Dated January 18, 2012
EPA Received Date January 18, 2012

The notification referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, FIFRA, as amended, to add the NSF international logo to the product labeling, is acceptable.

The notification has been made part of the file.

If you have questions concerning this letter, please contact Karen M. Leavy at (703)-308-6237.

Sincerely,

Product Manager 33

Regulatory Management Branch I Antimicrobials Division(7510P)

Please read instructions on r	everse before Vet	ting form.		Form App	d. OMB No.	2070-0060	O. Approval expires 2-28-95
ŞEPA	Environmental	Protection			Registr Amend Other		OPP Identifier Number
		Application	for Pesticio	de - Section	on I		
1. Company/Product Number 71227-1			Marshall Swindell			posed Classification	
4. Company/Product (Name) Zeomic Type AJ Silver Zeolite A			PM# 33			·	nonenouncied
5. Name and Address of Applicant (Include ZIP Code) Sinanen Company, Ltd. 4-22 Kaigan 1-Chome, Minato-ku Tokyo 105 Japan Check if this is a new address			6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. Product Name				
			Section - I	1	THE PARTY		
Amendment - Explain Resubmission in respo	onse to Agency letter	dated		Final printed It Agency letter "Me Too" App Other - Explain	olication.	se to	
Explanation: Use additional This is a notification to revise the This notification is consistent with Confidential statement of formula if this notification is not consistent and penalties under sections 12 and penalties under sections 12 and 12 and 14 and 15 a	container labeling require the provisions of PR Noti of this product. I underst t with the terms of PR Noti	ments per PR Notic ice 98-10 and EPA r and that it is a violat	ee 2007-4 and is not regulations at 40 CF tion of 18 U.S.C. Se	FR 152.46, and no	make any false s	statement to E	PA. I further understand that
			Section - II	1			
1. Material This Product Will	Be Packaged In:						
Child-Resistant Packaging Yes No No			Water Soluble Pa		2. Type of	ype of Container Metal Plastic Glass	
* Certification must be submitted	If "Yes" Unit Packaging wgt.		lf "Yes" Package wgt	No. per container		Paper Other (S	pecify)
3. Location of Net Contents I	nformation	4. Size(s) Retail	Container	5.	Location of La	bel Direction	ns
6. Manner in Which Label is A	Affixed to Product	Lithograp Paper glu Stenciled	h ed	Other			
阿尔尼尼亚州西 伊尼尼	是一次中华生		Section - I\	1			CONSULT THE
1. Contact Point (Complete i	tems directly below fo	or identification o	f individual to be	contacted, if	necessary, to p	rocess this	application.)
Name Erin M. Tesch			Title Director, Eastern Region Telephone No. (Include Area Code) 202-828-8954				
I certify that the staten I acknowledge that any both under applicable Is	knowlingly false or n		attachments the			70 5 5 5 5 5	6. Date Application Received (Stamped)
2. Signature unit	Froch		Fitle egulatory Agent to	Sinanen Comp	pany, Ltd.		
4. Typed Name Erin M. Tesch		5. (1/18	3/12			



Technology Sciences Group Inc.

1150 18th Street, NW, Suite 1000 Washington, D.C. 20036 Direct: (202) 828-8966 Fax: (202) 872-0745 E-Mail: etesch@tsgusa.com

Erin M. Tesch Director, Eastern Division

Marshall Swindell
Product Manager 33
Antimicrobial Division (7504P)
Office of Pesticide Products
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

January 18, 2012

SUBJECT:

Notification for Zeomic Type AJ Silver Zeolite A (EPA Reg No 71227-1)

Dear Mr. Swindell:

Technology Sciences Group Inc., on behalf of Sinanen Company, Ltd., is submitting an application to add the NSF International logo to the label for Zeomic Type AJ Silver Zeolite A. The Establishment Number is also corrected on the label.

You will find the following included with this submission:

- 1) EPA Application Form;
- 2) One (1) highlighted copy of the label with proposed changes; and
- 3) Three (3) copies of the product label

If you have any questions, please feel free to contact me at (202) 828-8966.

Sincerely

Washington, D.C. 1150 18th St., NW, Suite 1000 Washington, D.C. 20036 Phone: (202) 223-4392 California
712 Fifth St., Suite A

Davis, CA 95616 Phone: (530) 757-1245 Ottawa, Ontario K1P 5H9 Phone: (613) 247-6285

Zeomic® Type AJ Silver Zeolite A

A preservative and bacteriostatic agent for use in the manufacture of polymer, plastic and latex products. For commercial and industrial use only.

Active Ingredient:

Silver 2.5 % Other Ingredients 97.5 % Total 100.0 %

CAUTION SEE INSERT LABEL FOR PRECAUTIONARY STATEMENTS

Manufactured by: Sinanen Company, Ltd. 4-22, Kaigan 1-Chome, Minato-ku Tokyo 105, Japan EPA Registration No. 71227-1 EPA Establishment No. 71227-JPN-001

Net Wt. XXXX

Lot No. XXXXXXXXX

Formatted: Centered



Standard 51 Listed

Nonfood Compounds Program Listed PX

Directions for Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For all uses listed*:

- Do not incorporate this product into any food contact polymer unless the subject food contact polymer is approved and listed in 21 CFR, Parts 174 through 186 (inclusive), or in the United States Food and Drug Administration's "Food Contact Substance Notification System." Any incorporation of this product into an approved and listed food contact polymer must comply with the specific use conditions listed in 21 CFR, Parts 174 through 186 (inclusive), or in the United States Food and Drug Administration's "Food Contact Substance Notification System," for such food contact polymer. Any incorporation of this product into any food contact substance (including but not limited to non-polymer substances) other than an approved and listed food contact polymer is prohibited.
- For applications involving direct or indirect food or human drinking water contact, Zeomic® Type AJ must be used with an FDA approved polymer or coating. Nonfood and non-drinking water contact applications can use either FDA or non-FDA approved coatings.
- This product may be used for the following human drinking water contact uses:

water filter components and housing units water bottle dispensers and components water dispensers ice machine trays ice machine bins ice machine water hoses ice dispensers and other ice machine components water bottles cups water storage vessels

This product may be incorporated into food and water bowls, dishes and other containers used by domestic animals. Do not use for any food or drinking water applications involving non-domestic animals.

Zeomic® Type AJ Silver Zeolite A is an antimicrobial additive to be used by compounding into many polymeric materials. It is designed to be incorporated during and after the manufacturing process to impart antimicrobial activity to the manufactured products. Approved post manufactured product upgrade applications are detailed in the label section titled "Coatings for Upgrade Applications." Zeomic® Type AJ Silver Zeolite A suppresses the growth of algae, mold, mildew, fungi and bacteria which cause unpleasant odors, discoloration, staining, deterioration or corrosion only. No finished product incorporating Zeomic® Type AJ Silver Zeolite A may make any public health claims relating to antimicrobial activity without first obtaining an EPA registration for the finished product which permits such claims, and without a tolerance or exemption from the requirement of a tolerance. When incorporated into treated articles, this product does not protect users of any such treated article or others against food borne or disease causing bacteria, viruses, germs or other disease causing organisms.

Types of Finished Products

Plastics - including films, sheets, slabs, and molded plastic parts

The additive may be incorporated into the finished product at up to 5.0% by weight or at least 0.1% for bulk plastics. Contact Sinanen Company Ltd. to determine the appropriate amount of Zeomic® Type AJ Silver Zeolite A for individual finished products.

Food contact* and non-food contact uses (in all food contact cases, when the article itself is a FDA-approved polymer):

packaging gaskets general purpose containers food and drink containers food trays and covers sponges

plastic film food wrap (including coated deli paper, coated meat interleavers and plastic wrap)

tubing

brush bristles (including personal care grooming items, toothbrushes (Claims allowed: odor, discoloration, staining), and cosmetic brushes (Claims allowed: odor, discoloration, staining))

brush bristles (including personal care grooming it cosmetic brushes (Claims allowed: odor, discoliners non-woven fabrics appliances and equipment kitchen and food processing utensils and supplies cutting boards countertops sinks tiles dishes cups bottles

food processing equipment (including slicers, formers, juicers, washers, canners, freezers, refrigerators, shelving, cookers, grinders, choppers, peelers and countertops)

beverage processing equipment (including mixers, transfer equipment, pumps, bottlers, canners, dispensers and fermenters)

garbage bags and garbage cans

Non-food contact uses only:

automobile parts shower curtains mats protective covers tape waste containers brush handles mops vacuum cleaner bags

conveyor belts

plumbing supplies and fixtures (including toilet bowl seats) drain pan liners¹

office equipment and supplies (including binders, filing and storage systems, pens, pencils, markers, printers, facsimile machines, desk accessories, computers, keyboards, mice, scanners, and printers)

personal care items (including grooming items, toothbrushes (Claims allowed: *odor, discoloration, staining*), sports and dental mouthguards (Claims allowed: *odor, discoloration, staining*))

flooring
floor coverings
footwear (including boots, sports equipment and tools)
insulation for wire and cable
insulators
indoor and outdoor furniture
toys (Claims allowed: odor, discoloration, staining,
deterioration)
spas, bathtubs, showers and filters and
components thereof
Telephones, mobile devices, head phones, headsets

and accessories Cameras and imaging equipment Electrical wiring devices and wall plates

siding for housing

kitchen and bathroom hardware

¹ For HVAC and related uses, refer to Zeomic® AJ Technical Bulletin No. 1 – Technical Bulletin for Zeomic® Type AJ Silver Zeolite A Polymeric Coating for Heating, Ventilation and Air Conditioning Applications.

The additive may be incorporated into the finished product at up to 5.0% by weight or at least 0.1% for fibers. Contact Sinanen Company Ltd. to determine the appropriate amount of Zeomic® Type AJ Silver Zeolite A for individual finished products.

Food contact* and non-food contact uses (in all food contact cases, when the article itself is a FDA-approved polymer, or as a FDA-approved polymer coating on an article):

napkins, tablecloths and wiping cloths

bags

brush bristles (including personal care grooming items, toothbrushes (Claims allowed: odor, discoloration, staining), and cosmetic brushes (Claims allowed: odor, discoloration, staining))

clothing apparel (including uniforms, outerwear, gloves, aprons, coats and shoes)

sponges

packaging (including bags, sacks, wraps, cushion and absorbent materials, and containers)

conveyor belts

cushion pads

sleeping bags

kitchen, commercial and industrial wipes and fabrics

Non-food contact uses only:

Interior furnishings mattress cover pads and filling pillow covers sheets blankets fiberfill for quilts and pillows curtains draperies carpet and carpet underlay rugs upholstery mops towels wall covering fabrics

Apparel umbrellas outerwear sportswear sleepwear stockings socks and hosiery caps undergarments inner liners for jackets trim for outerwear and garments

Transportation automotive and truck upholstery carpeting rear decks trunk liners convertible tops interior liners

Industrial and Other Household Items artificial leather filters book covers mops cloth for sails ropes tents and other outdoor equipment tarps awnings drain pan liners1

¹ For HVAC and related uses, refer to Zeomic® AJ Technical Bulletin No. 1 – Technical Bulletin for Zeomic® Type AJ Silver Zeolite A Polymeric Coating for Heating, Ventilation and Air Conditioning Applications.

Coatings, Films and Laminates

The additive may be incorporated into the coating, film or laminate applied to the finished product at up to 5.0% by weight, or at least 0.05% for paper or 0.1% for bulk plastics. Contact Sinanen Company Ltd. to determine the appropriate amount of Zeomic® Type AJ Silver Zeolite A for individual finished products. Types of coatings include water-borne, solvent-borne, 100% solids, radiation cure, liquid and powder.

Food contact* and non-food contact uses (in all food contact cases, when the article itself is a FDA-approved polymer, or as a FDA-approved polymer coating, film or laminate on an article):

paper products (including wipes and tissues)

food wrap (including coated deli paper, coated meat interleavers and plastic wrap)

natural and synthetic fibers and fabrics

sinks

countertops

cutting boards

dishes

cookware

general purpose containers

kitchen, commercial and industrial utensils and supplies

collection and storage equipment (including conveyor belts, piping systems, silos, tanks and process

appliances and food processing equipment (including slicers, formers, juicers, washers, canners, freezers, refrigerators, shelving, cookers, grinders, choppers, peelers and countertops)

beverage processing equipment (including mixers, transfer equipment, pumps, bottlers, canners and fermenters and dispensers)

building materials and components (including walls, hardware, floors, ceilings and components thereof for kitchen, commercial and industrial applications)

Non-food contact uses only:

walls

wallboard

floors

concrete

siding

roofing

shingles

industrial equipment

furniture

automotive and vehicular parts

paper products (including wall coverings, towels, book covers)

barrier fabrics

glazing for cement tile

glazing for vitreous china used in plumbing fixtures (including toilets, sinks, countertops)

Heating, Ventilation and Air Conditioning equipment and related materials (including insulation, ducts, heat exchangers, drain pans, air filters, air purifiers, diffusers, and parts and components thereof)1

spas, bathtubs, showers, and filters and components thereof

Electrical wiring devices and wall plates

¹ For HVAC and related uses, refer to Zeomic® AJ Technical Bulletin No. 1 – Technical Bulletin for Zeomic® Type AJ Silver Zeolite A Polymeric Coating for Heating, Ventilation and Air Conditioning Applications.

Coatings for Upgrade Applications

Upgrade Applications are defined as the incorporation of Zeomic into polymeric coatings that are applied to articles onsite (after the article has been manufactured and is in the place of use). Coatings may be used on articles that have not previously incorporated the antimicrobial compound. Zeomic may be incorporated into the finished coating at up to 5.0% by weight, or at least 0.1% of the coating. Types of coatings include waterborne coatings/adhesives, solvent borne coatings and two part reactive coatings consisting of a resin and curing agent. Upgrade Applications are for onsite application at Commercial, Industrial or Institutional Establishments. Unless otherwise specified in the technical bulletin, the coating is applied to the entire article. Contact Sinanen Company Ltd. or refer to Zeomic AJ Technical Bulletin No. 2 and No. 3 to determine the appropriate application technique and amount of Zeomic for individual products.

Food contact* and non-food contact articles (in all food contact cases, when the article itself is a FDA-approved polymer, or as a FDA-approved polymer coating on an article)2:

food collection, conveyance and storage equipment (including conveyor belts, silos, tanks and process vessels)

appliances and food processing equipment (including slicers, formers, juicers, washers, canners, freezers, refrigerators, shelving, cookers, grinders, choppers, peelers, and countertops)

beverage processing and ice machine equipment (including mixers, transfer equipment, pumps, bottlers, canners, fermenters and dispensers and other components)

food and chemical transportation equipment including railcars, tankers, trailers and components thereof

building materials and components (including walls, ceilings and floors consisting of concrete, gypsum board, and cellulose ceiling tile)

Incorporate this product into coatings that are intended for application to the surface of articles. The purpose of the coating is to seal the article from moisture and corrosion. The purpose of Zeomic® in the coating is to inhibit the growth of mold, mildew, fungus and bacteria that cause odor, discoloration, staining, deterioration or corrosion on the surface of the coating film. The product protects the applied coating itself from microorganism attack, not the underlying substrate. This product is not intended for remediation, prevention or control of existing or anticipated public health related microorganisms. Refer to Zeomic® AJ Technical Bulletin No. 2 for complete application directions.

HVAC articles³:

Heating, ventilation and air conditioning systems and related materials including air handlers, drain pans, heat exchangers, distribution lines, flexible ductwork, diffusers, and insulation lined porous ductwork.

Incorporate this product into coatings that are intended for application to HVAC systems. The purpose of the coating is to seal the HVAC system from moisture and corrosion. The purpose of Zeomic® in the coating is to inhibit the growth of mold, mildew, fungus and bacteria that cause odor, discoloration, staining, deterioration or corrosion on the surface of the coating film. The product protects the applied coating itself from microorganism attack, not the underlying substrate. This product is not intended for remediation, prevention or control of existing or anticipated public health related microorganisms. Refer to Zeomic® AJ Technical Bulletin No. 3 for complete application directions.

² For these listed applications, refer to Zeomic® AJ Technical Bulletin No. 2 – Technical Bulletin for Zeomic® Type AJ Silver Zeolite A Polymeric Coating for Non-Residential, Non-HVAC Upgrade Applications.

For these listed HVAC Applications, refer to Zeomic® AJ Technical Bulletin No. 3 – Technical Bulletin for Zeomic® Type AJ Silver Zeolite A

Polymeric Coating for Non-Residential, HVAC Upgrade Applications.

Adhesives and Sealants

The additive may be incorporated into the finished product at up to 5.0% by weight, or at least 0.05% for paper or 0.1% for bulk plastics. Contact Sinanen Company Ltd. to determine the appropriate amount of Zeomic® Type AJ Silver Zeolite A for individual finished products.

Food contact* and non-food contact uses (in all food contact cases, when the article itself is a FDA-approved polymer incorporated into FDA-approved adhesives or sealants):

plumbing adhesives

pipe sealants and insulating materials

grout and joint compound for; countertops, building materials and components, and food and beverage related equipment

Non-food contact uses only:

adhesives used in the manufacture of wood and plastic composites adhesives for ceramic tile, wood, paper, cardboard, rubber and plastic glazing for windows grout sealants for pipes adhesives, sealants and insulating materials for; appliances, bathrooms, showers, kitchens and

Miscellaneous Applications

The additive may be incorporated into the finished product at up to 5.0% by weight. Contact Sinanen Company Ltd. to determine the appropriate amount of Zeomic® Type AJ Silver Zeolite A for individual finished products.

Non-food contact uses only:

toilets sinks tile

flooring stucco

plaster

cat litter

drainage and sewerage pipe

interior paints and coatings

PRECAUTIONARY STATEMENTS

Hazards to Humans: Harmful if inhaled or absorbed through skin. Causes moderate eye irritation. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wear goggles or face shield and rubber gloves when handling the dry powder. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

	FIRST AID				
If on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control center or doctor for treatment advice. 				
If in eyes	 Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 				
If inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice 				
If swallowed	 Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. 				
Have the production doctor, or going	ct container or label with you when calling a poison control center or				

Storage and Disposal

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage: Do not store in areas accessible to children. Keep product dry and containers covered during storage; store below 130°F.

Container Disposal: Nonrefillable container. Do not reuse or refill inner plastic bag or outer steel can. **Inner Plastic Bag:** Completely empty plastic bag into application equipment. Then offer for recycling if available or dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke. **Outer Steel Can:** Offer for recycling if available or reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

Pesticide Disposal: Wastes from the use of this product may be disposed of on site or at an approved waste disposal facility.