UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

APR 0 1 2003

Amy Roberts, Agent for Sinanen Company, Ltd. c/o Technology Sciences Group, Inc. 1101 17th Street, N.W. Suite 500 Washington, D.C. 20036

Subject:

Zeomic Type AK Silver Zeolite A (4.93% silver)

EPA Reg. No. 71227-4

Agency Initiated Action (Extends expiring time-limited approvals)

This letter conditionally extends the expiration date to 4/1/04, for the following label use categories which received time-limited approval until 4/1/03:

Indirect/direct food contact (includes specific uses listed on attached approved label) Drinking water contact (includes specific uses listed on attached approved label) HVAC (includes specific uses listed on attached approved label)

The specific label uses within these categories were approved in the Agency letter dated 4/16/02. These uses are all during original manufacture of treated articles, and do not include postmanufacturing upgrade uses (ie., while in-use).

This approval extension is conditionally granted providing:

A. The data you recently submitted or cited to satisfy the following time limited data listed in the EPA letter dated 6/13/02, must be found fully acceptable:

Sub-chronic rodent feeding study

Sub-chronic non-rodent feeding study

Developmental toxicity study

Mammalian cells in culture forward gene mutation assay

In-vivo cytogenetics via metaphase analysis, or micronucleus assay

Two-generation reproductive study

			CONCURRENC	CES		
SYMBOL						
SURNAME						
DATE)					 	
EPA Form	1320-1A (1/90)		Printed on Recycles		OFFICI	AL FILE COP

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

B. An aggregate risk assessment under FIFRA Section 2 (bb), using all data submitted/cited, must result in a determination by the Agency that the food, drinking water, HVAC, and all other non-food/water uses listed on the label will not result in un-reasonable adverse effects to humans or the environment. If the Agency is unable to make this determination for each label use, then label uses which are found to pose an unreasonable risk will expire on 4/1/04 and must be deleted.

Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

If you have any questions about the comments in this letter, please feel free to contact Tony Kish at 703-308-9443, or myself at 703-308-6341.

Sincerely,

Marshall Swindell.

Product Manager Team 33,

Regulatory Management Branch I Antimicrobials Division (7510C)

			CONCURRENC	:E\$			
SYMBOL							
SURNAME	 	•••••••••		************			
DATE	 	*************			**************	*****	

Zeomic® Type AK Silver Zeolite A

A preservative and bacteriostatic agent for use in the manufacture of polymer, plastic and latex products.

For commercial and industrial use only.

Active Ingredient:

Silver 4.93 % Other Ingredients 95.07 % Total 100.00 %

KEEP OUT OF REACH OF CHILDREN DANGER

SEE INSERT LABEL FOR PRECAUTIONARY STATEMENTS

Manufactured by: Sinanen Company, Ltd. 4-22, Kaigan 1-Chome, Minato-ku Tokyo 105, Japan EPA Registration No. 71227-4 EPA Establishment No. 71227-JP-001

Net Wt. XXXX

Lot No. XXXXXXXXX

ACCEPTED with COMMENTS in EPA Long Dated:

APR 0 1 2003

Under the Federal Incepticide. Fungacide, and Rodendoico Act as amended, for the pesdoide. registered under EPA Roy. No.

Directions for Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product may not be used for any applications involving food contact, food packaging, or drinking water.

Zeomic® Type AK Silver Zeolite A is an antimicrobial additive to be used by compounding into many polymeric materials. It is designed to be incorporated during the manufacturing process to impart antimicrobial activity to the manufactured products. Zeomic® Type AK Silver Zeolite A suppresses the growth of algae, mold, mildew, fungi and bacteria which cause unpleasant odors, discoloration, staining, deterioration or corrosion only. No finished product incorporating Zeomic® Type AK Silver Zeolite A may make any public health claims relating to antimicrobial activity without first obtaining an EPA registration for the finished product which permits such claims, and without a tolerance or exemption from the requirement of a tolerance. When incorporated into treated articles, this product does not protect users of any such treated article or others against food borne or disease causing bacteria, viruses, germs or other disease causing organisms.

ACCEPTED with COMMENTS in EPA Letter Dated:

APR 0 1 2003

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 7/227-4



Types of Finished Products

Plastics - including films, sheets, slabs, and molded plastic parts

The additive may be incorporated into the finished product at up to 5.0% by weight or at least 0.3% for bulk plastics. Do not exceed a 2.5% by weight maximum incorporation rate for all HVAC applications. Contact Sinanen Company Ltd. to determine the appropriate amount of Zeomic® Type AK Silver Zeolite A for individual finished products.

Non-food contact uses only:

t drain pan liners

automobile parts shower curtains mats protective covers tape packaging gaskets waste containers general purpose containers brush handles sponges mops vacuum cleaner bags insulators plastic film indoor and outdoor furniture tubing insulation for wire and cable plumbing supplies and fixtures (including toilet bowl seats) siding for housing liners non-woven fabrics kitchen and bathroom hardware appliances and equipment countertops sinks flooring floor covering tiles conveyor belts footwear (including boots, sports equipment and tools)

ACCEPTED with COMMENTS in EPA Letter Dated:

APR 0 1 2003

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No.

[†] For HVAC and related uses, refer to Zeomic® AK Technical Bulletin No. 1 - Technical Bulletin for Zeomic Type AK Silver Zeolite Polymeric Coating for Heating, Ventilation and Air Condition Applications.

6/15

Fibers

The additive may be incorporated into the finished product at up to 5.0% by weight or at least 0.5% for fibers. Do not exceed a 2.5% by weight maximum incorporation rate for all HVAC applications. Contact Sinanen Company Ltd. to determine the appropriate amount of Zeomic® Type AK Silver Zeolite A for individual finished products.

Non-food contact uses only:

Interior furnishings -

mattress cover pads and filling

pillow covers

sheets

blankets

fiberfill for quilts and pillows

draperies

curtains

carpet and carpet underlay

rugs

uphoistery

wiping cloths

mops

towels

bags

wall covering fabrics

cushion pads

sleeping bags

brush bristles

Apparel -

umbrellas

outerwear

uniforms

coats

aprons

sportswear

sleepwear

stockings

socks and hosiery

caps

undergarments

inner liners for jackets

shoes

gloves

helmets

trim for outerwear and garments

Transportation -

automotive and truck upholstery

carpeting

rear decks

trunk liners

convertible tops

interior liners

t For HVAC and related uses, refer to Zeomic® AK Technical Bulletin No. 1 – Technical Bulletin for Zeomic Type AK Silver Zeolite Polymeric Coating for Heating, Ventilation and Air Condition Applications.

Industrial and Other Household Items -

brush bristles

artificial leather

filters

book covers

mops

cloth for sails

ropes

tents and other outdoor equipment

tarps

awnings

t drain pan liners

ACCEPTED with COMMENTS in EPA Letter Dated:

APR 0 1 2003

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No.

クノイヹカーム

Coatings, Films and Laminates

The additive may be incorporated into the finished product at up to 5.0% by weight, or at least 0.05% for paper or 0.3% for bulk plastics. Do not exceed a 2.5% by weight maximum incorporation rate for all HVAC applications. Contact Sinanen Company Ltd. to determine the appropriate amount of Zeomic® Type AK Silver Zeolite A for individual finished products. Types of coatings include water-borne, solvent-borne, 100% solids, radiation cure, liquid and powder.

Non-food contact uses only:

walls

wallboard

natural and synthetic fibers and fabrics

automotive and vehicular parts

packaging

paper products (including wall coverings, towels, book covers)

barrier fabrics

glazing for cement tile

glazing for vitreous china used in plumbing fixtures (including toilets, sinks, countertops)

+ Heating, Ventilation and Air Conditioning equipment and related materials (including insulation, ducts, heat exchangers, drain pans, air filters, air purifiers, diffusers, and parts and components thereof)

floors concrete siding roofing shingles industrial equipment

ACCEPTED with COMMENTS in EPA Letter Dated:

APR 0 1 2003

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide. registered under EPA Reg. No.

71227-4

Adhesives and Sealants

The additive may be incorporated into the finished product at up to 5.0% by weight, or at least 0.05% for paper or 0.3% for bulk plastics. Contact Sinanen Company Ltd. to determine the appropriate amount of Zeomic® Type AK Silver Zeolite A for individual finished products.

Non-food contact uses only:

adhesives used in the manufacture of wood and plastic composites adhesives for ceramic tile, wood, paper, cardboard, rubber and plastic glazing for windows grout sealants for pipes adhesives, sealants and insulating materials for; appliances, bathrooms, showers, kitchens and construction

† For HVAC and related uses, refer to Zeomic® AK Technical Bulletin No. 1 - Technical Bulletin for Zeomic Type AK Silver Zeolite Polymeric Coating for Heating, Ventilation and Air Condition Applications.

8/15

Miscellaneous Applications

The additive may be incorporated into the finished product at up to 5.0% by weight. Contact Sinanen Company Ltd. to determine the appropriate amount of Zeomic® Type AK Silver Zeolite A for individual finished products.

Non-food contact uses only:

toilets
sinks
tile
flooring
stucco
plaster
cat litter
drainage and sewerage pipe

ACCEPTED with COMMENTS in EPA Letter Dated:

APR 0 1 2003

Under the Federal Insecticide, Pungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No

クノユロクーチ

PRECAUTIONARY STATEMENTS

Hazards to Humans: DANGER. Corrosive. Causes irreversible eye damage and severe skin irritation. Do not get in eyes, on skin or on clothing. Wear protective eyewear (goggles, face shield or safety glasses), protective clothing and gloves. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

	FIRST AID			
If on skin or	Take off contaminated clothing. Pieze plaining to the desired and the second sec			
clothing	 Rinse skin immediately with plenty of water of 15 – 20 minutes. Call a poison control center or doctor for treatment advice. 			
If in eyes	 Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. 			
	• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.			
	Call a poison control center or doctor for treatment advice.			
If inhaled	Move person to fresh air.			
	If person if not breathing, call 911 or an ambulance, then give			
	artificial respiration, preferably by mouth-to-mouth, if possible.			
	• Call a poison control center or doctor for further treatment advice.			
If swallowed	Call poison control center or doctor immediately for treatment advice.			
	Have person sip a glass of water if able to swallow.			
	Do not induce vomiting unless told to do so by the poison control			
	center or doctor.			
, , ,	 Do not give anything by mouth to an unconscious person. 			
Have the produc	t container or label with you when calling a poison control center or			
doctor, or going	for treatment.			

Storage and Disposal

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage: Do not store in areas accessible to children. Keep product dry and containers covered during storage; store below 130°F.

Container Disposal: Inner Plastic Bag: Completely empty plastic bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke. **Outer Steel Can:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

Pesticide Disposal: Wastes from the use of this product may be disposed of on site or at an approved waste disposal facility.

MOCEP 10 with COME 105 in EPA Lene: 1. d.

APR 0 1 2003

Zeomic® Type AK Silver Zeolite A (EPA Reg. No. 71227-4) last revision May 29, 2002 – apr rev. 5 Page 7 of 7

Under the Federal Insections.
Fungicide, and Rodermandowst at amended, for the pesticide.
registered under EPA Reg. No 7/3211-4

Zeomic® AK Technical Bulletin No. 1

TECHNICAL BULLETIN FOR ZEOMIC TYPE AK SILVER ZEOLITE POLYMERIC COATING FOR HEATING, VENTILATION AND AIR CONDITIONING APPLICATIONS

Read the product label first. Refer to the product label and MSDS for complete directions on safety precautions, storage and handling.

Product Description:

Zeomic® Type AK Silver Zeolite (Zeomic) contains 4.93% by weight silver in a natural zeolite carrier. Zeomic is registered by the U.S. Environmental Protection Agency for use in plastics, fibers, coatings, films, laminates, adhesives and sealants. In coatings applied to Heating, Ventilation and Air Conditioning (HVAC) systems and components thereof, the antimicrobial additive is incorporated into a coating to preserve, keep odorfree and operational the components of the HVAC system. The active ingredient provides residual activity against odor, discoloration, staining, deterioration or corrosion caused by bacteria, mold and mildew. This product is compatible with the substrates and products listed under "Approved Uses."

Features:

Good durability – Zeomic imparts a durable antimicrobial activity to the surface of a wide variety of substrates.

Antimicrobial activity - Effective against odor, discoloration, staining, deterioration or corrosion caused by bacteria, mold, mildew, fungi, algae and yeasts; antimicrobial action is exhibited on contact and in the presence of moisture.

Claims:

Zeomic preserves treated articles.

Zeomic® AK Technical Bulletin No. 1

- Zeomic is an EPA registered antimicrobial agent that will effectively prevent the growth of mold, mildew, fungus and bacteria that cause odor, discoloration, staining, deterioration or corrosion on the surface of a treated article.
- Zeomic prevents odor, discoloration, staining, deterioration or corrosion caused by bacteria, fungi, mold and mildew.
- Zeomic provides protection from odor, discoloration, staining, deterioration or corrosion caused by bacteria, fungi, mold and mildew.
- Zeomic controls bacteria, mold and mildew, which cause corrosion.

Important: Zeomic does not protect building occupants from airborne diseasecausing bacteria, viruses, mold or mildew or airborne allergens. Always clean and

ACCEPTED with COMMENTS in EPA Letter Dated:

APR 0 1 2003

EPA Registration No. 71227-4 EPA Establishment No. 71227-JP-001 Rev. 2, May 29, 2002

Page 1 of 6

Under the Federal Insecticide, Funcicide, and Rodenticide Act as amended, for the pesicide, registered under EPA Reg. No 7/227-4



maintain the heating, ventilation and air conditioning system in accordance with the manufacturer's directions.

Technical Data:

Active Ingredient:

4.93% Silver

Color:

White

Physical State:

Dry Powder

Flammability: Specific Gravity: Not Flammable $2.15 \pm 0.1 \text{ g/cm}^3$

pH:

7-9 (1g Zeomic/100 ml water)

Thermal Stability:

800 °C

ACCEPTED with COMMENTS in EPA Letter Dated:

APR 0 1 2003

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No.

71227-4

Approved Uses:

For use in polymeric coatings and adhesives, including aqueous, aqueous/solvent solutions, protectorant wax or silicone technology to treat –

- Heating, Ventilation and Air Conditioning systems and related materials (including insulation, air handlers, ducts, heat exchangers, drain pans and liners thereof, air filters, air purifiers, diffusers, humidifiers and parts and components thereof),
- Automobile air conditioning systems.

How to Use Zeomic:

Surface Preparation:

Metal Surfaces: Apply only to clean dry surfaces free of all dirt, grease or impurities. Abrade all surfaces to remove all surface rust and corrosion products, and wash the intended surface with the appropriate cleaner, rinse and allow to dry thoroughly. Use surface pretreatments or primer coatings as required.

Painted Surfaces: Apply only to clean dry surfaces free of all dirt, grease or impurities. Wire brush painted surfaces removing all flaking, loose or chalking material. Sand all glossy surfaces to roughen the entire area. Use surface pretreatments or primer coatings as required.

Mixing:

Incorporate Zeomic directly into formulations developed for the coating of heating, ventilation and air conditioning system applications. Maintain constant agitation of the coating during the application process.

Application:

Following the surface preparation steps, various coating technologies may be used to apply the Zeomic compound, including automated dip, flow, roll or electro-deposition coating and manual brush, roller or spray coating.

Automated Processes:

Circulate Zeomic and coating via a closed system maintaining agitation. Ensure excess coating applied via dip, flow or roll coating technologies is collected and returned to the system. Maintain constant solids concentration by the addition of fresh, properly mixed coating to make up for usage. Minimize evaporation of the coating by maintaining covers on storage vessels. Utilize appropriate drying conditions, including infrared or conventional ovens to properly cure coating incorporating the Zeomic compound. These processes must be conducted in accordance with federal, state and local air pollution laws and regulations.

Apply coating to all surfaces at a rate to achieve a dry film thickness of approximately five (5) to twenty five (25) microns.

See handling instructions below for operator exposure requirements.

Manual Processes:

Zeomic may be incorporated into polymer adhesives and coatings and applied manually by brush, roller, spray or other coating technology. These products may be easily applied by high volume low-pressure (HVLP) spray equipment commonly used throughout the industry. These processes must be conducted within a downdraft spray booth permitted and operating in accordance with federal, state and local air pollution laws and regulations.

Apply coating to all surfaces at a rate to achieve a dry film thickness of approximately five (5) to twenty five (25) microns.

See handling instructions below for operator exposure requirements.

Contact Sinanen Zeomic Co., LTD to confirm optimum application technology and drying conditions, such as time and temperature, for each application before use in a commercial process.

Clean up:

Use fresh water or solvent to clean brushes and equipment before product dries.

Handling Instructions:

ACCEPTED with COMMENTS in EPA Letter Dated:

Zeomic® AK Technical Bulletin No. 1

APR 0 1 2003

EPA Registration No. 71227-4 Under the Federal Insecticide. EPA Establishment No. 71227-JP-001 Fungicide, and Rodenticide Act as Rev. 2, May 29, 2002 Page 3 of 6

registered under EPA Reg. No. 71227-4

amended, for the pesticide,

Wear goggles or face shield and rubber gloves when handling the dry powder.

Airborne Exposure Limits pursuant to OSHA 1910.1000 Table Z-3 for Mineral Dust:

Permissible Exposure Limit (PEL)

Respirable fraction:

5 mg/m3

Total dust:

15 mg/m3

As with any fine powder, avoid generating dust.

Ventilation System:

A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limits. Local exhaust ventilation is preferred to help control the emissions of the contaminant at the source, preventing its dispersion through the work area.

Personal Respirators (NIOSH Approved):

If the exposure limit is exceeded, a half-face respirator with filter appropriate for 1-micron dust may be worn per appropriate guidelines.

Storage, Shelf Life and Disposal:

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage: Do not store in areas accessible to children. Keep containers covered during storage; store below 130°F.

Shelf Life: Zeomic has a minimum shelf life of 12 months from date of shipment.

Container Disposal: Inner Plastic Bag: Completely empty plastic bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke. Outer Steel Can: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

Pesticide Disposal: Wastes from the use of this product may be disposed of on site or at an approved waste disposal facility.

ACCEPTED with COMMENTS in EPA Letter Dated:

PRECAUTIONARY STATEMENTS

APR 0 1 2003

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No.

クノセセター サ

Hazards to Humans: DANGER. Corrosive. Causes irreversible eye damage and severe skin irritation. Do not get in eyes, on skin or on clothing. Wear protective eyewear (goggles, face shield or safety glasses), protective clothing and gloves. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

	FIRST AID				
lf on skin or	Take off contaminated clothing.				
clothing	• Rinse skin immediately with plenty of water of 15 – 20 minutes.				
J	Call a poison control center or doctor for treatment advice.				
If in eyes	 Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. 				
	• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.				
	Call a poison control center or doctor for treatment advice.				
If inhaled	Move person to fresh air.				
	If person if not breathing, call 911 or an ambulance, then give				
	artificial respiration, preferably by mouth-to-mouth, if possible.				
	Call a poison control center or doctor for further treatment advice.				
If swallowed	Call poison control center or doctor immediately for treatment advice.				
	Have person sip a glass of water if able to swallow.				
	Do not induce vomiting unless told to do so by the poison control				
	center or doctor.				
	Do not give anything by mouth to an unconscious person.				
	ct container or label with you when calling a poison control center or				
doctor, or going	g for treatment.				

MSDS Information:

Refer to the Material Safety Data Sheet for this product for complete handling and safety information.

Transportation Information:

Zeomic is not regulated as a hazardous material under DOT.

Regulatory Information:

Zeomic Type AK is registered by the U.S. Environmental Protection Agency as EPA Reg. No. 71227-4.

For technical assistance or questions contact:

Sinanen Zeomic Co., LTD. 4-22, Kaigan 1-Chome, Minato-ku ACCEPTED with COMMENTS in EPA Letter Dated:

APR 0 1 2003

Zeomic® AK Technical Bulletin No. 1

Under the Federal Insecticide Fungicide, and Rodenticide amended, for the pesticide registered under EPA Registration No. 71227-JP-001 Rev. 2, May 29, 2002 Page 5 of 6

Tokyo 105-8525, Japan

Questions? 011-81-3-5470-7125

Important: Warranty and Disclaimer Information

Sinanen Zeomic Co., LTD warrants that each of its products will be manufactured in accordance with Sinanen's specifications in effect on the date of manufacture. SINANEN MAKES NO OTHER WARRANTIES AND EXPRESSLY DISCLAIMS ANY WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. If a product fails to meet this limited warranty purchaser's sole and exclusive remedy is replacement of the product or, at Sinanen's option, refund of the purchase price. SINANEN'S ACCEPTANCE OF ANY ORDERS FOR THIS PRODUCT IS EXPRESSLY CONDITIONAL UPON PURCHASERS' ASSENT TO THE TERMS ON THE APPLICABLE INVOICE.

ACCEPTED with COMMENTS in EPA Letter Dated:

APR 0 1 2003

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No.