1	1	/	3	٥	/	9	9
---	---	---	---	---	---	---	---

1/5

Flease read instructions	on reverse before c si	eting form.		Form Appr	((0,_0,	OMB No. 20	70-0060). Approvel expires 2-28-95
United States Environmental Protection Washington, DC 20			<u> </u>			Registrat Amendm Other		OPP Identifier Number
		Application	on for Pestic	ide - Secti	ion I			
1. Company/Product Nun 71281-1	nber		Dries Depumband				posed Classification	
4. Company/Product (Na Paramount Puffer P			PM# 10 Biochemical Pesticide Br/BPPD					
5. Name and Address of Paramount Farmin 33141 E. Lerdo Hig Bakersfield, CA 93	6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. Product Name							
			Section -					
Amendment - Exp Resubmission in r Notification - Exp Explanation: Use addi Notification of new Prima		Finel printed labels in repsonse to Agency letter dated "Me Too" Application. Other - Explain below.						
This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.								
			Section -	[[[
1. Material This Product	Will Be Packaged In:							
Label Container			Yes No If "Yes" Package wgt tail Container	No Plastic Glass es" No. per Paper age wgt container Other (Specify)				Specify)
b. Manner in Which Label is Affixed to Product Lithograph Other Paper glued Stenciled								
			Section -	IV				
1. Contact Point (Comp	lete items directly below	for identification	on of individual to	be contacted,	if neces	ssary, to pro	cess this	application.)
Name Amy Plato Roberts						Telephon (202) 828	e Np. (Include Area Code) 3-8964	
	tatements I have made o t any knowlinglly false o ble law.		i all attachments					6. Date Application Received (Stamped)
2. Signature			3. Title Regulatory Consultant					
Amy Plato Roberts			November 29, 1999					

5 f.

PARAMOUNT AEROSOL PTB

Lasts Up to 200 Days

For The Control of Peach Twigborers In Almond, Peach, Plum and Nectarine Orchards

For Agricultural Use

Paramount Aerosol PTB is an aerosol canister containing a behavior modifying biochemicals (pheromones) which disrupt the mating behavior of Peach Twigborers, *Anarsia lineatella*. It is intended for use in almond, peach, plum and nectarine orchards. Paramount Aerosol PTB is designed for use in an automatic metered dispenser (the Paramount Aerosol Cabinet) so that one puff of pheromone is delivered every 15 minutes throughout the night to disrupt the nocturnal mating behavior of peach twigborers.

ACTIVE INGREDIENTS*

5-Decen-1-ol, acetate (E)	21.33%
5-Decen-1-ol, (E)	
OTHER INGREDIENTS	
TOTAL	

*Contains 76.78 g active ingredient per canister; 7.5 mg active ingredient per 30 microliter puff.

KEEP OUT OF REACH OF CHILDREN CAUTION

Complies With EPA

WITH EPA

Accepted Labeling Dated _

Reviewed By

Net Weight: 10 oz/ 288 g

EPA Registration No.: 71281-1 EPA Establishment No.: 71281-CA-01

Paramount Farming Company 33141 E. Lerdo Highway Bakersfield, CA 93308

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION. May be harmful if swallowed, inhaled or absorbed through skin. Causes moderate eye and skin irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

STATEMENTS OF PRACTICAL TREATMENT

IF INHALED: Remove victim to fresh air. If not breathing, give artificial

respiration, preferably mouth to mouth. Get medical attention.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if

irritation persists.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation

persists.

IF SWALLOWED: Call a physician or Poison Control Center.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Recommended Application and Timing: Paramount Aerosol PTB is intended for use in almond, peach, plum and nectarine orchards to control peach twigborers. Applications should be initiated prior to moth emergence in the Spring and should continue throughout the crop's susceptible period, typically 80 to 180 days.

Method of Applications. Paramount Aerosol PTB is designed to be used in Paramount Aerosol Cabinets, automatic dispensers specially designed for outdoor use. Each Paramount Aerosol Cabinet is set to deliver one puff containing either 30 or 60 microliters of product (7.5 mg or 15.0 mg of active ingredient, respectively). The Paramount Aerosol Cabinet will deliver a puff of product every 15 minutes for a period of 12 hours, starting at 6:00 p.m., local standard time, or one hour prior to sunset, whichever comes earlier. Follow the instructions provided with the Paramount Aerosol Cabinet for insertion of Paramount Aerosol PTB into the Cabinet and for setting the puff size for either 30 or 60 microliters.

Paramount Aerosol PTB placement and canister replacement should be performed during hours when Paramount Aerosol Cabinets are inactive, typically during daylight hours between 7:00 a.m. and 5:00 p.m. To avoid accidental spraying, ensure that aerosol nozzles are pointed away during the performance of these tasks.

At the recommended rates of application, one Paramount Aerosol PTB will have sufficient material to last 100 days at a 60 microliter puff size or 200 days at a 30 microliter puff size. Where effective disruption of peach twigborer mating requires longer application periods, used Paramount Aerosol PTB canisters should be replaced by new canisters before this number of days is reached.

Product Placement. Once a Paramount Aerosol PTB has been inserted into a Paramount Aerosol Cabinet, suspend the cabinet from a tree limb close to the center of the tree. Ideally, height of placement in trees should alternate between 80% of tree height and 40% of tree height for adjacent aerosol cabinets when they are deployed in a line of trees. Avoid placing the Paramount Aerosol Cabinet where foliage, nuts or fruit can be directly sprayed (where feasible, a 3-foot clearance is recommended). Paramount Aerosol Cabinets should be placed around the orchard perimeter; and at strategic intervals within the interior of orchards that are greater than 40 acres in size. Paramount Aerosol PTB should not be used in orchard blocks that are less than 40 acres unless the product is being used in conjunction with adjacent treatments of Paramount Aerosol PTB, where the total acreage block being treated is 40 acres or more.

40-Acre Block Orchard: For 40-acre blocks, the Paramount Aerosol Cabinets should be placed around the orchard perimeter. When the Paramount Aerosol Cabinet is set to deliver a 30 microliter puff of product, the cabinets should be placed at approximately 66-foot intervals around the orchard perimeter. Cabinets set to deliver a 60 microliter puff of product should be placed at approximately 132 foot intervals around the orchard perimeter.

Orchard Blocks Greater than 40 Acres: Paramount Aerosol Cabinets should be placed around the orchard perimeter, as discussed above. For each acre exceeding 40 acres, additional cabinets should be placed at strategic points within the interior of the orchard, as follows. For Paramount Aerosol Cabinets set to deliver 30 microliters of product, an additional 1 to 2 cabinets per acre should be placed within the orchard interior. For cabinets set to deliver 60 microliters of product, an additional 1 to 2 cabinets per 2 acres should be placed within the orchard interior. Interior aerosols may be placed in a grid formation or in the upwind portion of the orchard block, thus allowing natural distribution of the product to downwind orchard areas.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage. Store in cool, dry area away from heat or open flame.

Pesticide Disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal. Do not use empty container. Remove from cabinet, wrap empty container in newspaper and discard in trash or at an approved disposal facility. Do not puncture or incinerate. Where available, used containers may be recycled by returning containers to Paramount Farming Company or their designee.

WARRANTY

Paramount Farming Company warrants that this material conforms to the chemical description on the label. Paramount Farming Company neither makes nor authorizes any agent or representative to make, any other warranty of fitness or of merchantability, guarantee or representation, express or implied, concerning this material. The maximum liability for breach of this warranty shall not exceed the purchase price of this product. Paramount Farming Company's maximum liability for breach of this warranty shall not exceed the purchase price of this product. Buyer and user acknowledge and assume all risks and liabilities resulting from the handling, storage and use of this material, whether or not in accordance with directions.

Ptblbf2.wpd