

PM25 71327-1 2/27/98

1073

VEREENGRO PLUS WEED CONTROL

FOR SOUTHERN GRASSES INCLUDING
ST. AUGUSTINE, ZOYSIA, AND
CENTIPEDE

12-5-7

GUARANTEED ANALYSIS

Total Nitrogen(N).....	12.00%
2.00% Ammonical Nitrogen	
10.00% Urea Nitrogen*	
Available Phosphate(P2O5).....	5.00%
Soluble Potash(K2O).....	7.00%
Iron(Fe).....	0.500%
Derived from diammonium phosphate, polymer coated sulfur coated urea, potassium chloride, iron oxide, and iron sulfate.	
Chlorine(Cl), maximum.....	6.00%
*3 Units of Urea Nitrogen Sulfur-coated to provide 2.5 unit of slowly release nitrogen	
ACTIVE INGREDIENTS:	
Atrazine:2-chloro-4-ethylamino-6-isopropylamino-s-triazine*.....	0.57%
Related compounds*.....	0.02%
INERT INGREDIENTS:.....	99.41%
TOTAL.....	100.00%

*CONTAINS 11.8 LBS. OF ATRAZINE AND RELATED COMPOUNDS PER TON.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

In case of contact , for skin . wash with plenty of soap and water; for eyes, flush with water for 15minutes and get medical attention if irritation persists. See back panel for additional precautionary statements.

TREATS 5,000 SQ. FT . NET WT. 40 LBS(18.14kg)

ACCEPTED

FEB 27 1998

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 71327-1

PRECAUTIONARY STATEMENT

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling. Keep out of reach of children. Do not take internally.

ENVIRONMENTAL HAZARD

Atrazine can leach through soil and can enter groundwater. Users are advised not to apply atrazine to sandy soils where groundwater is close to surface.

This pesticide is toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Avoid application to the root zones of trees and shrubs. Do not use on lawns of Bahiagrass, Bermudagrass, Dicondra, Bentgrass or Carpetgrass. CLEAN SPREADER AFTER EACH USE.

DIRECTION FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label before using this product.


Apply in Spring, Fall, and Winter. This product is not recommended for use during summer months. For best results, apply before weeds come up. Established weeds are more difficult to control and may require an application in Spring and Fall.

FOR BEST RESULTS:

- 1) Mow lawn to normal height 1 or 2 days prior to application.
- 2) Spreader rates varies with terrain, equipment and walking speed. To insure proper coverage, calibrate before use by checking coverage over a measured area.
- 3) Apply contents of this bag to 5,000 sq. ft using the suggested spreader settings.
- 4) Water in well.

THIS PRODUCT CONTROLS THE FOLLOWING WEEDS:

Germinating: Crabgrass, Barnyardgrass, Wiregrass, Paspalum
Seedling(Dallisgrass, Vaseygrass, Bahiagrass) and Spruge.



Established and Germinating: Betony, Blackmedic, Burclover, Chickweed, Dandelion, Oxalis, Florida Pursley, Pennywort(Dollarweed) and Creeping Charlie(Matchweed).

CAUTION: To avoid staining patio, sidewalks, swimming pools, and other surfaces, remove any spilled product from these areas immediately by sweeping, vacuuming or blowing.

SPREADER SETTINGS :

VEREENS 12-5-7plus weed control	
SPREADERS	SETTINGS
EV-N SPRED 2600	17
Ortho Drop	7
Ortho Rotary	5
Scotts Drop	8
Scotts Easy green	28
Trutemper(Rotary)	5

Note: Spreader settings are approximate . Differences may occur due to conditions of spreaders, speed at which applied and roughness of area treated. Be sure to check spreader at the beginning of the application; adjust spreader if necessary. Calculate the size of area to be treated and do not over or under apply. Close spreader when filling, turning or stopping.

STORAGE AND DISPOSAL

STORAGE: Store in original container in safe, dry place. Do not contaminate other pesticides, fertilizer, seeds, food or feed. Return spillage to original container prior to disposal.

PRODUCT DISPOSAL: Securely wrap original container in several layers on newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

Manufactured by
VEREEN'S FERTILIZERS
RT. 4 BOX 383
KINGSTREE, S.C. 29556

