

< **KICKSTART** >

CONCENTRATED BROAD SPECTRUM DISINFECTANT


Active Ingredients :	
HYDROGEN PEROXIDE	26.5%
PEROXYACETIC ACID	4.9%
Inert Ingredients	68.6 %
	100.0%

KEEP OUT OF REACH OF CHILDREN

DANGER**KICKSTART is effective against :**

Bacteria :	dilution
<i>Staphylococcus aureus</i> (ATCC 6538)	1:200
<i>Salmonella choleraesuis</i> (ATCC 10708)	1:200
<i>Listeria monocytogenes</i> (ATCC 15313)	1:200
<i>Mycoplasma gallinarum</i> (ATCC 19708)	1:200
<i>Salmonella Choleraesuis</i> serotype enteritidis (ATCC 13076)	1:200
<i>Pseudomonas Aeruginosa</i> (ATCC 15442)	1:200
Fungus (on environmental surfaces) :	
<i>Aspergillus fumigatus</i> (ATCC 36607)	1:128
Virus (on environmental surfaces) :	
Infectious Bursal Disease of Chickens (ATCC D78, VR-2041)	1:200
Newcastle Disease (Spafas strain 539016)	1:200
Avian Reovirus (MERIAL SELECT strain 2408)	1:200
Marek's Disease virus (Spafas strain)	1:200

All tests in the presence of 400ppm AOAC hard water and 5% organic load.



FIRST AID STATEMENTS	
IF IN EYES	<ul style="list-style-type: none"> • Hold eyelids open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF ON SKIN or CLOTHING	<ul style="list-style-type: none"> • Take off contaminated clothing • Rinse skin immediately with plenty of soap and water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF INHALED	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
<p align="center">NOTE TO PHYSICIAN : Probable mucosal damage may contraindicate the use of gastric lavage</p>	

APPLICATION :

In order to disinfect non-food contact surfaces of farm, animal and poultry housing facilities and equipment thoroughly mix one fluid ounce of this product with one and a half gallons of water (1:200). Follow all of the cleaning and application instructions indicated in each of the sections below. In order to effectively kill fungi (i.e., *Aspergillus fumigatus*) you must use 1 fl. oz of this product per one gallon of water dilution (1:128).


DIRECTIONS FOR USE :

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

1. Farm equipment and animal housing buildings (poultry & turkey grow-out houses, laying houses, swine production and housing, barns and large animal buildings) :

For disinfection of hard, non-porous surfaces : stainless, galvanized and painted steel, copper, aluminum, finished wood, vinyl, plastics, glazed tiles, sealed brick walls, sandwich panels and feeding/drinking equipment :

- A. Remove all animals and feed from premises, vehicles and enclosures. Remove all litter and manure from floors, walls and surfaces of barns, pens, stalls, chutes, and other facilities and fixtures occupied or traversed by animals. Empty all troughs, racks, and other feeding and watering appliances.
- B. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate all surfaces with disinfecting solution by using spray, mop, or sponge. Surfaces must remain wet for 10 minutes.
- C. Ventilate buildings and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed or dried.
- D. Thoroughly scrub treated feed racks, troughs, and other feeding and water appliances with soap or detergent and rinse with potable water before reuse.
- E. Disinfection of equipment : Immerse all halters, ropes, and other types of restraining equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure in the disinfecting solution for 10 minutes. Allow to air dry.
- F. Fresh disinfecting solution should be made daily.



STORAGE AND DISPOSAL :

Do not contaminate water, food, or feed by storage and disposal

Storage : Never return KICKSTART to the original container after it has been removed. Avoid all contaminants, especially dirt, caustic, reducing agents and metals. Contamination and impurities will reduce shelf life and can induce decomposition. In case of decomposition, isolate container, douse container with cool water and dilute KICKSTART with large volumes of water. Avoid damage to containers. Keep container closed at all times when not in use. Keep container out of direct sunlight. To maintain product quality, store at temperatures below 86°F. Do not store on wooden pallets.

Procedures for leak of spill : Stop leak if this can be done without risk. Shut off ignition sources ; no flames, smoking, flares or spark-producing tools. Keep combustible and organic materials away. Flush spilled material with large quantities of water. Undiluted material should not enter confined spaces.

Disposal of pesticide : Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representatives at the nearest EPA Regional Office for guidance. If material has been spilled, an acceptable method of disposal is to dilute with at least 20 volumes of water followed by discharge into suitable treatment system in accordance with all local, state, and Federal environmental laws, rules, regulations, standards, and other requirements. Because acceptable methods may vary by location, regulatory agencies should be contacted by prior to disposal. KICKSTART, which is to be discharged, should be disposed of as hazardous waste after contacting the appropriate local, state, or Federal agency to determine proper procedures.

Disposal of container : Triple rinse. Then offer for recycling or puncture and dispose in a sanitary landfill. Disposal by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Note : This product at its use dilution is compatible with stainless steel and aluminum surfaces. If product is intended to be used on any other surface, it is recommended that you apply product to a smaller test area to determine compatibility before proceeding with its use.

LIMITED WARRANTY AND DISCLAIMER :

The manufacturer warrants (a) that this product conforms to the chemical description on the label ; (b) that this product is a reasonable fit for the purposes set forth in the directions for use when it is used in accordance with such directions ; and (c) that the directions, warnings and other statements on this label are based upon responsible expert's evaluation of reasonable tests of effectiveness and of toxicity to laboratory animals. Tests have not been made on all varieties or in all states or under all conditions. The manufacturer neither makes nor intends, nor does it authorize any agent or representative to make, any other warranties, expressed or implied, and it expressly excludes and disclaims all implied warranties or merchantability and fitness for particular purpose. This warranty does not extend to, and the buyer shall be solely responsible for, any and all loss or damage which results from the use of this product in any manner which is inconsistent with the label directions, warnings or cautions. Buyer's exclusive remedy and manufacturer's or seller's exclusive liability for any and all claims, losses, damages, or injuries resulting from the use or handling of this product, whether or not such liability is based in the contract, negligence, strict liability in tort or otherwise, shall be limited, at the manufacturer's option, to replacement of, or the repayment of the purchase price for, the quantity of product with respect to which damages are claimed. In no event shall manufacturer or seller be liable for special, indirect or consequential damages resulting from the use or handling of this product


EPA Reg. N° : 71355-
EPA Est. N° : 71355-BEL-001

NET CONTENTS : 1 – 5 gallon(s)

BATCH N° :
EXPIRY DATE :



Produced by :
CID LINES NV/SA
Waterpoortstraat 2 – B 8900 IEPER
BELGIUM – EUROPE
Phone : 011 32 57 217877
Fax : 011 32 57 217879
www.cidlines.com - info@cidlines.com



4 8 4

2. Hatcheries :

Hatcheries : Remove all animals from the area. Thoroughly clean all surfaces (hatchers, setters, trays, racks, carts, sexing tables, chick boxes, cages) with soap or detergent, then rinse with water. Saturate all surfaces with disinfecting solution by using a spray, mop, or sponge. Surfaces must remain wet for 10 minutes. Do not handle animals or employ equipment until surfaces have been absorbed or dried. Fresh disinfecting solution should be made daily or if visibly soiled.

3. Food processing plants (including Chicken Processing Facilities) :

Before using this product, all food products and packaging materials must be removed from the room or carefully protected. Pre-clean surfaces if visibly soiled. Disinfect hard, non-porous surfaces by applying the disinfecting solution with spray, mop, or sponge. All surfaces must remain thoroughly wet for 10 minutes. Allow to air dry. A potable water rinse is required for all surfaces that come into contact with food.

4. Trucks and other vehicles :

Clean all vehicles including mats, crates, cabs, and wheels with high pressure water. Use the disinfecting solution to treat all vehicles. Leave all treated surfaces exposed to disinfectant solution wet for 10 minutes. Allow to air dry.

PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals

DANGER. CORROSIVE. Causes irreversible eye damage and skin burns. May be fatal if inhaled or absorbed through the skin. Harmful if swallowed. Do not breathe vapors or spray mist. Do not get in eyes, on skin, or on clothing. Wear protective eyewear, protective clothing, and rubber gloves when handling. Do not enter an enclosed area without proper respiratory protection.

Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Remove contaminated clothing and wash before reuse.

PHYSICAL AND CHEMICAL HAZARDS

STRONG OXIDIZING AGENT. Corrosive. Mix only with water. Product must be diluted in accordance with label directions prior to use. KICKSTART is not combustible ; however, at temperatures exceeding 156°F, decomposition occurs releasing oxygen. The oxygen released could initiate combustion.

ENVIRONMENTAL HAZARDS :

This pesticide is toxic to birds, fish and aquatic invertebrates. Caution should be used when applying indoors because pets may be at risk. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

