

71355-2

11/23/2011

1/9

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460



United States
Environmental Protection
Agency

Office of Pesticide Programs

Scientific and Regulatory
c/o Cid Lines nv/sa, Waterpoorts 2 – B 8900 Ieper, Belgium
P. O. Box 1014
Columbia City, IN 46725

NOV 23 2011

Attention: Sally Hayes

Subject: KickStart
EPA Registration No. 71355-2
Notification Dated October 26, 2011

This will acknowledge receipt of your notification, submitted under the provisions of FIFRA Section 3(c)(9).

Proposed Notification

- Label Revision to comply with PR Notice 2007-4

General Comments

Based on a review of the submitted material, the following comments apply.

The Notification is in compliance with PR Notice 98-10 and is acceptable. This information has been made a part of your file.

If you have any questions concerning this letter, please contact Martha Terry at (703) 308-6217.

Sincerely,

A handwritten signature in cursive script, appearing to read "M Swindell".

Marshall Swindell
Product Manager (33)
Regulatory Management Branch 1
Antimicrobials Division (7510P)

Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0060, Approval expires 5-31-98



United States
Environmental Protection Agency
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 71355-2	2. EPA Product Manager M. Swindell	3. Proposed Classification <input checked="" type="checkbox"/> Non- <input type="checkbox"/> Restricted
4. Company/Product (Name) KICKSTART	PM # 33	
5. Name and Address of Applicant (Include ZIP Code) SRC, PO Box 1014, Columbia City, IN 46725 for: Cid Lines nv/sa, Waterpoortstraat 2 - B 8900 Ieper, Belgium <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. 54289-3 Product Name Peraclean 5%	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For Section I and Section II.)

Label notification, PR 2007-4 . PRIA fee not applicable.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt	No. per container
				<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
				<input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Label accompanying product	
6. Manner in Which Label is Affixed to Product		<input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled	<input type="checkbox"/> Other _____		

Section - IV

1. Contact Person (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name Sally Hayes	Title Agent, Cid Lines nv/sa	Telephone No. (Include Area Code) 260-244-6270
---------------------	---------------------------------	---

Certification

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.


6. Date Application Received
(Stamped)

2. Signature 	3. Title Agent, Cid Lines nv/sa
5. Typed Name Sally Hayes	4. Date October 26, 2011



October 26, 2011

Mr. Marshall Swindell (7510P)
 Document Processing Desk (AMEND)
 Office of Pesticide Programs (7504P)
 U.S. Environmental Protection Agency
 One Potomac Yard
 2777 S. Crystal Drive
 Arlington, VA 22202



Subject: KICKSTART
 EPA Reg. No. 71355-2


Dear Marshall:

On behalf of Cid Lines nv/sa we enclose a label notification for KICKSTART to comply with PRN 2007-4. There is no data with this submission therefore a PRIA fee does not apply.

The following information is included for this notification:

1. Application
2. Label redlined with changes
3. Label, clean (2 copies)

You may contact me at (260) 244-6270 to discuss any aspect of this submission.

Sincerely,

 Sally Hayes
 Agent for Cid Lines nv/sa

cc: A. Francois, Cid Lines

KICKSTART

CONCENTRATED SANITIZER AND BROAD SPECTRUM DISINFECTANT

Active ingredients:

HYDROGEN PEROXIDE 26.5%
PEROXYACETIC ACID 4.9%

Inert ingredients 68.6 %
100.0%

KEEP OUT OF REACH OF CHILDREN

DANGER

{see back [side] panel for additional precautionary and first aid statements}

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER. CORROSIVE. Causes irreversible eye damage and skin burns. May be fatal if inhaled or absorbed through the skin. Harmful if swallowed. Do not breathe vapors or spray mist. Do not get in eyes, on skin, or on clothing. Wear protective eyewear, protective clothing, and rubber gloves when handling. Do not enter an enclosed area without proper respiratory protection. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Remove contaminated clothing and wash before reuse.

PHYSICAL AND CHEMICAL HAZARDS

STRONG OXIDIZING AGENT. Corrosive. Mix only with water. Product must be diluted in accordance with label directions prior to use. KICKSTART is not combustible; however, at temperatures exceeding 156°F, decomposition occurs releasing oxygen. The oxygen released could initiate combustion.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to birds, fish and aquatic invertebrates. Caution should be used when applying indoors because pets may be at risk. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

KICKSTART is effective disinfectant against:

Bacteria :	dilution
<i>Staphylococcus aureus</i> (ATCC 6538)	1:256
<i>Salmonella choleraesuis</i> (ATCC 10708)	1:256
<i>Listeria monocytogenes</i> (ATCC 15313)	1:512
<i>Mycoplasma gallinarum</i> (ATCC 19708)	1:512
<i>Salmonella choleraesuis</i> serotype enteritidis (ATCC 13076)	1:512
<i>Pseudomonas aeruginosa</i> (ATCC 15442)	1:200
<i>Escherichia coli</i> 0157:H7	1:427
Fungus (on environmental surfaces) :	
<i>Aspergillus fumigatus</i> (ATCC 36607)	1:128
Virus (on environmental surfaces) :	
<i>Infectious Bursal Disease of Chickens</i> (ATCC D78, VR-2041)	1:384
<i>Newcastle Disease</i> (Spafas strain 539016)	1:384
<i>Avian Reovirus</i> (MERIAL SELECT strain 2408)	1:384
<i>Marek's Disease virus</i> (Spafas strain)	1:384

All tests in the presence of 400ppm AOAC hard water and 5% organic load.

Note: Bracketed [] information is optional text. Text separated by a comma (,) denotes—and/or—options. {Bracketed Text} is for administrative purposes only and will not appear on the printed label.

KICKSTART is effective food contact sanitizer against:

Bacteria :	dilution
<i>Staphylococcus aureus</i> (ATCC 6538)	1:640
<i>Escherichia coli</i> (ATCC 11229)	1:640

FIRST AID STATEMENTS	
IF IN EYES	<ul style="list-style-type: none"> Hold eyelids open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF ON SKIN or CLOTHING	<ul style="list-style-type: none"> Take off contaminated clothing Rinse skin immediately with plenty of soap and water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF SWALLOWED	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF INHALED	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth- to- mouth, if possible. Call a poison control center or doctor for further treatment advice.
NOTE TO PHYSICIAN:	
Probable mucosal damage may contraindicate the use of gastric lavage	

APPLICATION:

To disinfect non-food contact surfaces of farm, animal and poultry housing facilities and equipment, thoroughly mix one fluid ounce of this product with one and a half gallons of water (1:200). Follow all of the cleaning and application instructions indicated in each of the sections below. In order to effectively kill fungi (i.e., *Aspergillus fumigatus*) you must use 1 fl. oz of this product per one gallon of water dilution (1:128).

To sanitize hatchery rooms, incubators and hatchers, poultry houses and livestock buildings by fogging and to sanitize animal drinking water lines thoroughly mix 1 part of this product in parts of water (25 fluid ounce KICKSTART to 200 fluid ounce water). Follow instructions indicated in each of the sanitizing sections below.

To sanitize food contact surfaces, thoroughly mix 1 fluid ounce of this product in 5 gallons of water (1:640). Follow instructions in the food contact sanitizing section below.

To sanitize non-food contact surfaces thoroughly mix 1.75 fluid ounces of this product in 5 gallons of water (1:366). Follow instructions in the greenhouse section below.

Note: Bracketed [] information is optional text. Text separated by a comma (,) denotes—and/or—options. {Bracketed Text} is for administrative purposes only and will not appear on the printed label.

DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Disinfection of non-food surfaces, farm, animal, and poultry housing facilities and equipment :

1. Farm equipment and animal housing buildings (poultry & turkey grow-out houses, laying houses, swine production and housing, barns and large animal buildings):

For disinfection of hard, non-porous surfaces: stainless, galvanized and painted steel, copper, aluminum, finished wood, vinyl, plastics, glazed tiles, sealed brick walls, sandwich panels and feeding/drinking equipment:

- A. Remove all animals and feed from premises, vehicles and enclosures. Remove all litter and manure from floors, walls and surfaces of barns, pens, stalls, chutes, and other facilities and fixtures occupied or traversed by animals. Empty all troughs, racks, and other feeding and watering appliances.
- B. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate all surfaces with disinfecting solution by using spray, mop, or sponge. Surfaces must remain wet for 10 minutes.
- C. Ventilate buildings and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed or dried.
- D. Thoroughly scrub treated feed racks, troughs, and other feeding and water appliances with soap or detergent and rinse with potable water before reuse.
- E. Disinfection of equipment: Immerse all halters, ropes, and other types of restraining equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure in the disinfecting solution for 10 minutes. Allow to air dry.
- F. Fresh disinfecting solution should be made daily.

2. Hatcheries:

Hatcheries: Remove all animals from the area. Thoroughly clean all surfaces (hatchers, setters, trays, racks, carts, sexing tables, chick boxes, cages) with soap or detergent, then rinse with water. Saturate all surfaces with disinfecting solution by using a spray, mop, or sponge. Surfaces must remain wet for 10 minutes. Do not house animals or employ equipment until surfaces have been absorbed or dried. Fresh disinfecting solution should be made daily or if visibly soiled.

3. Trucks and other vehicles:

Clean all vehicles including mats, crates, cabs, and wheels with high pressure water. Use the disinfecting solution to treat all vehicles. Leave all treated surfaces exposed to disinfectant solution wet for 10 minutes. Allow to air dry.

Sanitization

For manual operations fresh sanitizing solutions should be prepared at least daily or more often if the solution becomes diluted or soiled.

For mechanical operations prepared use solution may not be used for subsequent sanitizing but may be reused for other purposes such as cleaning.

Sanitizing Food contact surfaces

KICKSTART is recommended for use on pre-cleaned surfaces such as equipment, pipelines, tanks, vats, fillers, evaporators, pasteurizers and aseptic equipment in dairies, dairy farms, breweries, wineries, beverages and food processing plants (including Chicken Processing Facilities).

Before using this product, all food products and packaging materials must be removed from the room or carefully protected. Pre-clean all surfaces. Sanitize hard, non-porous surfaces by applying the 1:640 sanitizing solution with spray, mop, or sponge. All surfaces must remain thoroughly wet for at least 1 minute. Drain thoroughly and allow to air dry. Do not rinse.

Sanitizing milking equipment by cluster dipping

Clean the external surfaces of the milking system after each use. Then, either manually or automatically, rinse and sanitize all system components using a KICKSTART sanitizing solution (1:640). Ensure solution fills clusters. All surfaces must remain wet for at least 1 minute. Shake off well after dipping and allow to air dry. Do not rinse.

Sanitizing Hatching Eggs

Dilute 1.0 fl. oz. KICKSTART in 5 gallons of water. As eggs are gathered or prior to setting, apply solution as a coarse spray so as to lightly wet all shell surfaces. Allow to air dry.

Sanitizing hatchery rooms, incubators and hatchers, poultry houses and livestock buildings by fogging

A. Hatchery rooms:

Remove all animals and feed from the area. Remove all litter and manure from floors, walls, and surfaces of room to be treated. Thoroughly clean all surfaces (hatchers, setters, trays, racks, carts, sexing tables, chick boxes, cages) with soap or detergent then rinse with water. Close room off so fog is confined to room to be treated. Prepare a stock solution of one (1) part KICKSTART to eight (8) parts water (25 fluid ounce KICKSTART to 200 fluid ounce water). Insert the nozzle of the fogging device through a suitable opening in the room. With the setting on maximum output, fog 125 fluid ounces for each 1000 cubic yard. Do not allow people to breathe or contact the fog or to enter the room until the fog has completely settled or exhausted. Normally this is 1-4 hours in this environment. **Note:** The generated fog is very irritating to eyes, skin and mucous membranes. Under no circumstances should a room or building be entered by anyone until the fog has completely settled and the hydrogen peroxide concentration is below 0.5ppm, normally 1-4 hours after the actual fogging. If the building or room must be entered, then the individuals entering the building or room must wear a self contained respirator approved by NIOSH/MSHA, goggles, long shirt, sleeves and pants.

B. Incubators and hatchers:

Prepare a stock solution of one (1) part KICKSTART to eight (8) parts water. Fog 3 ounces for 100 cubic feet of this into setters and hatchers immediately after transfer. Repeat daily. Discontinue hatcher treatments approximately 24 hours before pulling the hatch. Do not allow people to contact or breathe this fog and do not enter machines until the fog has settled (30-60 minutes after fogging is completed) To do this, install permanent fogging nozzles in setters and hatchers and use an air compressor to disperse the sanitizing solution as a fog. It is also satisfactory to fog setters and hatchers with a 1:1000 solution of KICKSTART. If this is done, fog for 30-90 seconds once per hour or once every two hours.

C. Poultry houses and livestock buildings :

After the house has been depopulated and cleaned as in 1. A to F under "Disinfection of non-food surfaces, farm, animal, and poultry housing facilities and equipment", double check to be sure all people, poultry, livestock and pets have vacated the building. Close all windows, doors, curtains, etc. making the house as closed as tight as possible. Prepare a .stock solution of one (1) part KICKSTART to eight (8) parts water (25 fluid ounce KICKSTART to 200 fluid ounce water). Insert the nozzle of the fogging device through a suitable opening in the room. With the setting on maximum output, fog 125 fluid ounces for each 1000 cubic yard. The fogger itself may be placed just inside the door of the building to be treated, or the nozzle of the fogger may be inserted through a suitable opening in the door or building. The opening should be just large enough to accommodate the nozzle. After fogging, the building should be kept closed for twenty-four hours. After twenty-four hours, the fog should have settled and the house can now be opened and aired. The house should be opened for a minimum of twenty-four hours before it is repopulated with poultry or livestock.

Note: The generated fog is very irritating to eyes, skin and mucous membranes. Under no circumstances should a room or building be entered by anyone until the fog has completely settled and the hydrogen peroxide concentration is below 0.5ppm, normally 1-4 hours after the actual fogging. If the building or room must be entered, then the individuals entering the building or room must wear a self contained respirator approved by NIOSH/MSHA, goggles, long shirt, sleeves and pants. If feeders and waterers were not removed from the premise during treatment, or were not adequately covered to prevent contact with treatment, they should be washed with detergent and water before use for poultry or livestock.

Note: Bracketed [] information is optional text. Text separated by a comma (,) denotes—and/or-options. {Bracketed Text} is for administrative purposes only and will not appear on the printed label.

Sanitizing animal drinking water lines

Only to be used between flocks, for total cleaning and sanitizing of the drinking line system

- A. Isolate incompatible equipment from drinking line system.
- B. Fill the system with a 0.78% solution of KICKSTART by using a standard 1:128 medicator pumping directly from the container. Allow this solution to remain in the drinking water system for 12-24 hours. Process usage valves should be opened and closed to expose internals to the KICKSTART solution.
- C. Drain the KICKSTART solution from the system and flush thoroughly with clean water to remove dislodged deposits and until the residual peroxyacetic acid is below 3 ppm.

Sanitizing surfaces and materials in greenhouses

KICKSTART can be used to suppress/control bacteria / fungi and slime forming algae on greenhouse structures such as : glazing, plastic, benches, walkways, floors, walls, fan blades, ventilation ducts, watering systems, coolers, storage rooms, trays, baskets, structures and equipment,

- A. Sweep and remove all plant debris. Use power sprayer to wash all surfaces to remove loose dirt.
- B. Apply the sanitizing solution with mop, sponge or by coarse spray to thoroughly wet all surfaces.
- C. Heavy growth of algae and fungi may have to be rubbed off following application. Use a solution of KICKSTART to wash away dead growth.
- D. Reapply as often as needed for control.

Note: This product at its use dilution is compatible with stainless steel and aluminum surfaces. If product is intended to be used on any other surface, it is recommended that you apply product to a smaller test area to determine compatibility before proceeding with its use. Do not use on copper nor brass.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal

Storage: Never return KICKSTART to the original container after it has been removed. Avoid all contaminants, especially dirt, caustic, reducing agents and metals. Contamination and impurities will reduce shelf life and can induce decomposition. In case of decomposition, isolate container, douse container with cool water and dilute KICKSTART with large volumes of water. Avoid damage to containers. Keep container closed at all times when not in use. Keep container out of direct sunlight. To maintain product quality, store at temperatures below 86°F. Do not store on wooden pallets.

Procedures for leak or spill: Stop leak if this can be done without risk. Shut off ignition sources; no flames, smoking, flares or spark-producing tools. Keep combustible and organic materials away. Flush spilled material with large quantities of water. Undiluted material should not enter confined spaces.

Disposal of pesticide Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representatives at the nearest EPA Regional Office for guidance. If material has been spilled, an acceptable method of disposal is to dilute with at least 20 volumes of water followed by discharge into suitable treatment system in accordance with all local, state, and Federal environmental laws, rules, regulations, standards, and other requirements. Because acceptable methods may vary by location, regulatory agencies should be contacted prior to disposal. Dispose KICKSTART as hazardous waste after contacting the appropriate local, state, or Federal agency to determine proper procedures.

Disposal of container: Triple rinse. Then offer for recycling or puncture and dispose in a sanitary landfill. Dispose by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. *{Insert applicable triple rinse instruction for container size below}* Recycle container, if available, or dispose of in a sanitary landfill.

{For containers equal to or less than 5 gallons}

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begin to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

{For containers greater than 5 gallons}

Triple rinse as follows: Empty remaining contents into application equipment or mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Empty rinsate into application equipment or mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants (a) that this product conforms to the chemical description on the label; (b) that this product is a reasonable fit for the purposes set forth in the directions for use when it is used in accordance with such directions; and (c) that the directions, warnings and other statements on this label are based upon responsible expert's evaluation of reasonable tests of effectiveness and of toxicity to laboratory animals. Tests have not been made on all varieties or in all states or under all conditions. The manufacturer neither makes nor intends, nor does it authorize any agent or representative to make, any other warranties, expressed or implied, and it expressly excludes and disclaims all implied warranties or merchantability and fitness for particular purpose. This warranty does not extend to, and the buyer shall be solely responsible for, any and all loss or damage which results from the use of this product in any manner which is inconsistent with the label directions, warnings or cautions.

Buyer's exclusive remedy and manufacturer's or seller's exclusive liability for any and all claims, losses, damages, or injuries resulting from the use or handling of this product, whether or not such liability is based in the contract, negligence, strict liability in tort of otherwise, shall be limited, at the manufacturer's option, to replacement of, or the repayment of the purchase price for, the quantity of product with respect to which damages are claimed. In no event shall manufacturer or seller be liable for special, indirect or consequential damages resulting from the use or handling of this product.

EPA Reg. No. 71355-2
EPA Est. No. 71355-BEL-001

NET CONTENTS 1.3 – 5 gallon(s)

BATCH No :
EXPIRY DATE:

{net contents will appear on front panel; registration numbers, batch no. and expiry date may appear on any panel}



Produced by :
CID LINES NV/SA
Waterpoortstraat 2 – B 8900 IEPER
BELGIUM – EUROPE
Phone : 011 32 57 217877
Fax : 011 32 57 217879
www.cidlines.com - info@cidlines.com

Note: Bracketed [] information is optional text. Text separated by a comma (,) denotes –and/or– options. {Bracketed Text} is for administrative purposes only and will not appear on the printed label.