

71368-1



2/26/2002

1/3

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

FEB 26 2002

OFFICE OF  
PREVENTION, PESTICIDES  
AND TOXIC SUBSTANCES

Theodore D. Head  
Nufarm, Inc.  
c/o Nufarm Americas  
1333 Burr Ridge Parkway, Suite 125A  
Burr Ridge, IL 60521

Dear Mr. Head:

Subject: Add Use on Triticale  
Weedar 64  
EPA Registration No. 71368-1  
Your Submission Dated February 7, 2002

The amendment referred to above, submitted in connection with registration under section 3(c)(7)(A) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) or 4(a) when the Agency requires all registrants of similar products to submit such data.
2. Submit one (1) copy of your final printed labeling before you release the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records. If you have any questions concerning this letter, please contact Mr. James Stone at 703-305-7391.

Sincerely yours,

151

Joanne I. Miller  
Product Manager (23)  
Herbicide Branch  
Registration Division (7505C)

Enclosure

## SUPPLEMENTAL LABELING

READ AND FOLLOW THE ENTIRE LABEL BOOKLET FOR NUFARM WEEDAR 64 BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

"Label" as used in this supplemental labeling refers to the label booklet for Nufarm Weedar 64 and this supplement.



## Weedar 64 Broadleaf Herbicide

EPA Reg. No. 71368-1

### TRITICALE

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

This label must be in the possession of the user at the time of application.

All applicable directions and precautions in the Nufarm Weedar 64 label booklet must be followed.

Also refer to additional "GENERAL INFORMATION" and "WEEDS CONTROLLED" in the label booklet. INJURY TO CROPS FROM THIS HERBICIDE MAY OCCUR. IF YOU ARE NOT PREPARED TO ACCEPT SOME DEGREE OF CROP INJURY, DO NOT USE THIS PRODUCT. Product should not be used in or near greenhouses.

#### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR, Part 170. Refer to label booklet under "Agricultural Use Requirements" in the Directions for Use section for information about this standard.

**ACCEPTED  
with COMMENTS  
In EPA Letter Dated:**

FEB 26 2002

**Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under EPA Reg. No.**

**71368-1**

#### RECOMMENDED RATES OF PRODUCT PER ACRE\*

Weeds	RATE	Directions
Postemergence Triticale(not underseeded with legumes)	1/2 to 2 pints*	Apply after grain is fully tillered (usually about 4 to 8 inches high) but not forming joints in the stem. <b>Do not spray grain in boot to dough stage.</b>
Annual and biennial broadleaf weeds		
Perennial broadleaf weeds		
Emergency Weed Control in Triticale	3 pints	Apply when weeds are approaching bud stage, <b>but do not spray grain during the boot to dough stage.</b> The 3 pints (1-1/2lb. acid equivalent) per acre application can produce injury to wheat. Balance the severity of your weed problem against the possibility of crop damage. Where perennial weeds are scattered, spot treatment is suggested to minimize the extent of crop injury.
Perennial broadleaf weeds		

# **RECOMMENDED RATES OF PRODUCT PER ACRE\***

Triticale underseeded with legumes	1/4 to 1/2 pint*	Apply after the grain is 8 inches tall. <b>Do not spray grain in boot to dough stage.</b> Do not spray alfalfa or sweet clover unless the infestation is severe and injury to these legumes can be tolerated.
--	------------------	--

\* Use the lower rate if small annual and biennial weeds are the major problem. Use the higher rate if perennial weeds or annual and biennial weeds are present which are in the hard-to-kill categories as determined by local experience. The higher rates increase the risk of grain injury and should be used only where the weed control program justifies the risk of grain damage. Do not apply to grain in the seedling stage.

## **NOTICE**

Before buying or using this product, read "WARRANTY LIMITATIONS AND DISCLAIMER" in the label booklet. If terms are not acceptable, return unopened package at once to Seller for full refund of purchase price paid. Otherwise, use by the Buyer or any other User constitutes acceptance of the terms under the "WARRANTY LIMITATIONS AND DISCLAIMER".

**Manufactured By  
Nufarm Inc.  
St. Joseph, MO 64504**