71368-11 Approval expires 11-30-93 Form Approved. OMB No. 2070-0060. Please read instructions on reverse before completing form OPP Identifier Number □ Registration United States Environmental Protection Agency (A) Amendment Office of Pesticide Programs (H7505C) FPA Please Attach 図 Other Washington, DC 20460 **Application for Pesticide:** An Original Form Section I 3. Proposed Classification 2. EPA Product Manager 1. Company/Product Number J. Miller 71368-11 ☐ Restricted IXI None PM# 4. Company/Product (Name) 23 Nufarm Weedone LV 6 Broadleaf Herbicide 5. Name and Address of Applicant (Include ZIP Code) 6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: Nufarm Inc. 1333 Burr Ridge Parkway, Suite 125A Burr Ridge, IL 60521 EPA Reg. No. ☐ Check if this is a new address **Product Name** Section 11 ☐ Final printed labels in response to Agency later dated NOTIFICATION ☐ Amendment - Explain Below ☐ "Me Too" Application ☐ Resubmission in response to Agency letter dated APR 3 0 2003 Other - explain below Notification - Explain below Explanation: Use additional page(s) if necessary. (For Section I and Section II). Notification of addition of Similar Application Methods . This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under Sections 12 and 14 of FIFRA. Section III · 45,84. 1. Material This Product Will Be Packaged in: Unit Packaging Water Soluble Packaging 2. Type of Container Child-Resistant Packaging ☐ Yes* ☐ Metal Yes X **IXI** Plastic No R No Glass *Certification must be submitted. lf "Yes," Unit Package Wt. Paper Other (Specify) 3. Location of Net Contents Information 4. Size(s) of Retail Container 5. Location of Label Directions IXI On Label or 1 at.; 1/4, 1, 21/4, 5, 30, 55, 110, ⊠ Label or ⊠ Container On Labeling accompanying product 220 gal.; bulk 6. Manner In Which Label Is Affixed To Product Lithograph ☑ Other (<u>Self-Adhesive Integrated Label/Booklet</u>) Paper Glued Stenciled Section IV 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Telephone No. (Include Ares Code) Title Product Registration Theodore D. Head Manager / Agriculture (708) 754-3330 Certification 6. Date Application I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. Received Lacknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. (Stamped) 3. Title Product Registration Manager / 2. Signature **Agriculture**

5. Date

4. Typed Name

4-16-0

SUPPLEMENTAL LABELING

READ AND FOLLOW THE ENTIRE LABEL BOOKLET FOR NUFARM WEEDONE LV6 EC BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

"Label" as used in this supplemental labeling refers to the label booklet for Nufarm Weedone LV6 and this supplement.



WEEDONE LV6 EC Broadleaf Herbicide

NOTIFICATION

APR 3 0 2003

EPA Reg. No. 71368-11

Cereal Grains (Wheat, Barley and Rye)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

This label must be in the possession of the user at the time of application.

All applicable directions and precautions in the Nufarm Weedone LV 6 EC label booklet must be followed.

Also refer to additional "GENERAL INFORMATION" and "WEEDS CONTROLLED" in the label booklet. INJURY TO CROPS FROM THIS HERBICIDE MAY OCCUR. IF YOU ARE NOT PREPARED TO ACCEPT SOME DEGREE OF CROP INJURY, DO NOT USE THIS PRODUCT. Product should not be used in or near greenhouses.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR, Part 170. Refer to label booklet under "Agricultural Use Requirements" in the Directions for Use section for information about this standard.

Note: Maximum rate 1 pinter /acre from jointing to before boot stage. Treatment at this growth stage (jointing to before boot) should be used where such increased risk of injury to crop is acceptable. Higher rates listed on the label are more likely to cause crop injury.

RECOMMENDED RATES OF PRODUCT PER ACRE*

Weeds	RATE	Directions
	KAIE	
Postemergence		Apply after grain is well
(not		tillered (usually about 4
underseeded		to 8 inches high) but
with legumes)		before boot. Do not
) A		spray grain in boot to
Annual and biennial		dough stage.
broadleaf		•
weeds	1/3 to 1-1/3 pints*	
	•	
Perennial		
broadleaf	2/3 to 1-1/3 pints*	
weeds		i
Emergency Weed Control		Apply when weeds are
Weed Control		approaching bud stage, but do not spray grain
Perennial		during the boot to
broadleaf		dough stage. The 2 pints
weeds	2 pints	per acre application can
ļ		produce injury to wheat.
		Balance the severity of
]		your weed problem
		against the possibility of
		crop damage. Where
		perennial weeds are scattered, spot treatment
		is suggested to minimize
	·	the extent of crop
		injury

RECOMMENDED RATES OF PRODUCT PER ACRE*

Weeds	RATE	Directions
Wild onion or garlic	1 to 1-1/3 pints*	Apply 1 pint when grain is well tillered and wild garlic or onion plants are small. Apply 1-1/3 pints after harvest in the crop stubble. For control of new fall growth of wild onion or garlic, refer to Fallowland use directions in the label booklet
Preharvest	2/3 to 1-1/3 pints*	Apply when grains are in the hard dough stage to suppress large weeds that may interfere with harvest. Best results will be obtained when the soil moisture is sufficient to induce succulent weed growth.

* Use the lower rate if small annual and biennial weeds are the major problem. Use the higher rate if perennial weeds or annual and biennial weeds are present which are in the hard-to-kill categories as determined by local experience. The higher rates increase the risk of grain injury and should be used only where the weed control program justifies the risk of grain damage. Do not apply to grain in the seedling stage.

Note:

NOTICE

Before buying or using this product, read "WARRANTY LIMITATIONS AND DISCLAIMER" in the label booklet. If terms are not acceptable, return unopened package at once to Seller for full refund of purchase price paid. Otherwise, use by the Buyer or any other User constitutes acceptance of the terms under the "WARRANTY LIMITATIONS AND DISCLAIMER".

Manufactured By Nufarm Inc. Burr Ridge, IL 60521

ED 04/03



Nufarm Americas Inc. 1333 Burr Ridge Parkway, Suite 125 Burr Ridge, IL 60527

Phone: 708.754.3330 Fax: 708.754.0314

www.nufarm.com

April 16, 2003

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504C)
U. S. Environmental Protection Agency
Room 266A, Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202-4501

Attention:

Joanne Miller, PM 23

Herbicide Branch

Subject:

Label Notification Addition of Similar Application Methods

EPA Reg. No. 71368-11 Weedone LV6 EC.

Dear Joanne:

Enclosed please find EPA Form 8570-1 and one copy of our supplemental label which includes similar application methods to those which our presently on the label. Please note that no rates or application sites have changed.

If you should have any questions, please contact me at the address and telephone number above or by e-mail to <ted.head@us.nufarm.com>. Thank you for your cooperation.

Sincerely

Theodore D. Head

Product Registration Manager