71368-24



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

9/25/2013

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Matthew Granahan Nufarm Americas Inc. 11901 South Austin Ave. Alsip, IL 60803

SEP 2 5 2013

Subject: Label Amendment – Revise Directions for Use and Update Use Sites Glyphosate IPA Manufacturing Concentrate EPA Reg. No. 71368-24 Application dated – June 14, 2013

Dear Mr. Granahan:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable.

A stamped copy of the label is enclosed for your records. This label supersedes all previously accepted labels. You must submit one (1) copy of the final printed label before you release the product for shipment. Products released for shipping after eighteen (18) months must bear the new revised label. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA §6(e). Your release for shipment of the product constitutes acceptance of these conditions.

If you have any questions regarding this letter, please contact Maggie Rudick at (703) 347-0257 or <u>rudick.maggie@epa.gov</u>.

Sincerely,

Kable Bo Davis Product Manager 25 Herbicide Branch Registration Division (7505P)

# **GLYPHOSATE IPA** Manufacturing Concentrate

REFORMULATION OR REPACKING IS PROHIBITED EXCEPT IN ACCORDANCE WITH AN EXPRESS WRITTEN AGREEMENT WITH NUFARM INC.


| ACTIVE INGREDIENT:  |              |
|---|--------------|
| *Glyphosate, N-(phosphonomethyl)glycine, in the form of its isopropylamine salt | 62.0%        |
| OTHER INGREDIENTS:  | <u>38.0%</u> |
| TOTAL:  | 100.0%       |

\*Contains 769 grams per litre or 6.42 pounds per U.S. gallon of the active ingredient, glyphosate, in the form of its isopropylamine salt. Equivalent to 570 grams per litre or 4.75 pounds per U.S gallon of the acid, glyphosate.

# KEEP OUT OF REACH OF CHILDREN CAUTION – PRECAUCION

SEE [INSIDE] [BOOKLET] [BELOW] FOR ADDITIONAL PRECAUTIONARY STATEMENTS

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300 For Medical Emergencies Only, Call (877) 325-1840



EPA REG. NO. 71368-24 EPA EST. NO.

NET CONTENTS:

071368-00024.20130614.EPA Amendment

MANUFACTURED FOR NUFARM INC. 11901 S. AUSTIN AVE. ALSIP, IL 60803



## PRECAUTIONARY STATEMENT HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION - PRECAUTION

Caution. Keep out of reach of children.

## **ENVIRONMENTAL HAZARDS**

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other water unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

## PHYSICAL AND CHEMICAL HAZARDS

Solutions of this product should be mixed or stored only in stainless steel, aluminum, fiberglass, plastic and plastic lined containers. DO NOT MIX OR STORE THIS PRODUCT OR SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONATINERS OR TANKS. This product or solutions of this product react with such containers and tanks to produce hydrogen gas which may form a highly combustible gas mixture. This gas mixture could flash or explode, causing serious personal injury, if ignited by open flame, spark, welder's torch, lighted cigarette or other ignition source. In case of SPILL or LEAK, soak up and remove to a landfill.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read the entire label before using this product.

Use only for the manufacturing or formulating of, or repackaging as, an herbicide for use in the following crops: Crop Groups 1, 2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19, 20; acerola; aloe vera; ambarella; asparagus; atemoya; avocado; bamboo; banana; betelnut; biriba; blimbe; breadfruit; buffalo gourd; cacao (cocoa) bean; cactus; canistel; canola; carambola (starfruit); chaya; cherimoya; coconut; coffee; corn; cotton; cranberry; crambe; custard apple; dates; dokudami; durian; epazote; feijoa; figs; flax; galangai; globe artichoke; Governor's plum; gow kee; grapes (raisin, table, wine); guava; hops; ilama; imbe; imbu; jaboticaba; jackfruit; jojoba; juneberry; kava; kenaf; kiwi; lesquerella; leucaena; lingonberry; longan; lychee; mamey apple; mango; mangosteen; marmaladebox (genip); meadowfoam; mioga; mountain papaya; mustard; noni (Indian mulberry); okra; olive; oregano; palm; papaya; passionfruit; pasture grasses; pawpaw; peanut; pepper leaf; peppermint; perilla; persimmon; pine nut; pineapple; pistachio; plantain; pomegranate; pulasan; quinoa; rambutan; rape; rose apple; safflower; salai; sapodilla; sapote (black, mamay, white); sesame; sorghum (milo); soursop; soybean; Spanish lime; spearmint; star apple; stevia; strawberry; sugar apple; sugarbeet; sugarbeet; sugarbeet; sugarbeet; sugarbeet; waxe; sugarbeet; tea; teff; ti; ugli fruit; wasabi; water spinach; watercress; wax jambu; yacon.

For use in the following glyphosate-tolerant crops: Roundup Ready Alfalfa; Roundup Ready Canola (Spring Varieties); Roundup Ready Canola (Winter Varieties); Roundup Ready Corn; Roundup Ready Corn 2; Field Corn Hybrids with Roundup Ready 2 Technology; Roundup Ready Cotton; Roundup Ready Flex Cotton; Roundup Ready Soybean; Roundup Ready 2 Yield Soybean; Roundup Ready Sugarbeet; Roundup Ready Sweet Corn; Sweet Corn Hybrids with Roundup Ready 2 Technology.

For the following uses: bermudagrass release; broadcast and spot weed control; chemical mowing; cut stump application; hollow stem injection; injection and frill; trim-and-edge; turfgrass renovation; site preparation; and other uses in, on or around the following sites: airfields; airports; alleys, lanes, trails & access roads; apartment complexes; aquatic sites; around commercial or industrial structures or outbuildings; around farm and ranch structures and outbuildings; around ornamental gardens; around ornamental trees & shrubs; bare ground; beaches; campgrounds; commercial sites; construction sites; CRP land; ditch banks; dormant turfgrass; drive-in theaters; drive-ways & ramps; dry ditches & canals; farmsteads; fences & fencerows; firebreaks; forestry; golf courses; gravel yards; habitat restoration & management areas; highways & roadsides (including aprons, medians, guardrails & right of ways); industrial plant sites; industrial areas; landscape areas; lumber yards; mulched areas; natural areas; non-food tree, shrub, vine, and ornamentals production sites; nurseries; pastures; paths and trails; parking areas; parks; paved areas; petroleum & other tank farms; pumping installations; pipeline, power, telephone & utility rights-of-way; power stations; preplant to turf & ornamental plants; railroad rights-of way; railroads; rangelands; recreation areas and public areas; refineries; residential sites; resorts; rights-of-way; roadsides; schools; sidewalks; sports areas; sports complexes; storage areas; substations; turf and grass seed production; utility sites; uncropped farmstead areas; uncultivated non-agricultural areas; vacant lots; walkways; wastelands; wildlife food plots; wil

[Optional use directions: This product may be used to formulate products for any additional uses not listed on this label if the formulator, user group, or grower has complied with U.S. EPA data submission requirements regarding the support of such use(s).]

[Optional use directions: This product may be formulated for products to be used for experimental purposes that are in compliance with FIFRA.]

## STORAGE AND DISPOSAL

Do not contaminate water, foodstuffs, feed or seed by storage or disposal.

**PESTICIDE STORAGE:** STORE ABOVE 32°F (0°C) TO KEEP PRODUCT FROM CRYSTALLIZING. Crystals will settle to the bottom. If allowed to crystallize, warm to 68°F (20°C) and mix well or recirculate to redissolve before using.

**PESTICIDE DISPOSAL:** Wastes resulting from use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, state or local procedures. Emptied container retains vapors and product reside. Observe all labeled safeguards until container is cleaned, reconditioned or

destroyed.

### CONTAINER DISPOSAL:

Nonrefillable Containers 5 Gallons or Less: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers are also disposable by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

Nonrefillable containers larger than 5 gallons: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. The several times or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rin

**Refillable containers larger than 5 gallons:** Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10% full with water and, if possible, spray all sides while adding water. If practical, agitate vigorously or recirculate water with the pump for two minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

#### WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

## LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR RISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of the directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

(RV061413)

## (

## Optional Warranty:

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.