71368-24

12/9/2013



## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

DEC 0 9 2013

Matthew Granahan Nufarm Americas Inc. 150 Harvester Drive, Suite 200 Burr Ridge, IL 60527

Subject: Label Amendment – Reformatting Use Sites Glyphosate IPA Manufacturing Concentrate EPA Reg. No. 71368-24 Application dated – October 10, 2013

Dear Mr. Granahan:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable.

A stamped copy of the label is enclosed for your records. This label supersedes all previously accepted labels. You must submit one (1) copy of the final printed label before you release the product for shipment. Products released for shipping after eighteen (18) months must bear the new revised label. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA §6(e). Your release for shipment of the product constitutes acceptance of these conditions.

If you have any questions regarding this letter, please contact Maggie Rudick at (703) 347-0257 or rudick.maggie@epa.gov.

Sincerely.

Kable Bo Davis Product Manager 25 Herbicide Branch Registration Division (7505P)

# **GLYPHOSATE IPA** Manufacturing Concentrate

REFORMULATION OR REPACKING IS PROHIBITED EXCEPT IN ACCORDANCE WITH AN EXPRESS WRITTEN AGREEMENT WITH NUFARM INC.

#### 

\*Contains 769 grams per litre or 6.42 pounds per U.S. gallon of the active ingredient, glyphosate, in the form of its isopropylamine salt. Equivalent to 570 grams per litre or 4.75 pounds per U.S gallon of the acid, glyphosate.

# KEEP OUT OF REACH OF CHILDREN CAUTION – PRECAUCION

SEE [INSIDE] [BOOKLET] [BELOW] FOR ADDITIONAL PRECAUTIONARY STATEMENTS

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300 For Medical Emergencies Only, Call (877) 325-1840



DEC 0 9 2013

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under IPA Reg No. 71368-24

EPA REG. NO. 71368-24 EPA EST. NO.

NET CONTENTS:

071368-00024.20131204.EPA Amendment

MANUFACTURED FOR NUFARM INC. 11901 S. AUSTIN AVE. ALSIP, IL 60803



#### PRECAUTIONARY STATEMENT HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION - PRECAUTION

Caution. Keep out of reach of children.

#### **ENVIRONMENTAL HAZARDS**

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other water unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

#### PHYSICAL AND CHEMICAL HAZARDS

Solutions of this product should be mixed or stored only in stainless steel, aluminum, fiberglass, plastic and plastic lined containers. DO NOT MIX OR STORE THIS PRODUCT OR SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONATINERS OR TANKS. This product or solutions of this product react with such containers and tanks to produce hydrogen gas which may form a highly combustible gas mixture. This gas mixture could flash or explode, causing serious personal injury, if ignited by open flame, spark, welder's torch, lighted cigarette or other ignition source. In case of SPILL or LEAK, soak up and remove to a landfill.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read the entire label before using this product.

Use only for the manufacturing or formulating of, or repackaging as, an herbicide for use in the following crops:

Crop Groups 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20.

CEREAL AND GRAIN CROPS - Barley, Buckwheat, Millet (pearl, proso), Oats, Rice, Rye, Quinoa, Teff, Teosinte, Triticale, Wheat (all types), Wild Rice.

ROW CROPS (including) - Corn (Field, Seed, Silage, Sweet and Popcorn), Cotton, Soybean, Sugarcane, Sorghum (Milo).

OIL SEED CROPS [Including and Cultivars, Varieties, and/or Hybrids of the Following Crops] – Borage, Buffalo Gourd, Calendula, Canola, Castor Oil plant, Chinese Tallowtree, Crambe, Cuphea, Echium, Euphorbia, Evening Primrose, Flax (seed), Gold of Pleasure, Hare's Ear Mustard, Jojoba, Lesquerella, Meadowfoam, Milkweed, Mustard (seed), Niger (seed), Oil Radish, Poppy Seed, Rape, Rapeseed, Rose Hip, Safflower, Sesame, Stokes Aster, Sunflower, Sweet Rocket, Tallowwood, Tea Oil Plant, Vernonia.

#### TREE FRUIT CROPS -

**Citrus Fruit [Including and Cultivars, Varieties, and/or Hybrids of the Following Crops]:** Calamondin, Chironja, Citron, Citrus Citron, Citrus Hybrids (includes chironja, tangelo, tangor), Grapefruit (includes Japanese summer), Kumquat, Lemon, Lime (including Australian desert lime, Australian finger lime, Australian round lime, Brown river finger lime, Mount white, New Guinea wild, Russell river, sweet, and Tahiti); Mandarin (including Mediterranean and Satsuma), Orange (all), Pummelo, Tangelo, Tangerine (Mandarin), Tangor, Uniq Fruit (ugli).

Pome Fruit [Including and Cultivars, Varieties, and/or Hybrids of the Following Crops]: Apple, Azarole, Crabapple, Loquat, Mayhaw, Medlar, Pear (including Asian/Oriental pear), Quince (including Chinese and Japanese), Tejocote.

Stone Fruit [Including and Cultivars, Varieties, and/or Hybrids of the Following Crops]: Apricot, Cherry (sweet, sour, tart), Nectarine, Olive, Peach, Plum/Prune (all varieties), Plumcot.

Tropical and Subtropical Trees and Fruits: Ambarella, Atemoya, Avocado, Banana, Barbados Cherry (acerola), Biriba, Blimbe, Breadfruit, Cacao (cocoa) Bean, Canistel, Carambola (starfruit), Cherimoya, Coffee, Custard Apple, Dates, Durian, Feijoa, Figs, Governor's Plum, Guava, Llama, Imbe, Imbu, Jaboticaba, Jackfruit, Longan, Lychee, Mamey Apple, Mango, Mangosteen, Marmaladebox (genie), Mountain Papaya, Noni (Indian mulberry), Papaya, Pawpaw, Persimmon, Plantain, Pomegranate, Pulasan, Rambutan, Rose Apple, Sapodilla, Sapote (black, mamey, white), Spanish Lime, Soursop, Star Apple, Sugar Apple, Surinam Cherry, Tamarind, Tea, Ti (roots and leaves), Wax Jambu.

Miscellaneous Tree Food Crops - Cactus (fruit and pads), Palm (heart, leaves, oil).

**TREE NUT CROPS** – Almond, Beechnut, Betelnut, Brazil Nut, Butternut, Cashew, Chestnut, Chinquapin, Coconut, Filbert (hazelnut), Hickory Nut, Macadamia Nut, Pecan, Pine Nut, Pistachio, Walnut (black, English).

VINE CROPS - Grapes (raisin, table, wine), Hops, Kiwi, Passion Fruit.

HERBS AND SPICES - Allspice, Angelica, Star Anise, Annatto (seed), Balm, Basil, Borage, Burnet, Chamomile, Caper Buds, Caraway, Black Caraway, Cardamom, Cassia Bark, Cassia Buds, Catnip, Celery Seed, Chervil (dried), Chive, Chinese Chive, Cinnamon, Clary, Clove Buds, Coriander Leaf (cilantro or Chinese parsley), Corage, Coriander Seed (cilantro), Costmary, Cilantro (leaf), Cilantro (seed), Cumin, Curry (leaf), Dill (dillweed and seed), Epazote, Common Fennel, Florence Fennel (seed), Fenugreek, White Ginger Flower, Grains of Paradise, Horehound, Hyssop, Juniper Berry, Lavender, Lemongrass, Lovage (leaf and seed), Mace, Marigold, Marjoram (including sweet or annual marjoram, wild marjoram or oregano, and pot marjoram), Mexican Oregano, Mioga Flower, Mustard (seed), Rosemary, Rue, Saffron, Sage, Savory (summer and winter), Spearmint, Stevia Leaves, Sweet Bay, Tansy, Tarragon, Thyme, Vanilla, Wintergreen, Woodruff, Worrwood.

BERRY AND SMALL FRUIT CROPS [Including and Cultivars, Varieties, and/or Hybrids of the Following Crops] - Amur River Grape, Aronia Berry, Bay Berry, Bearberry, Bilberry, Blackberry (including Andean blackberry, arctic berry, bingleberry, black satin berry, boysenberry, brombeere, California blackberry, Chesterberry, Cherokee blackberry, Cheyenne blackberry, common

#### **VEGETABLE CROPS -**

Fruiting Vegetables [Including and Cultivars, Varieties, and/or Hybrids of the Following Crops]: Eggplant, Groundcherry (*Physalis* spp.), Pepino, Pepper (includes bell pepper, chili pepper, cooking pepper, pimento, sweet pepper), Tomatillo, Tomato.

Cucurbit Vegetables: Chayote (fruit), Chinese Waxgourd (Chinese preserving melon), Citron Melon, Cucumber, Gherkin, Edible Gourd (includes hyotan, cucuzza, hechima, Chinese okra), Melons (all), *Momordica* spp. (includes balsam apple, balsam pear, bitter melon, Chinese cucumber), Muskmelon (includes cantaloupe, casaba, crenshaw melon, golden pershaw melon, honeydew melon, honey balls melon, mango melon, Persian melon, pineapple melon, Santa Claus melon, snake melon and true cantaloupe), Pumpkin, Summer Squash (includes crookneck squash, scallop squash, straightneck squash, vegetable marrow, zucchini), Winter Squash (includes butternut squash, calabaza, hubbard squash, acom squash, spaghetti squash), Watermelon.

Root & Tuber Vegetables: Arracacha, Arrowroot, Carrot, Chinese Artichoke, Jerusalem Artichoke, Beet (garden), Burdock, Canna, Cassava (bitter and sweet), Celeriac, Chayote (root), Chervil (turnip-rooted), Chicory, Chufa, Dasheen (taro), Galangal, Ginger, Ginseng, Horseradish, Leren, Kava (turnip-rooted), Parsley (turnip rooted), Parsnip, Potato, Radish, Oriental Radish (daikon), Rutabaga, Salsify, Black Salsify, Spanish Salsify, Skirret, Sweet potato, Tanier, Turmeric, Turnip, Wasabi, Yacon, Yam bean, True yam.

Bulb Vegetables [Including and Cultivars, Varieties, and/or Hybrids of the Following Crops]: Beltsville Bunching Onion, Chinese Onion, Daylily, Elegans Hosta, Fresh Onion, Fritillaria, Fresh Leaves Shallot, Garlic, Great-headed Garlic, Green Onion, Kurrat, Lady's Leek, Leek, Leek, Lily, Marcostem Onion, Onion, Pearl Onion, Potato Onion, Serpent Garlic, Shallot, Tree Onion, Welsh onion, Wild Leek,

Leafy Vegetables: Amaranth (Chinese spinach), Arugula (roquette), Beet Greens, Cardoon, Celery, Chinese Celery, Celtuce, Chaya, Chervil, Edible-leaved Chrysanthemum, Garland Chrysanthemum, Corn Salad, Cress (garden and upland), Dandelion, Dock (sorrel), Dokudami, Endive (escarole), Florence Fennel, Gow kee, Lettuce (head and leaf), Orach, Parsley, Purslane (garden and winter), Radicchio (red chicory), Rhubarb, Spinach, New Zealand Spinach, Vine Spinach, Swiss chard, Watercress (upland), Water spinach.

**Brassica Vegetables:** Broccoli, Chinese Broccoli (gai Ion), Broccoli Raab (rapini), Brussels Sprouts, Cabbage, Chinese Cabbage (bok choy), Chinese Cabbage (napa), Chinese Mustard Cabbage (gai choy), Cauliflower, Cavalo Broccoli, Collards, Kale, Kohlrabi, Mizuna, Mustard Greens, Mustard Spinach, Rape Greens.

Legume Vegetables (Succulent or Dried) [Including and Cultivars, Varieties, and/or Hybrids of the Following Crops] -

Bean (Lupinus: includes grain lupin, sweet lupin, white lupin, and white sweet lupin),

Bean (Phaseolus: includes field bean, kidney bean, lima bean, navy bean, pinto bean, runner bean, snap bean, tepary bean, wax bean),

Bean (Vigna: includes adzuki bean, asparagus bean, blackeyed pea, catjang, Chinese longbean, cowpea, crowder pea, moth bean, mung bean, rice bean, southern pea, urd bean, yardlong bean),

Broad Bean (fava), Chickpea (garbanzo), Guar, Jackbean, Lablab Bean, Lentil, Chickpea,

**Pea** (*Pisum*: includes dwarf pea, edible-podded pea, English pea, field pea, garden pea, green pea, snow pea, sugar snap pea), Pigeon pea, Soybean (immature seed), Sword bean.

MISCELLANEOUS CROPS - Aloe vera, Asparagus, Bamboo, Globe artichoke, Okra, Peanut (ground nut), Pineapple, Strawberry, Sugarbeet.

**PASTURE GRASSES, FORAGE LEGUMES AND RANGELANDS –** Alfalfa, Clover, Kenaf, Kudzu, Lespedeza, Leucaena, Lupin, Sainfoin, Trefoil, Velvet Bean, Vetch (all types including crown and milk) and Other Forage Legumes.

GRASS OR TURFGRASS SEED AND SOD PRODUCTION - Any grass (Gramineae family) except Corn, Sorghum, Sugarcane and those listed in the "CEREAL AND GRAIN CROPS" section of this label.

GLYPHOSATE-TOLERANT CROPS - Roundup Ready Alfalfa, Roundup Ready Canola (Spring Varieties), Roundup Ready Canola (Winter Varieties), Roundup Ready Corn, Roundup Ready Corn 2, Field Corn Hybrids with Roundup Ready 2 Technology, Roundup Ready Cotton, Roundup Ready Flex Cotton, Roundup Ready Soybean, Roundup Ready 2 Yield Soybean, Roundup Ready Sugarbeet, Roundup Ready Sweet Corn, Sweet Corn Hybrids with Roundup Ready 2 Technology.

FORESTRY USE AND CHRISTMAS TREES - Pine, Poplar, Eucalyptus, Christmas trees, Other Non-Food Tree Crops, Site Preparation & Release Programs.

**TURF AND ORNAMENTAL SITES** - Residential, Ornamentals, Directed sprays to the Floor of Ornamental Nurseries, Turfgrasses and Grasses for Seed or Sod Production, Site Preparation, Recreational & Public Areas.

NON-CROP AREAS/INDUSTRIAL SITES/IN AND AROUND THE USE SITES - Aquatic & Wetland Sites (including all bodies of fresh and brackish water that may be flowing, non-flowing or transient including lakes, rivers, streams, ponds, estuaries, rice levees, seeps, irrigation and drainage ditches, ditch banks, canals, reservoirs, wastewater treatment facilities, wetland sites, wildlife habitat restoration and management areas and similar sites), Airfields, Airports/ Landing Fields, Alleys/ Lanes/ Trails/ Access Roads, Apartment Complexes, Around Commercial or Industrial Structures or Outbuildings, Around Rocks/ Signposts/ Light Posts/ Fringe Areas, Around/ Along Buildings/ Structures/ Foundations/ Patios/ Houses/ Mobile Homes/ Vacant Lots/ Urban Areas/ Domestic Outdoor Premises/ All Other Areas Associated with Household or Home Life, Bermudagrass Release, Chemical Mowing, Bare Ground, Beaches, Campgrounds, Cemeteries, Commercial Sites, Conservation Reserve Program (CRP) Acres/ Areas/ Land,

Construction Sites, Cut Stump Application, Dormant Turfgrass, Ditch Banks, Drive-in Theaters, Driveways/ Ramps/ Alleys/ Lanes/ Curbs, Dry Ditches/Canals, Fallowland, Fallow Cropland, Fallow Ground, Farm and Ranch Structures and Outbuildings, Farmsteads, Fences/ Fencerows, Firebreaks, Forestry (production areas or plantations including site preparation, mid-rotation and other release treatments, timber stand improvement, poplar production, silvicultural nursery sites, reforestation treatments and maintaining logging roads), Fruit/ Vegetable / Herb Gardens, General Weed Control, Golf Courses, Grass Seed or Sod Production. Gravel Yards, Greenhouses, Habitat Restoration & Management Areas, Highways/Roadsides (including aprons/ medians/ guardrails/ right of ways), Hollow Stem Injection, Industrial Plant Sites, Industrial Areas, Injection and Frill, Landscape Areas, Lawns, Lumber Yards, Manufacturing Sites, Middles (between rows of trees or crops), Mulched areas, Municipal Sites, Natural Areas (such as wildlands and wildlife refuge), Natural Woodlands, Non-food Tree/ Shrub/ Vine/ Ornamentals Production Sites, Office Complexes, Ornamental Lawns and Turfgrass, Ornamental Gardens, Ornamental Trees & Shrubs/Fruit & Nut Trees/ Grapevines/ Shrubs/ Groundcovers/ Flower Beds/ Mulched Landscape Beds, Broadcast and Spot Weed Control, Paths/ Trails, Parking Areas, Parks, Pastures, Paved Areas, Perennial Grass Suppression, Petroleum & Other Tank Farms, Pipeline, Plant Nurseries, Postharvest, Power/ Telephone/ Utility Rights-of-way, Power Stations, Preplant to Turf/ Ornamental Plants, Pre-construction Sites, Public Areas, Pumping Installations, Railroads (including ballasts, shoulders, crossings and spot treatments), Railroad Rights-of way, Rangelands, Recreation Areas, Refineries, Reforestation Sites, Residential Sites, Resorts, Rights-of-way, Roadsides, Schools, Selective Equipment, Shadehouses, Shelter Beds, Sidewalks, Site Preparation, Sod or Turf Seed Farms, Sports Areas, Sports Complexes, Storage Areas, Strips (in row of trees or crops), Substations, Tennis Courts, Trim-and-edge, Turf/ Grass Seed Production, Turfgrass Areas, Turforass Renovation, Utility Sites, Uncropped Farmstead Areas, Uncultivated Non-agricultural Areas, Urban Areas Where Total Vegetation Control is Desired; Vacant Lots, Walkways, Warehouse Areas, Wastelands, Wildlife Food Plots, Wildlife Habitat Areas, Wildlife Management Areas, Wildlife Openings, Woody Brush and Trees, and Other Related Sites.

[Optional use directions: This product may be used to formulate products for any additional uses not listed on this label if the formulator, user group, or grower has complied with U.S. EPA data submission requirements regarding the support of such use(s).] [Optional use directions: This product may be formulated for products to be used for experimental purposes that are in compliance with FIFRA.]

### STORAGE AND DISPOSAL

Do not contaminate water, foodstuffs, feed or seed by storage or disposal.

**PESTICIDE STORAGE:** STORE ABOVE 32°F (0°C) TO KEEP PRODUCT FROM CRYSTALLIZING. Crystals will settle to the bottom. If allowed to crystallize, warm to 68°F (20°C) and mix well or recirculate to redissolve before using. **PESTICIDE DISPOSAL:** Wastes resulting from use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, state or local procedures. Emptied container retains vapors and product reside. Observe all labeled safeguards until container is cleaned, reconditioned or destroyed.

#### CONTAINER DISPOSAL:

Nonrefillable Containers 5 Gallons or Less: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Fill the container for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers are also disposable by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

Nonrefillable containers larger than 5 gallons: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Turn the container over inset for later use or disposal. Repeat this procedure two more times. Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 psi for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

**Refillable containers larger than 5 gallons:** Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10% full with water and, if possible, spray all sides while adding water. If practical, agitate vigorously or recirculate water with the pump for two minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

#### WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

#### LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR RISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of the directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

(RV120413)

#### Optional Warranty:

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.