



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

MAR 24 2009

Ms. Mary Beth Endres
NuFarm Americas, Inc.
150 Harvester Drive, Suite 200
Burr Ridge, IL 60527

Subject: Koril 2EC Herbicide
EPA Registration Number 71368-29
Your submission of supplemental labeling dated February 18, 2009

Dear Ms. Endres:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable, provided you make the following changes before you release the product for shipment:

Make the change specified in the attached document "Summary of Comments on 24© Supplemental Label template rv080107.qxd".

A stamped copy of labeling is enclosed for your records.

Submit one copy of final printed labeling incorporating the above change before you release the product for shipment. Please include an electronic label in pdf text format of the final printed labeling with your submission. If you have any questions about this letter, you may contact Tobi Colvin-Snyder at 703-305-7801 or Colvin-Snyder.Tobi@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "Jim Tompkins", is written over the typed name.

Jim Tompkins
Product Manager 25
Herbicide Branch
Registration Division (7505P)

Summary of Comments on 24(c) Supplemental Label template rv080107.qxd

Page: 2

Author: tsnyder

Subject: Note

Date: 3/24/2009 11:42:36 AM



Add text at two blue edit marks.

Author: tsnyder

Subject: Inserted Text

Date: 3/12/2009 1:17:18 PM



hay, straw, silage, or seed

Author: tsnyder

Subject: Inserted Text

Date: 3/24/2009 11:42:15 AM



for 12 months following treatment

Author: tsnyder

Subject: Note

Date: 3/24/2009 11:43:36 AM



Add text at blue edit mark.

Author: tsnyder

Subject: Inserted Text

Date: 3/24/2009 11:43:11 AM



for 12 months following treatment

SUPPLEMENTAL LABEL



Koril® 2EC Herbicide

EPA Reg. No. 71368-29

February 18, 2009

LABEL REVISIONS: Additional use directions added for Conservation Reserve Program (CRP) and Grass Grown for Seed and Sod Production.

READ AND FOLLOW THE ENTIRE LABEL BOOKLET FOR THIS PRODUCT BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

"Label" as used in this supplemental labeling refers to the master label booklet for this product and this supplemental.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN ANY MANNER INCONSISTENT WITH ITS LABELING. This label must be in the possession of the user at the time of application.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS IN THE PRODUCT MASTER LABEL BOOKLET MUST BE FOLLOWED, INCLUDING STATEMENTS PERTAINING TO THE WORKER PROTECTION STANDARDS, ON THE EPA REGISTERED MASTER LABEL.

GRASS CROPS

CONSERVATION RESERVE PROGRAM (CRP) AREAS

PRODUCT APPLICATION RATES

PRODUCT	RATE	APPLICATION TIMING AND SPECIFIC COMMENTS	
		CROP	WEEDS
Koril 2EC	1 to 2 pints/A	Apply to grasses after emergence. If alfalfa is planted, apply after the 4 trifoliate leaf stage.	Apply to MOST SUSCEPTIBLE and SUSCEPTIBLE broadleaf weeds up to the 4 leaf stage, 2 inches in height or 1 inch in diameter, whichever comes first.
	Chemigation 2 pints/A only	Apply to grasses after emergence. If alfalfa is planted apply after the 4 trifoliate leaf stage. Apply through automated sprinkler irrigation systems with a mechanical transfer loading system only. See MIXING, LOADING AND HANDLING INSTRUCTIONS section for complete details.	

(Continued)

ACCEPTED
with COMMENTS
In EPA Letter Dated

MAR 24 2009

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

71368-29

TANK MIXTURE APPLICATION RATE

PRODUCT	RATE	APPLICATION TIMING AND SPECIFIC COMMENTS	
		CROP	WEEDS
Koril 2EC + Rhomene OR Rhonox (MCPA)	1 to 2 pints/A + 1/4 to 1/2 pint/A	Apply to CRP areas after grasses have reached the 3 leaf stage. Do not use this tank mixture on areas where alfalfa or other legumes have been planted.	Refer to the GENERAL WEED LIST for a listing of susceptible broadleaf weeds.

RESTRICTIONS AND PRECAUTIONS

CRP Areas:

- Do not allow livestock to graze in treated areas or feed treated grasses and hay to livestock.
- Do not add spray adjuvants or fluid fertilizers when applying this product to CRP areas.
- Do not apply this product to CRP areas planted with alfalfa if temporary alfalfa is expected to occur. If legumes other than alfalfa have been planted, severe injury may occur at any application rate.
- Do not apply more than 1 1/2 pints of this product to CRP areas that are under seed or sod production.

GRASSES GROWN FOR SEED OR SOD PRODUCTION

Seedling and Established Grasses

APPLICATION RATES

PRODUCT	RATE	RATE	APPLICATION TIMING AND SPECIFIC COMMENTS	
			CROP	WEEDS
Koril 2EC	1 to 2 pints	0.375 to 0.75 fluid ounces	Apply to established and newly seeded grasses for seed or sod production before the boot stage. Established grasses tolerant to this product include bentgrasses, Kentucky Bluegrass, Fescues, Ryegrass, Bermuda grass, St. Augustinegrass and Zoysiagrass. This product may also be used on seedling grasses such as Merion, Park, Delta, or common Kentucky Bluegrasses, Pennlawn, Chewings, Illahee or Alta. Fescues, Orchardgrass, Highland, Seaside or Astoria Bentgrasses, perennial Ryegrasses, Bahia grass and Zoysiagrass.	Refer to the GENERAL WEED LIST for a listing of susceptible broadleaf weeds. Optimal control will be attained when weeds are treated in the seedling stage (less than 4 leaf stage, 2 inches in height, or 1 inch in diameter).
	Chemigation 2 pints only	0.75 fluid ounces	Apply to established and newly seeded grasses grown for seed or sod production before the boot stage. Apply through automated sprinkler irrigation systems with mechanical transfer loading system only. See MIXING, LOADING AND HANDLING INSTRUCTIONS section for complete details. Refer to the list of established grasses that are tolerant to this product.	

RESTRICTIONS AND PRECAUTIONS

Grasses Grown for Seed and Sod Production

- Do not allow livestock to graze in treated areas or feed treated grasses, hay, or straw to livestock.
- Do not apply this product to grasses grown for seed or sod production with the type of ground application equipment used.
- Do not apply more than 2 pints per acre of this product to any grass growing season.
- Do not plant rotational crops within 30 days following application of this product.

NOTICE

Read the "WARRANTY DISCLAIMER" and "LIMITATION OF LIABILITY" in the master label booklet for this product before using this product. Those terms apply to this supplemental labeling and if those terms are not acceptable, return the product unopened at once.

**Manufactured For
Nufarm, Inc.
150 Harvester Drive
Burr Ridge, IL 60527**

Koril is a registered trademark of Nufarm SAS.