# SUPPLEMENTAL LABELING

READ AND FOLLOW THE ENTIRE LABEL BOOKLET FOR NUFARM NUP 10B04 BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

"Label" as used in this supplemental labeling refers to the label booklet for Nufarm NUP 10B04 and this supplement.



# **NUP 10B04**

EPA Reg. No. 71368-65

Round UP Ready Flex Cotton

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

This label must be in the possession of the user at the time of application.

All applicable directions and precautions in the Nufarm Credit Herbicide label booklet must be followed.

See the "GENERAL INFORMATION" and "MIXING, ADDITIVES AND APPLICATION INSTRUCTIONS" sections of the Nufarm NUP 10B04 label booklet for essential product performance information.

The instructions provided in this section are specific to, and should only be used with varieties designated as *Roundup Ready Flex* cotton. The use of the over-the-top applications described in this section on *other* than Roundup Ready Flex cotton will cause crop injury and reduced yields. Drift of this product from applications made to Roundup Ready Flex cotton onto adjacent fields of post 4-leaf (node) *Roundup Ready cotton* may cause extensive injury including boll loss, delayed maturity and/or yield loss.

ACCEPTED

OCT 1 7 2007

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended for the perticide registered under EPA Reg. No. 71368-65

#### **TYPES OF APPLICATIONS:**

Preplant, At-Planting, Preemergence, Postemergence, Preharvest.

Maximum Allowable Combined Application Quantities Per Season	
*Combined total per year for all applications	7.9 quarts per acre
Preplant, At-Planting, Preemergence applications	4.9 quarts per acre
Total in-crop applications from ground cracking to 60% open bolls	6.0 quarts per acre
Maximum allowed from 60% bolls open to 7 days prior to harvest	2 quarts per acre

<sup>\*</sup>Calculate the combined rate to be used for all preplant, in-crop and preharvest applications, to ensure that the total does not exceed the maximum allowed rate per acre per year shown above.

#### **PRECAUTIONS and RESTRICTIONS:**

The maximum rate for any single in-crop application of this product is 1.5 quarts per acre made using ground application equipment. In-crop application rates above 1 quart per acre made alone or with the addition of other crop chemical products containing surfactant may cause a crop response including leaf speckling or leaf necrosis. Do not exceed a maximum rate of 1 quart per acre of this product when making applications by air. Between layby and 60 percent open bolls, the maximum combined total rate of this product that may be applied is 2 quarts per acre. The maximum combined total of all applications made from crop emergence to 60 percent open bolls must not exceed 6 quarts per acre.

Do not add surfactant or additives containing surfactant to this product for over-the-top applications to Roundup Ready Flex cotton. Allow a minimum of 7 days between application and harvest of Roundup Ready Flex cotton. Do not apply this product over-the-top beyond first bloom to cotton grown for seed.

Use of this product in accordance with label directions is expected to result in normal growth of Roundup Ready Flex cotton. However, due to the sensitivity of cotton fruiting to various environmental conditions, agronomic practices, and other factors it is impossible to eliminate all risks associated with this product, even when applications are made in conformance with the label specifications. In some cases, these factors can result in boll loss, delayed maturity and/or yield loss.

#### **Preharvest Use Instructions:**

This product may be applied for preharvest annual and perennial weed control as a broadcast treatment to Roundup Ready Flex cotton after 60 percent boll crack. Up to 2 quarts of this product may be applied using either aerial or ground spray equipment. NOTE: This product will not enhance the performance of harvest aids when applied to Roundup Ready Flex cotton.

## **Preplant, Preemergence, At-Planting Use Instructions:**

This product may be applied before, during or after planting Roundup Ready Flex cotton.

### Postemergence Use Instructions:

When applied in accordance with this label this herbicide will control labeled annual grasses and broadleaf weeds in Roundup Ready Flex cotton. To maximize yield potential spray cotton early to eliminate competing weeds.

Many perennial weeds will be controlled or suppressed with one or more applications of this product. In general, an initial application of 1 quart per acre on 1 to 3 inch tall annual grass and broadleaf weeds is recommended. This product may be applied by ground application equipment at rates up to 1.5 quarts per acre per application postemergence to Roundup Ready Flex cotton. In addition to broadcast applications, post-directed equipment may be used to achieve weed coverage.

#### NOTICE

Read the "LIMIT of WARRANTY AND LIABILITY" in the label booklet for Nufarm Credit Herbicide before using this product. Those terms apply to this supplemental labeling and if those terms are not acceptable, return the product unopened at once.

Manufactured By Nufarm, Inc. Burr Ridge, IL 60527