

## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY Washington, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND, POLLUTION PREVENTION

JUN 2 () 2013 Matthew Granahan Nufarm, Inc. 4020 Aerial Center Parkway, Suite 1013 Morrisville, NC 27560

Subject:

Supplemental Label (Safflower in ID, ND, SD, NE, MT, & WY)

Treaty Herbicide

EPA Reg. No. 71368-74

Application Dated June 6, 2013

Dear Mr. Granahan:

The supplemental labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable.

The supplemental labeling must be incorporated into the main product labeling within eighteen (18) months from the date of this letter.

A stamped copy of the label is enclosed for your records. You must submit one (1) copy of the final printed label before you release the product for shipment. Products released for shipment after eighteen (18) months from the date of this letter must bear the new revised label. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA §6(e). Your release for shipment of the product constitutes acceptance of these conditions.

If you have any questions, please contact Mindy Ondish at (703)605-0723 or at ondish.mindy@epa.gov.

Sincerely,

Kable Bo Davis
Product Manager 25
Herbicide Branch
Registration Division (75)

Registration Division (7505P)



# SUPPLEMENTAL LABEL Treaty® Herbicide

EPA Reg. No. 71368-74 Expires: June 30, 2016

# FOR USE ON SAFFLOWER IN THE STATES OF IDAHO, NORTH DAKOTA, SOUTH DAKOTA, NEBRASKA, MONTANA (East of Route 87 or East of 1-15), AND WYOMING (East of 1-25 or North of 1-90)

READ AND FOLLOW THE ENTIRE LABEL BOOKLET FOR THIS PRODUCT BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING. "Label" as used in this supplemental labeling refers to the label booklet for this product and this supplemental.

#### **DIRECTIONS FOR USE**

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN ANY MANNER INCONSISTENT WITH ITS LABELING.

This label must be in the possession of the user at the time of application.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS IN THE PRODUCT LABEL BOOKLET MUST BE FOLLOWED, INCLUDING STATEMENTS PERTAINING TO THE WORKER PROTECTION STANDARDS, ON THE EPA REGISTERED LABEL.

#### PRODUCT INFORMATION

Treaty may be used for selective postemergence control of certain broadleaf weeds in safflower. The degree and duration of control may depend on the weed spectrum and infestation intensity, the weed size at application and/or the environmental conditions at and following treatment.

Treaty is a dry flowable to be mixed in water or other recommended carrier and applied as uniform broadcast spray.

Treaty is noncorrosive to equipment, nonflammable, and nonvolatile and does not freeze.

#### SAFFLOWER

#### **GEOGRAPHIC RESTRICTIONS**

For use on Safflower in the states of Idaho, North Dakota, South Dakota, Nebraska, Montana (East of Route 87 or East of 1-15), and Wyoming (East of 1-25 or North of 1-90).

#### **USE RATES**

For best results, apply 0.3 to 0.4 oz of this product per acre no later than 81 days prior to harvesting. Sequential treatments may be made provided the total amount of this product applied to safflower does not exceed 0.4 oz per acre per crop season and the last application is made no later than 81 days prior to harvest.

#### **SPRAY ADJUVANTS**

Include a spray adjuvant with applications of this product. An ammonium nitrogen fertilizer may also be used. Do not use low rates of liquid nitrogen fertilizer solution as a substitute for surfactant. Antifoaming agents may be used if needed.

#### **Nonionic Surfactants (NIS)**

Apply at a rate (concentration) of 0.25 - 0.50% v/v (2 pints to 4 pints per 100 gallons of spray solution). Use the higher rate in hot and dry conditions to enhance weed control. Surfactant product must contain at least 60% nonionic surfactant with a hydrophilic/lipophilic balance (HLB) greater than 12.

#### Crop Oil Concentrate

Under dry conditions or during cool weather, a petroleum based crop oil concentrate, or vegetable-seed oil-based product may be used in place of a nonionic surfactant at 1 to 2 gallon per 100 gallons of spray solution (1 to 2% v/v) to enhance weed control. Use an oil adjuvant that contains at least 80% of a high quality, petroleum (mineral) or modified vegetable seed oil with at least 15% surfactant emulsifiers.

**Ammonium Nitrogen Fertilizer** 

An ammonium nitrogen fertilizer can be added to a surfactant or a crop oil concentrate to enhance control. Alternately, a high-quality, sprayable grade of ammonium sulfate may be used. Use 2 qt/acre of a high-quality urea ammonium nitrate (UAN), such as 28%N or 32%N, or 2 lbs/acre of a spray-grade ammonium sulfate (AMS). Use 4 qt/acre UAN or 4 lbs/acre AMS under arid conditions.

This supplemental label expires on June 30, 2016 and must not be used or distributed after this date.

#### NOTICE

Read the "WARRANTY DISCLAIMER" and "LIMITATION OF LIABILITY" in the label booklet for this product before using this product. Those terms apply to this supplemental labeling and if those terms are not acceptable, return the product unopened at once.

Manufactured For Nufarm Inc. 11091 S. Austin Ave. | Alsip, IL 60803

Treaty is a registered trademark of Nufarm Americas Inc.

071368-0074.20130620.Safflower Supplemental Label

### ACCEPTED

JUN 2 0 2013

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 71368-74