

71368-75

06-25-2009

1/3



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

AND

OFFICE OF
PREVENTION, PESTICIDES
TOXIC SUBSTANCES

JUN 25 2009

Mr. Matthew Granahan
Nufarm, Inc
150 Harvester Drive
Burr Ridge, IL 60527

Subject: Victory Herbicide (Use on Sunflower Hybrids with DuPont Express Sun Trait)
EPA Registration No. 71368-75
Application Dated April 29, 2009

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended is acceptable. A stamped copy of labeling is enclosed for your records.

Supplemental labeling must be incorporated into master labeling and copies of master labeling submitted to the Agency for our files at your next printing or within two years from the date of acceptance of master labeling whichever comes first. The Agency will consider a convincing argument as to why a supplemental label should not appear on a master label on a case by case basis.

Sincerely,

Vicki K. Walters for
James A. Tompkins
Product Manager 25
Herbicide Branch
Registration Division (7505P)

SUPPLEMENTAL LABELING

READ AND FOLLOW THE ENTIRE LABEL BOOKLET FOR VICTORY HERBICIDE BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

"Label" as used in this supplemental labeling refers to the label booklet for this product and this supplement.



Victory™ Herbicide

ACCEPTED

JUN 25 2009

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended for the pesticide registered under EPA Reg. No. 71368-75

EPA Reg. No. 71368-75

FOR USE ON SUNFLOWER HYBRIDS WITH THE DUPONT™ ExpressSun™ TRAIT FOR TOLERANCE TO VICTORY HERBICIDE

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling. This label must be in the possession of the user at the time of application. All applicable directions and precautions in the label booklet for this product must be followed.

Also refer to additional "GENERAL INFORMATION" and "WEEDS CONTROLLED" in the label booklet. INJURY TO CROPS FROM THIS HERBICIDE MAY OCCUR. IF YOU ARE NOT PREPARED TO ACCEPT SOME DEGREE OF CROP INJURY, DO NOT USE THIS PRODUCT. Product should not be used in or near greenhouses.

Victory Herbicide is intended for application only to sunflower hybrids with the DuPont ExpressSun trait for tolerance to Victory Herbicide, referred to below as "ExpressSun" sunflowers. Apply only on sunflower hybrids labeled "ExpressSun" and warranted by the seed supplier to have tolerance to direct application of tribenuron, the active ingredient in Victory Herbicide. DO NOT apply this product to sunflower hybrids that lack tolerance/resistance to Victory herbicide.

Apply Victory at a rate of 1/6 – 1/3 ounce per acre. Add a Nufarm recommended, Methylated seed oil (MSO) having at least 80% active ingredient strength at a rate of 1% v/v (1 gallon surfactant per 100 gal of spray solution).

Apply Victory when the "ExpressSun" sunflowers are in the 1 leaf stage of growth, but prior to beginning of bud formation. Temporary crop yellowing may be observed shortly after application of Victory, especially when applied to crops growing under environmentally stressful conditions.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR, Part 170. Refer to label booklet under "Agricultural Use Requirements" in the Directions for Use section for information about this standard.

POSTEMERGENCE SEQUENTIAL APPLICATIONS

Depending upon rainfall or other environmental conditions, annual weeds may have a second flush of germinating seedlings. To maximize control of such weeds, it may be necessary to apply this product a second time, 14 or more days after the first application. The combined rate of the postemergence applications cannot exceed 1.0 oz. of this product per acre per use season. For the control of annual grasses, apply a grass herbicide such as ASSURE® II (refer to the ASSURE® II product labeling for use rates, weed size, adjuvant selection, precautions, and restrictions). For maximum performance, apply ASSURE® II Herbicide at least one day before, or seven days after, the application of this product.

CULTIVATION

A timely cultivation may be necessary to control suppressed weeds, weeds that were beyond the maximum size at application, and/or weeds that emerge after an application.

- Cultivation up to 7 days before the postemergence application of this product may decrease weed control by pruning weed roots, placing the weeds under stress, and/or covering the weeds with soil and preventing coverage.
- To allow this product to fully control treated weeds, cultivation is not recommended for 7 days after application.
- Optimum timing for cultivation is 7 – 14 days after a postemergence application.

PRECAUTIONS

- Application of Victory prior to the 1 leaf stage of "ExpressSun" sunflowers could result in crop injury.
- Avoid application to "ExpressSun" sunflower fields in which germination is uneven (i.e., some plants are outside the specified leaf stage for application), as crop injury may result.
- Application(s) to "ExpressSun" sunflowers that are, or have been, stressed by severe weather conditions, frost, abnormally hot or cold or wet or dry conditions, low fertility, drought, water saturated soil, disease and/or insect damage prior to application may result in crop injury. If the above stress conditions are expected to occur within 3 days after application of Victory to "ExpressSun" sunflowers, crop injury may also occur.

RESTRICTIONS

- DO NOT apply Victory to Sunflowers that are not "ExpressSun" sunflowers as severe crop injury or death of the plant will occur.
- Do not apply within 70 days of sunflower harvest.
- Do not apply more than 1.0 oz. per acre postemergence during the same sunflower growing season.

Victory is a Trademark of Nufarm Americas Inc.

DuPont, ASSURE, and ExpressSun are registered trademarks or trademarks of its affiliates.

Read the "Limit of Warranty and Liability" in the label booklet for Victory Herbicide before using. These terms apply to this supplemental labeling and if these terms are not acceptable, return the product unopened at once.

