



U.S. ENVIRONMENTAL PROTECTION AGENCY  
Office of Pesticide Programs  
Registration Division (7505C)  
1200 Pennsylvania Avenue NW  
Washington, D.C. 20460

EPA Reg. Number:

71376-3

Date of Issuance:

03/15/06

NOTICE OF PESTICIDE:

- Registration
- Reregistration

(under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

EXCEL Delta HPC

Name and Address of Registrant (include ZIP Code):

Excel Marketing, Inc.  
1340 Treat Boulevard, Suite 650  
Walnut Creek, CA 94597

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
2. Make the following labeling changes before you release the product for shipment:
  - a. Revise the EPA Registration Number to read: "EPA Registration No. 71376-3"

Signature of Approving Official:

*George LaRocca*

George LaRocca  
Product Manager (RM 13)  
Insecticide Branch  
Registration Division (7505C)

Date:

March 15, 2006

- b. Direction for Use/Outdoors: Under Termites, Carpenter Ants and Carpenter Bees, delete the redundant statement, "***For severe termite infestation, contact a professional pest control operator in your area***". Move the statement "***For active infestation, get a professional inspection.***" to the end of the paragraph.
3. Submit to the Agency, data on one year storage stability testing (830.6317), conducted concurrently with the corrosion characteristics study (830-6320) at 0, 3, 6, 9 and 12 months of warehouse storage.
4. Submit two (2) copies of the final printed label bearing the above stated revisions prior to releasing this product for sale.

If you fail to comply with the above stated conditions, this registration will be subjected to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A copy of the stamped label is enclosed for your records. If you have any questions concerning this action, please contact Dr. B. A. Akinlosotu at (703) 605-0653.

Enclosure

[FRONT PANEL]

# EXCEL Delta HPC

[Additional brand name(s): Ready to Use Amdro® Ant Block Perimeter Spray]

### Optional Marketing Statements

- |  |  |
|--|--|
| <ul style="list-style-type: none"> <li>✓ • For Indoor And Outdoor Use</li> <li>✓ • Water-Based</li> <li>✓ • Kills Fast</li> <li>• Keeps Killing [Kills] German Cockroaches For Up To 3 Months [12 Weeks]</li> <li>• Keeps Killing [Kills] Houseflies For Up To 5 Months [20 Weeks]</li> <li>• Keeps Killing [Kills] Ants for Up to 3 Months [12 Weeks]</li> <li>• Non-Staining</li> <li>• For Use In And Around Horse Stables</li> <li>• Keeps Killing [Kills] Stable Flies For Up To 4 Months [18 Weeks]</li> <li>• Kills Spiders, Centipedes And Scorpions</li> <li>• Kills Roaches, Ants And Fleas On Contact</li> <li>• Kills Aphids, Mealybugs, Lace Bugs, Thrips, Leafminers And Mites</li> <li>• Plus Kills Ants, Fleas, Ticks, Crickets, Spiders, Flies &amp; Other Listed Pests</li> <li>• No Drips - No Runs</li> <li>• Stays Where You Put It</li> <li>• Does Not Stain Surfaces</li> <li>• Does Not Stain Fabrics</li> <li>• Contains Deltamethrin® - The Third Generation Pyrethroid</li> </ul> | <ul style="list-style-type: none"> <li>✓ • Ready-To-Use</li> <li>✓ • Kills On Contact</li> <li>✓ • Long-Lasting</li> <li>✓ • Kills Fleas</li> <li>✓ • Kills Mosquitoes</li> <li>• Controls Ticks That May Transmit Lyme Disease</li> <li>• Keeps Killing [Kills] Carpenter Ants For Up To 4 Weeks [30 Days, 1 Month] When Applied To Non-Porous Surfaces</li> <li>✓ • Odorless</li> <li>✓ • No Oily [Greasy] Residue</li> <li>✓ • For Use On Ornamental Plants</li> <li>✓ • For Use On House Plants</li> <li>✓ • Kills Fleas &amp; Ticks</li> <li>✓ • Kills Spider Mites</li> <li>✓ • Kills Japanese Beetles</li> <li>• Also Controls: Carpenter Ants &amp; Carpenter Bees</li> <li>• Easy-To-Use</li> <li>• Kills Plant Pests</li> <li>• Kills Pantry Pests</li> <li>• Kills Home Invading Pests</li> <li>• No Shaking Required</li> <li>• No Shake Formula</li> <li>• No Drip Formula</li> <li>• Contains UltraTec®</li> </ul> |
|--|--|

? - 432-859 ✓ ?

? - No Shaking Required - see storage statement - ?

### ACTIVE INGREDIENT:

Deltamethrin..... 0.02%

OTHER INGREDIENTS: ..... 99.98%

100.00%

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

See back/side/other panel(s) for additional Precautionary Statements and First Aid

NET CONTENTS:

**ACCEPTED  
with COMMENTS  
In EPA Letter Dated:**

MAR 15 2006

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No.

71376-3

EPA Reg. No. 71376-\_\_\_\_  
June 20, 2005 - initial application

EPA Est. No. \_\_\_\_\_  
Page 1 of 5

[BACK/SIDE/OTHER PANEL(S)]

**Excel Delta HPC** keeps on killing **German Cockroaches** for up to 3 months after you spray; keeps on killing **Flies** for up to 4 (5) months [16 (20) weeks, 120 days] after you spray.

**Excel Delta HPC** kills on contact. Contact kill gives you immediate results when spraying insects directly.

**Excel Delta HPC** Insecticide is for use in and around residences and their immediate surroundings such as (but not limited to): **apartments, atriums, attics, automobiles, basements, bathrooms, boats, cabins, campers, carports, cat sleeping quarters, clothes storage, condominiums, decks, dens, driveways, garages, gazebos, homes, kitchens, lanais, living rooms, parlors, patios, pet sleeping areas, play rooms, porches, recreational vehicles, rooms, solariums, storage areas, sun rooms, utility rooms and verandas.** Do not use in commercial food handling establishments, restaurants or other places where food is commercially prepared or processed.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

✓ Do not allow children or pets to contact treated surfaces until spray has dried.

**General Information:** Hold container upright. Do not spray up into air. Apply to surfaces only as a spot and crack & crevice treatment. [Turn sprayer nozzle to "on" position.] Hold approximately 12 inches from surface to be sprayed. Squeeze trigger to spray until surface is slightly moist but not to the point of runoff. Over application may cause damage. Test in an inconspicuous area before applying.

**INDOORS:**

**Cockroaches (Including Adult And Immature Stages Of Both Non-Resistant And Organophosphate And Carbamate Resistant Strains), Ants, Boxelder Bugs, Centipedes, Crickets, Dermestids, Firebrats, Fleas, Palmetto Bugs, Silverfish, Sowbugs, Ticks and Waterbugs:** Controls **German**

✓ **Cockroaches** for up to 3 months. Apply as a spot and crack & crevice treatment to areas where these pests crawl and hide, especially in hidden areas around sinks and storage areas, behind baseboards, around doors and windows, behind and under refrigerators, cabinets, sinks and stoves, the underside of shelves, drawers, bookcases, and similar areas. For **Ticks**, spray surfaces until moist. Cover all food handling surfaces and cover or remove all food and cooking utensils or wash thoroughly after treatment. Exposed food should be covered or removed. Repeat as necessary but not more than once per week.

[**Roaches:** Spray in cracks and crevices, around baseboards and other hiding places.]

**Ants:** Spray ant trails and around doors and windows and other places where ants enter the house.

**Carpenter Ants:** For effective control, locate and treat nests and surrounding areas. Apply around doors and windows and other places where ants enter premises and where they crawl and hide. Spray into infested wood through existing openings.

**Ticks (Including Ticks That May Transmit Lyme Disease) and Fleas ON SURFACES:** Remove pet bedding and destroy or clean thoroughly. Spray pet resting quarters until moist. **Adult Fleas** and **Larvae** contacted by spray will be killed. Put fresh bedding down once spray has dried. Do not spray animals directly. For best results, pets should be treated with an appropriate flea and/or tick control product registered for use on pets before allowing them to return to the treated area. Spray rugs and carpets where infestations are bad. Delicate fabrics should be tested for staining in an inconspicuous area prior to use.

**Spiders:** Apply along and behind baseboards, to window and door frames, corners, pipes, storage localities, attics, crawl spaces and other areas over which these pests may crawl.

**Centipedes, Ground Beetles, Pillbugs, Sowbugs, Scorpions and Ticks:** Apply around doors and windows and other places where these pests may enter premises. For **Ticks**, spray surfaces until moist. Treat baseboards, storage areas and other locations where these pests are found.

[**Silverfish, Crickets, Spiders:** Apply to areas infested by these pests.]

**FLYING INSECTS: Houseflies, Gnats, Mosquitoes and Small Flying Moths:** Spray localized resting areas, such as under eaves, porches, inside surfaces of window and door frames, surfaces around light fixtures and cords, railings, etc. and anywhere these insects may rest. Insects coming to rest on treated surfaces will be killed.

[**FLYING INSECTS:** Spray resting areas. Insects coming to rest on treated surfaces will be killed.]

**HORSE STABLES:** To Control **Stable Flies, Horn Flies, Houseflies, Face Flies, Horse Flies, Deer Flies, Mosquitoes** and **Gnats**. Apply thoroughly to surfaces until wet. Insects coming to rest on treated surfaces will be killed or repelled. Repeat treatment as necessary, but not more than once per week. Do not spray animals or humans, or apply to animal feed or watering equipment. Controls **Stable Flies** for up to 4 months.

**PANTRY PESTS:- Grain Beetles (Rusty, Merchant and Saw-Toothed), Flour Beetles (Red and Confused), Chocolate Moths, Cigarette Beetles, Clover Mites, Cluster Flies, Drugstore Beetles, Elmleaf Beetles, Rice Weevils, Lesser Grain Borers, Spider Beetles and Tobacco Moths:** Treat exposed stages. Remove all food-stuffs, utensils and shelf paper from area to be treated. Discard used shelf paper and any infested foodstuffs. Apply spray to shelves and in cracks and crevices behind and under cupboards and cabinets. Allow to dry prior to replacement of shelf paper, food and utensils. Wash any exposed food handling surfaces and utensils before use.

**Carpet Beetles (Black, Furniture and Varied):** Spray on and under edges of floor coverings, under rugs and furniture and in closets or other localities where these insects are found.

**Webbing Clothes Moths:** Use this product as a crack and crevice treatment in closets and other storage areas where these pests are found. This is an adjunct treatment and will not control moth larvae already on clothes. Do not apply to clothing.

**Bedbugs:** Remove linens and wash before reuse. Lightly spray mattresses, especially tufts, folds and edges. Apply to the interior of the frame. Allow to dry before remaking bed.

**OUTDOORS:**

Remove all exposed food and cooking utensils. Cover all food handling surfaces or wash thoroughly after treatment and before use. Do not use on edible crops.

For outdoor use as an aid in controlling these insects only.

Point sprayer away from face. Hold sprayer on a slight downward angle, approximately 12 inches from surface to be sprayed. Spray with wind if breeze is blowing. Do not contaminate fish ponds or apply directly to water.

**PESTS ON OUTSIDE SURFACES OF BUILDINGS:** For control of building infestation to **Ants, Clover Mites, Crickets** and **Sowbugs (Pillbugs)**. Spray foundation of building where insects are active and may find entrance up to a height of 2 to 3 feet. Apply to outside surfaces of buildings where insects tend to congregate. Spray areas include (but are not limited to) screens, window frames, eaves, porches, patios, garages and refuse dumps. Repeat treatment as necessary, but not more than once per week.

**CRAWLING INSECTS: Ants, Cockroaches (Including Asian Cockroaches), Centipedes, Crickets, Mole Crickets, Water Bugs and Silverfish.** Hold sprayer 12 to 18 inches from surface to be treated and spray in infested surface of patio or picnic area, hitting as many insects as possible. Spray to slightly moisten the surface. Also spray legs of tables and chairs.

**Ants:** Spray freely around ant trails and hills. Spray around nests hidden under steps, brickwork, concrete, etc. Break apart accessible nests and spray freely on and around debris. Repeat as necessary but not more than once per week.

6/7

[**Ants**: Spray ant trails and hills. If nest can be located, spray surface of nest until wet.]

**Lone Star Ticks, Dog Ticks, Crickets and Fleas**: Apply thoroughly to infestation in bushes, grass or weeds.

**Wasps, Hornets, Yellow Jackets and Bees**: Spray nests and other surfaces where bees may rest. Aim spray at nest openings. Applications should be made late in the evening when insects are at rest.

**FLYING INSECTS: Houseflies, Gnats, Mosquitoes and Small Flying Moths**: Spray outside surfaces of window and door frames and other areas where these pests may enter the home. Also spray localized resting areas, such as under eaves, porches, surfaces around light fixtures and cords, railings, etc. where these insects may rest. Insects coming to rest on treated surfaces will be killed.

**Termites, Carpenter Ants and Carpenter Bees**: (for localized control only) Apply **Excel Delta HPC** to voids or channels in damaged wood of a structure, or to cracks, crevices and spaces in and between wooden portions of a structure or between wood and the foundation, in locations vulnerable to attack such as crawl spaces.

For **Termites**, the purpose of such applications is to kill workers or winged forms which may be present in the treated areas at the time of application. Not recommended as sole protection against termites. For active infestations, get a professional inspection. Such applications are not a substitute for mechanical alteration, soil treatment or foundation treatment but are merely a supplement. For severe termite infestation, contact a professional pest control operator in your area. ?

**HOUSE PLANTS**: To control **Aphids, Japanese Beetles, Lace Bugs, Leafminers, Mealybugs, Mites** and **Spider Mites** on house plants. Prior to spraying, remove plants from living and eating areas. Put in an area not likely to come in contact with pets, children or food. Plants can be returned to original location when leaves dry. If plants cannot be moved, cover or remove exposed food and food handling surfaces. Avoid spraying surrounding areas.

Apply spray to upper and lower surfaces of foliage. Avoid wetting blossoms if possible. Repeat applications as necessary, but not more than once per week.

**FOR CONTROL OF ORNAMENTAL GARDEN INSECTS**: For use on African violets, Asters, Azaleas, Begonias, Camellias, Carnations, Chrysanthemums, Dahlias, Delphiniums, Dogwood, English ivy, Euonymus, Fuschia, Geraniums, Crassula, Grape vine, Kentia palm, Laurel, Marigolds, Rhododendrons, Roses, Rubber plants, Snapdragons, Stocks, Wandering Jews, Zinnias and other flowers and ornamental plants to kill **Japanese Beetles** hit by spray, as well as **Whiteflies, Aphids, Armyworms, Lace Bugs, Mealybugs, Exposed Thrips, Pavement Ants, Spiders, Spider** and **Red Mites, Clover Mites** and **Leafminers**.

Not for use on plants grown for sale or other commercial use. May be used as a multi-purpose spray in small ornamental gardens and for spot treatments to prevent insects from spreading into large garden areas.

When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. DO NOT apply to vegetable plants or other plants used for food. Spray insects directly whenever possible.

### STORAGE AND DISPOSAL

**Storage**: Store in a cool, dry area away from [inaccessible to] children. [Do not transport or store below 32°F (0°C).] [Protect from freezing.] [Store above 32°F.] If freezing occurs, allow product to thaw and shake well before using [use]. [Some product separation may occur on freezing which is reversible on shaking.] Freezing does not adversely affect [this product] [performance].

**Container Disposal: If empty**: Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled**: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

**PRECAUTIONARY STATEMENTS**

**Hazards To Humans & Domestic Animals**

**CAUTION:** Contact with product may result in transient tingling and reddening of the skin. Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

**Environmental Hazards**

This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. Do not contaminate water when disposing of washwater or rinsate. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

**Physical or Chemical Hazards**

Do not apply this product in or on electrical equipment due to possibility of shock hazard.

**WARRANTY:** Excel Marketing Inc. guarantees this product to the extent of the purchase price, only when used according to directions.

- ? 1-888-648-9855
- + 1-800-494-9300

UltraTec® and Deltamethrin® are registered trademarks of Valent BioSciences Corporation. Amdro® is a registered trademark of Ambrands.

**Excel Marketing, Inc.**  
1340 Treat Boulevard, Suite 650  
Walnut Creek, CA 94597

may  
Delete  
Do not use  
product