

02/10/2009

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

FEB 10 2009

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Michael Kelley, Ph.D toXcel, LLC Agent for Dr. Wolman GmbH 7140 Heritage Village Plaza Gainesville, VA 20155

Subject:

Wolsin FL-35

EPA Registration No. 71406-4

Application Dated: November 17, 2008 Receipt Date: November 19, 2008

Dear Dr. Kelley:

The following amendment, submitted in connection with registration under section of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable.

Proposed Amendment:

Primary Product Name Change to Sinesto PFB

Other comments:

Future labeling amendments may be accomplished by submitting a copy of the electronic label. Refer to the following website for guidance on electronic submissions, including label: http://www.epa.gov/pesticides/regulating/registering/submissions/index.htm.

If you have any questions concerning electronic label submissions, please refer to the above website for a list of contact personnel for more information.

General Comment:

Enclosed is a copy of the stamped labeling.

Should you have any questions concerning this letter, please contact me by telephone at (703) 308-8583 or email address at: mitchell.emily@epa.gov, or Renae Whitaker telephone at (703) 308-7003 or email address at: whitaker.renae@epa.gov during the hours of 8:00 am to 3:30 pm EST. When submitting information or data in response to this letter, a copy of this letter should accompany the submission to facilitate processing.

Sincerely,

Comily Mitchell Emily Mitchell

(Acting) Product Manager (34) Regulatory Management Branch II Antimicrobials Division (7510P)

Enclosure: EPA stamped approved labeling

Sinesto PFB

Antisapstain Treatment of Lumber ACTIVE INGREDIENTS (% w/w): Fenpropimorph: 5.4 Propiconazole: 2.7 Boric acid: 9.0 **INERT INGREDIENTS (% w/w):** 82.9 TOTAL (% w/w): 100.0 Product weight: 8 lb/gal (0.96 kg/l)

KEEP OUT OF REACH OF CHILDREN DANGER **CORROSIVE TO EYE AND SKIN**

FIRST AID	
If swallowed	 Call a Poison Control Center or a doctor immediately for treatment advice. Have person sip a glass of water if able to swallow Do not induce vomiting unless told by a Poison Control Center or doctor Do not give anything by mouth to an unconscious Person.
lf on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call Poison Control Center or doctor for further treatment advice.
If inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, and then give artificial respiration preferably mouth-to-mouth if possible. Call a Poison Control Center or doctor for further treatment advice.
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, and then continue rinsing. Call a Poison Control Center or doctor for treatment advice.
CENERAL CURANCE	

GENERAL GUIDANCE

In case of chemical emergency, call CHEMTREC at 1-800-424-9300. Have the product container or label with you when calling a Poison Control Center or doctor or going in for treatment.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the valorigastic avage Difference

Net weight: lbs (

LOT-No.:

_kg) FEB 10 2009

Under the Federal Insecticide, Fungicide, and Rodenticide, Act as amende pesticide, registered under EPA Reg. No. 1406 - 4

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

CORROSIVE: Causes irreversible eye damage or skin burns. Harmful if absorbed through skin. Harmful if inhaled. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Avoid breathing spray mist, Wash hands before eating, drinking, and chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT: Applicators and other handlers must wear:

- Long sleeved shirt and long pants.
- Socks and shoes
- Chemical resistant gloves (such as Barrier Laminate, or any of the following gloves at 14 mils thickness: butyl nitrile, neoprene rubber. polyvinyl chloride, or Viton)
- Goagles or face shield.
- Follow manufacturer's instructions for cleaning / maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS: Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet, Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. User should remove personal protective equipment immediately after handling this product. Wash outside of gloves before removing. As soon as possible wash thoroughly.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Do not contaminate water when disposing of equipment washwaters. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store in original container in a cool, dry place. Keep containers closed when not in use.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary ांबाप्रीं।, or incineration, or, if allowed by state and local authorities. thy burning. If burned, stay out of smoke.

> EPA REG. NO. 71406-4 EPA EST. NO. 005526-DEU-001

DIRECTIONS FOR USE

FOR INDUSTRIAL USE ONLY. It is a violation of Federal Law to use this product in a manner inconsistent with this labeling.

LUMBER TREATMENT: SINESTO PFB is used to control sapstain, mold and decay on green or freshly cut lumber and wood products like e.g. logs, poles, posts, composites, veneers and wood chips/sawdust or other similar byproducts intended for non-food contact papermaking and manufacturing of composites by dip or spray application. Lumber and wood products should be treated immediately after sawing or cutting. A delay in treatment of 24 hours or more permits stain, mold and decay growth to start which requires an increased concentration of antisapstain treatment to achieve adequate control. Treated lumber should be protected from rain and removed from direct soil / ground contact. Wood treated with Sinesto PFB shall not be used in marine/estuarine habitats. Do not use Sinesto PFB on treated wood for construction or repair of bee hives. Lumber treated with Sinesto PFB must be stored under cover, indoors, or at least 100 feet from any pond, lake, stream, wetland, or river to prevent possible runoff of the product into the waterway. Treated lumber stored within 100 feet of a pond, lake, stream, wetland, or river must be either covered with plastic or surrounded by a berm to prevent surface water runoff into the nearby waterway. If a berm or curb is used around the site, it should consist of impermeable material (clay, asphalt, concrete) and be of sufficient height to prevent runoff during heavy rainfall events.

MIXING INSTRUCTIONS: For bulk dip tanks and conventional spray systems prepare e.g. a 1% dilution by mixing 1 gallon SINESTO PFB in 99 gallons of water. Agitate vigorously until completely dispersed. For low volume spray systems prepare a e.g. 5% dilution by mixing 1 gallon of SINESTO PFB in 19 gallons of water. Complete surface wetting is essential in all types of application. If staining should occur, increase concentration to up to 3.5 gallons product per 96.5 gallons water (3.5% concentration) for dip and conventional spray systems or 2 gallons product per 18 gallons water (10% concentration) for low volume spray systems. Remove sawdust and other debris from treating solution on a regular basis to maintain correct concentration of SINESTO PFB in treating solution. Rates, for all applications will vary according to wood species and moisture content, temperature, humidity, storage conditions and inoculum pressure. Monitor dip tank and / or spray booth mixtures to ensure proper concentrations are being maintained. Contact your SINESTO PFB representative for application and monitoring advice.

NOTE: This product is intended to provide sapstain, mold and decay control during storage and transit which is not intended to extend to the end use site.

NOTICE OF WARRANTY AND DISCLAIMER

Dr. Wolman GmbH warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on such label only when used in accordance with the directions under normal use conditions. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Dr. Wolman GmbH. In no case shall Dr. Wolman GmbH be liable for consequential, special or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the Buyer. DR. WOLMAN GMBH MAKES NO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

Manufactured in Germany by Dr. Wolman GmbH