

71406-4

05/21/2010

1/4



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

MAY 21 2010

OFFICE OF
PREVENTION,
PESTICIDES
AND TOXIC SUBSTANCE

J. Michael Kelley
Agent for Dr. Wolman GmbH
toXcel
Toxicology & Regulatory Affairs
7140 Heritage Village Plaza
Gainesville, VA 20156

Subject: **Sinesto PFB**
EPA Registration No. 71406-4
Application Date: April 27, 2010
Receipt Date: April 27, 2010

Dear Dr. Kelley:

This will acknowledge receipt of your notification, submitted under the provisions of PR Notice 2007-4.

Proposed Notification:

- Updating Container Disposal statement

General Comment:



Based on a review of the submitted materials, your notification for updating the Container Disposal statements is acceptable and a part of the records on file.

Should you have any questions concerning this letter, please contact Heather Garvie at (703) 308-0034 or by email address at garvie.heather@epa.gov.

Sincerely,

A handwritten signature in cursive script, appearing to read "Jacqueline McFarlane".

Jacqueline McFarlane
(Acting) Product Manager (34)
Regulatory Management Branch
Antimicrobials Division (7510P)

	United States Environmental Protection Agency Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number
	Application for Pesticide – Section 1		
1. Company/Product Number Dr. Wolman GmbH /71406-4		2. EPA Product Manager Jacque Campbell-McFarlane	
4. Company/Product (Name) Dr. Wolman GmbH/Sinesto PFB		PM# PM 34	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
5. Name And Address Of Applicant (Include ZIP Code) Dr. Wolman GmbH, P.O. Box 1160 76545 Sinzheim, Germany <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	
Section II			
<input type="checkbox"/> Amendment – Explain below. <input type="checkbox"/> Resubmission in response to Agency letter dated _____ <input checked="" type="checkbox"/> Notification – Explain below.		<input type="checkbox"/> Final Printed labels in response to Agency letter dated _____ <input type="checkbox"/> "Me Too" Application. <input type="checkbox"/> Other – Explain Below.	
Explanation: Use additional page(s) if necessary. (For section I and Section II.) Notification of labeling for Sinesto PFB, Product No. 71406-4. Changes have been made to container disposal language per PR Notice 2007-4. No other changes have been made to this label. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.			
Section III			
1. Material This Product Will Be Packaged In:			
Child Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes" No. per Unit Packaging wgt. Container	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes" No. per Unit Packaging wgt. Container	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) : _____
* Certification must be submitted			
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(S) Retail Container	
		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithographed <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled <input type="checkbox"/> Other _____			
Section IV			
1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)			
Name J. Michael Kelley, Ph.D, toXcel, LLC		Title Agent for Dr. Wolman GmbH	
		Telephone No. (Include Area Code) 703-754-0248 x112	
Certification			
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment, or both under applicable law.			
2. Signature 		3. Title Agent for Dr. Wolman GmbH	
4. Typed Name J. Michael Kelley, Ph.D, toXcel, LLC		5. Date April 27, 2010	
6. Date Application Received			

Sinesto PFB

Antisapstain Treatment of Lumber	
ACTIVE INGREDIENTS (% w/w):	
Fenpropimorph:	5.4
Propiconazole:	2.7
Boric acid:	9.0
INERT INGREDIENTS (% w/w):	82.9
TOTAL (% w/w):	100.0
Product weight: 8 lb/gal (0.96 kg/l)	

KEEP OUT OF REACH OF CHILDREN
DANGER
CORROSIVE TO EYE AND SKIN

FIRST AID	
If swallowed	<ul style="list-style-type: none"> Call a Poison Control Center or a doctor immediately for treatment advice. Have person sip a glass of water if able to swallow Do not induce vomiting unless told by a Poison Control Center or doctor Do not give anything by mouth to an unconscious Person.
If on skin or clothing	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call Poison Control Center or doctor for further treatment advice.
If inhaled	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, and then give artificial respiration preferably mouth-to-mouth if possible. Call a Poison Control Center or doctor for further treatment advice.
If in eyes	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, and then continue rinsing. Call a Poison Control Center or doctor for treatment advice.
GENERAL GUIDANCE	
In case of chemical emergency, call CHEMTREC at 1-800-424-9300. Have the product container or label with you when calling a Poison Control Center or doctor or going in for treatment.	
NOTE TO PHYSICIAN	
Probable mucosal damage may contraindicate the use of gastric lavage.	

Net weight: _____ lbs (_____ kg)

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

CORROSIVE: Causes irreversible eye damage or skin burns. Harmful if absorbed through skin. Harmful if inhaled. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Avoid breathing spray mist. Wash hands before eating, drinking, and chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT: Applicators and other handlers must wear:

- Long sleeved shirt and long pants,
- Socks and shoes
- Chemical resistant gloves (such as Barrier Laminate, or any of the following gloves at 14 mils thickness: butyl nitrile, neoprene rubber, polyvinyl chloride, or Viton)
- Goggles or face shield.
- Follow manufacturer's instructions for cleaning / maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS: Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. User should remove personal protective equipment immediately after handling this product. Wash outside of gloves before removing. As soon as possible wash thoroughly.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Do not contaminate water when disposing of equipment washwaters. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store in original container in a cool, dry place. Keep containers closed when not in use.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two or more times. Then offer for recycling, if available, or reconditioning, if appropriate or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

DIRECTIONS FOR USE

FOR INDUSTRIAL USE ONLY. It is a violation of Federal Law to use this product in a manner inconsistent with this labeling.

LUMBER TREATMENT: SINESTO PFB is used to control sapstain, mold and decay on green or freshly cut lumber and wood products like e.g. logs, poles, posts, composites, veneers and wood chips/sawdust or other similar byproducts intended for non-food contact papermaking and manufacturing of composites by dip or spray application. Lumber and wood products should be treated immediately after sawing or cutting. A delay in treatment of 24 hours or more permits stain, mold and decay growth to start which requires an increased concentration of antisapstain treatment to achieve adequate control. Treated lumber should be protected from rain and removed from direct soil / ground contact. Wood treated with Sinesto PFB shall not be used in marine/estuarine habitats. Do not use Sinesto PFB on treated wood for construction or repair of bee hives. Lumber treated with Sinesto PFB must be stored under cover, indoors, or at least 100 feet from any pond, lake, stream, wetland, or river to prevent possible runoff of the product into the waterway. Treated lumber stored within 100 feet of a pond, lake, stream, wetland, or river must be either covered with plastic or surrounded by a berm to prevent surface water runoff into the nearby waterway. If a berm or curb is used around the site, it should consist of impermeable material (clay, asphalt, concrete) and be of sufficient height to prevent runoff during heavy rainfall events.

MIXING INSTRUCTIONS: For bulk dip tanks and conventional spray systems prepare e.g. a 1% dilution by mixing 1 gallon SINESTO PFB in 99 gallons of water. Agitate vigorously until completely dispersed. For low volume spray systems prepare a e.g. 5% dilution by mixing 1 gallon of SINESTO PFB in 19 gallons of water. Complete surface wetting is essential in all types of application. If staining should occur, increase concentration to up to 3.5 gallons product per 96.5 gallons water (3.5% concentration) for dip and conventional spray systems or 2 gallons product per 18 gallons water (10% concentration) for low volume spray systems. Remove sawdust and other debris from treating solution on a regular basis to maintain correct concentration of SINESTO PFB in treating solution. Rates, for all applications will vary according to wood species and moisture content, temperature, humidity, storage conditions and inoculum pressure. Monitor dip tank and / or spray booth mixtures to ensure proper concentrations are being maintained. Contact your SINESTO PFB representative for application and monitoring advice.

NOTE: This product is intended to provide sapstain, mold and decay control during storage and transit which is not intended to extend to the end use site.

NOTICE OF WARRANTY AND DISCLAIMER

Dr. Wolman GmbH warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on such label only when used in accordance with the directions under normal use conditions. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Dr. Wolman GmbH. In no case shall Dr. Wolman GmbH be liable for consequential, special or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the Buyer. DR. WOLMAN GMBH MAKES NO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

Manufactured in Germany by Dr. Wolman GmbH

EPA REG. NO. 71406-4
EPA EST. NO. 005526-DEU-001

USA Sinesto PFB 100519

LOT-No.:

NOTIFICATION
 Date Reviewed: 5/21/10
 Reviewed By: *[Signature]*

b/p