71406-5

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

7/22/2010

SEPA United States Environmental Protection Office of Pesticide Programs

JUL 2 2 2010

12

Dr. Wolman GnbH P. O. Box 1160 76545 Sinzheim, Germany

AGENT: ToXcel 7140 Heritage Village Plaza Gainesville, VA 20156 USA

Attention: J. Michael Kelley.

Subject: Dazomet Pellets EPA Registration No. 71406-5 Amendment Dated April 27, 2010

The amendment, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable.

Proposed Amendment

- Revised container disposal language per PR Notice 2007-4

General Comments

A stamped copy of the "accepted" product labeling is enclosed for your records.

If you have any questions concerning this letter, please contact Marshall Swindell at (703) 308-6341.

Sincerely

Marshall Swindell

Product Manager (33) **Regulatory Management Branch 1** Antimicrobials Division (7510P)

Enclosure

Dr. Wolman GmbH

DAZOMET Pellets

PROTECTION OF WOOD AGAINST FUNGAL DECAY	
ACTIVE INGREDIENTS (% w/w):	
Tetrahydro-3,5-dimethyl-2H-1,3,5-thiadiazine-2-	
thione	99.0
INERT INGREDIENTS (% w/w):	1.0
TOTAL (% w/w):	100.0

KEEP OUT OF THE REACH OF CHILDREN WARNING

FIRST AID		
lf in eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact tenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.	
lf on skin or clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.	
If swallowed	Call polson control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor.	
lf inhaled	Move person to air. If person is not breathing, call 911 or an ambulance, Ihen give artificial respiration, preferably by mouth-to- mouth, if possible. Call a poison control center or doctor for further treatment advice.	
HOT LINE NUMBER		

In case of chemical emergency, call CHEMTREC at 1-800-424-9300 day or night for assistance and information concerning spilled material, fire exposure, and other chemical accidents. Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-832-4357 for emergency updical treatment information.

LOT-No.: with COMMENTS EPA Letter Dated: Net contents: ___UL_2_2005 (KG) Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide.

registered under EPA Reg. No. 7/406-5

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

May be fatal if swallowed. Prolonged exposure may cause irritation of skin, eyes and mucous membranes. Do not breathe dust. Avoid contact with skin, eyes and clothing. Wear rubber gloves when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. The gases released during the degradation of the product in wood or after application of accelerants are irritating to the eyes, skin and mucous membranes. Avoid inhaling vapors. Prolonged or frequently repeated skin contact may cause allergic response in some individuals.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. This pesticide is expected to be toxic when in contact with terrestrial or aquatic plants. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to seware systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Do not contaminate water by cleaning of equipment

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store this product in a dry, cool place below 95 degrees Fahrenheit; it will decompose at higher temperatures. Material reacts non-violently with moisture or accelerants releasing furnigant vapors. Keep container tightly sealed when not in use.

PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: For nonrefillable bulk bags: Nonrefillable container. Do not reuse or refill this container. Completely empty bag into application equipment. Then offer for recycling if available or dispose of empty bag in a sanitary landfill or by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

For small plastic containers: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

> EPA Registration Number: 71406-5 EPA Establishment Number: 7969-WG-01 Dr. Wolman GmbH Dr. Wolman-Str. 31-33 76547 Sinzheim Germany

DIRECTIONS FOR USE

FOR COMMERCIAL USE ONLY. It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

WOOD AND WOOD PRODUCTS

DAZOMET Pellets is recommended for the internal remedial treatment and protection of wood products such as utility poles, pilings timbers and other large solid or taminated wood products against fungal decay. DAZOMET Pellets is not to be used indoors or underneath indoor structures.

DAZOMET Pellets is designed to be placed inside the wood product to be treated. The total amount applied will be dependent of the size of the wood unit and the zone to be protected. DAZOMET Pellets is applied in treatment holes drilled into the wood at a 45° angle downward or greater, which are then plugged. For wood in ground contact, the first hole should start at or slightly below ground-line and should be arranged in a spiral pattern covering the treatment zone with about 6" to 12" vertically between holes. Do not overfill the treatment holes, to allow room for a plug.

The following example can be used as a guide for the application of this product to treat the grounding zone of a 35° circumference standing utility pole.

Drill three 7/8 in. diameter by 14 in. long holes at a steep angle (45 deg or greater) in a spiral patter starting at ground line. Apply 70 grams of end use product into each hole. Do not overfill treatment hole. Add liquid accelerant if desired to treatment hole. Plug treatment hole with a tight fitting treated wooden dowel, removable plastic plug or other suitable cap. Plug the treatment hole with a tight-fitting treated wooden dowel, removable plastic plug, or other suitable cap.

An accelerant of a 1% solution of Copper Naphthenate in Mineral Spirits may be added to treatment holes after the DAZOMET Pellets and it is designed to speed up the decomposition and release of active furnigant inside the wood product. Accelerating the release of furnigant is especially desirable when active decay is present. Keep accelerant away from DAZOMET Pellets except in treatment holes, which should be plugged immediately after they combine.

Plug the pre-drilled holes immediately after applications; Do not treat structures/beams indoors; Do not drill an application hole through seasoning checks to apply product. If the hole intersects a check, plug the hole and drill another. If more than 2 treatment holes intersect an internal void or rot pocket, re-drill the holes farther up the pole into relatively solid wood.

NOTICE OF WARRANTY AND DISCLAIMER

The manufacturer warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for the purposes stated on such label only when used in accordance with the directions under normal use conditions. It is impossible to eliminate all risks Inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as presence of other materials or the manner of use or application, which are beyond the control of the manufacturer. The manufacturer shall not be responsible for losses or damages resulting from use of this product. in any manner not set forth on this label. User assumes all risks associated with the use of this product in any manner not specifically set forth on this label. In no case shall the manufacturer be fiable for consequential, special, punitive, or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the Buyer. The manufacturer makes no warranties of merchantability nor fitness for a particular purpose nor any other express or implied warranty except as stated above. Buyer's exclusive remedy and the menufacturer's exclusive liability, whether in contract, tort, negligence, strict liability or otherwise, shall be limited to repayment of the purchase price of DAZOMET Pellets.

464

.